(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

# (19) World Intellectual Property Organization

International Bureau



# 

#### (43) International Publication Date 22 April 2004 (22.04.2004)

### **PCT**

## (10) International Publication Number WO 2004/033690 A1

C12N 15/40 (51) International Patent Classification7:

(21) International Application Number:

PCT/KR2003/002081

- (22) International Filing Date: 9 October 2003 (09.10.2003)
- (25) Filing Language:

English

(26) Publication Language:

English


- (30) Priority Data: 10-2002-0061589 9 October 2002 (09.10.2002) KR
- (71) Applicant (for all designated States except US): CID CO., LTD [KR/KR]; 510 3ba Sihwagongdan, Jeongwang-dong, Siheung-si, 429-450 Gyeonggi-do (KR).
- (71) Applicant and
- (72) Inventor: LEE, Seung Han [KR/KR]; #1246-1603 Mokryeon APT., Sanbon-dong, Gunpo-si, 435-040 Gyeonggi-do (KR).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): LEE, Young-Min [KR/KR]; #803-1903 Hyundaidaewoo Apt., 1249 Bunpyeong-dong, Heungdeok-gu, Cheongju-si, 361-201

Chungcheongbuk-do (KR). YUN, Sang-Im [KR/KR]; 90-17 Seong-ri, Suhan-myeon, Boeun-gun, 376-881 Chungcheongbuk-do (KR).

- (74) Agent: LEE, Won-Hee; 8th Fl., Sung-ji Heights II, 642-16 Yoksam-dong, Kangnam-ku, 135-080 Seoul (KR).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: NOVEL FULL-LENGTH GENOMIC RNA OF JAPANESE ENCEPHALITIS VIRUS, INFECTIOUS JEV CDNA THEREFROM, AND USE THEREOF



(57) Abstract: The present invention relates to a novel genomic RNA of Japanese encephalitis virus (JEV) and an infectious JEV cDNA therefrom. Particularly, the present invention relates to a full-length genomic RNA of JEV represented by SEQ. ID. No 15 and an infectious JEV cDNA therefrom. JEV genomic RNA and infectious JEV cDNA of the present invention can be used not only for the identification of the JEV genes, but also for the molecular biological studies including JEV replication, transcription, and translation. Moreover, they can also be applied to the development of the therapeutic agents, vaccines, diagnostic reagents, and diagnostic devices for Japanese encephalitis, and can be used as an expression vector for the various foreign genes.

### Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



# NOVEL FULL-LENGTH GENOMIC RNA OF JAPANESE ENCEPHALITIS VIRUS, INFECTIOUS JEV CDNA THEREFROM, AND USE THEREOF

# 5 FIELD OF THE INVENTION

The present invention relates to the determination of an authentic Japanese encephalitis virus (JEV) genome RNA sequences, to construction of infectious JEV cDNA clones, and to utility of the clones or their derivatives for the purpose therapeutic, vaccine, and diagnostic applications. In addition, the invention is also related to JEV vectors, e.g., for heterologous gene expression systems, genetic immunization, and transient gene therapy.

15

20

10

### BACKGROUND

JEV is a member of the Flaviviridae family and is transmitted by mosquitoes. It is an important human pathogen that causes permanent neuropsychiatric sequelae and even fatal disease, especially in children (Tsai, Vaccine, 2000, 18(Suppl 2), 1-25; Solomon, Neurological Infections and Epidemiology, 1997, 2, 191-199; Umenai et al., Bull. W.H.O., 1985, 63, 625-631). Up to 50,000 cases with a mortality rate of about 25%

10



are reported annually, and about half of the survivors exhibit permanent neuropsychiatric sequelae (Vaughn and Hoke, Epidemiol. Rev., 1992, 14, 197-221; Burke and Leake, Japanese encephalitis, 1988, 63-92, CRC Press Publisher). JEV is distributed mostly in Asia from the former Soviet Union to India. In recent years, however, transmission of the virus has recently been observed in the southern hemisphere, indicating that this virus could become a worldwide public health threat (Hanna, et al., Med. J. Aust., 1999, 170, 533-536; Hanna, et al., Med. J. Aust., 1996, 165, 256-260; Mackenzie et al., Arch. Virol., 1994, 136, 447-467).

JEV is a small-enveloped virus with a singlestranded, positive-sense RNA genome approximately 11 kb 15 in length. The genome contains a single long open reading frame (ORF) flanked by 5' and 3' nontranslated regions (NTRs) that are important cis-acting elements for viral replication. The RNA genome of JEV has a type I cap structure at its 5'-terminus but lacks a 20 poly(A) tail at its 3' terminus. The ORF is translated into large polyprotein that is posttranslationally processed into three structural and seven nonstructural proteins whose genes are arranged in the genome as follows: C-prM-E-NS1-NS2A-NS2B-NS3-25 NS4A-NS4B-NS5 (Lindenbach and Rice, Flaviviridae: The



viruses and their replication, 2001, 991-1041, Lippincott Williams&Wilkins Publishers; Venugopal and Gould, Vaccine, 1994, 12, 966-975; Chamber et al., Ann. Microbiol., 1990, 44, 649-688). Further information, for example, on the function of majority of the JEV gene products and the molecular mechanisms involved in JEV replication, neurovirulence, and pathogenesis, is limited largely because of the lack of a reliable reverse genetics system.

10

15

20

25

5

investigating positive-sense Research RNA viruses has been considerably advanced by the development of the reverse genetics system. Here, infectious cDNA clones of the viral genome in question are constructed and become the templates for infectious RNA synthesis that generates synthetic viruses. are two approaches, RNA-launched approach and DNAlaunched approach, for the reverse genetics system. In classical "RNA-launched" approach, cells are transfected with RNA transcripts made the infectious cDNA clones, and the synthetic viruses are then recovered from these cells (Satyanarayana et al., Proc. Natl. Acad. Sci. USA, 1999, 96, 7433-7438; van Dinten et al., Proc. Natl. Acad. Sci. USA, 1997, 94, 991-996; Liljestrom and Garoff, Biotechnology, 1991, 9,



1356-1361; Rice et al., New Biol., 1989, 1, 285-296, Rice et al., J. Virol., 1987, 61, 3809-3819). In an alternative "DNA-launched" approach, synthetic viruses are generated by directly transfecting infectious cDNA clones into susceptible cells. This approach was first reported for poliovirus (Racaniello and Baltimore, Science, 1981, 214, 916-919), and has been adapted for alphaviruses (Schlesinger and Dubensky, Curr. Opin. Biotechnol., 1999, 10, 434-439).

10 Both of these approaches have been used to construct infectious cDNA clones for many positivesense RNA virus families, including coronaviruses, which have the largest RNA genomes (Almazan et al., Proc. Natl. Acad. Sci. USA, 2000, 97, 5516-5521). 15 These clones have been invaluable in addressing many questions regarding the positive-sense RNA viruses. However, the construction of a full-length infectious cDNA clone for JEV has been hampered, largely because of the genetic instability of the cloned cDNA. Despite 20 extensive efforts, a genetically stable full-length infectious cDNA molecular clone for JEV does not exist (Mishin et al., Virus Res., 2001, 81, 113-123; Zhang et al., J. Virol. Methods, 2001, 96, 171-182; Sumiyoshi et al., J. Infect. Dis., 1995, 171, 1144-1151; Sumiyoshi 25 et al., J. Virol., 1992, 66, 5425-5431).

10

15



Thus, the present inventors have disclosed the complete full-length nucleotide sequence of the JEV strain CNU/LP2, isolated from a pool of circulating mosquitoes in Korea. Based on this sequence, present inventors also have developed a convenient and reliable reverse genetics system for JEV by synthesizing full-length infectious JEV cDNA molecular The reverse genetics system based on the novel clones. infectious JEV cDNA of the present invention can be effectively used for investigating the functions of JEV gene products and other molecular biological mechanisms related replication, to neurovirulence, pathogenesis of JEV. Further, the present inventors have completed the present invention by confirming that the infectious JEV cDNA can be effectively used as a vector for the heterologous gene expression in a variety of ways.

# 20 <u>DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS</u>

It is an object of the present invention to provide an authentic JEV genome RNA sequences, infectious JEV cDNA clones therefrom, and utility of the clones or their derivatives for novel gene



expression vectors.

To accomplish the above object,

- The present invention provides an authentic
   JEV genome RNA sequences.
  - 2) The present invention provides infectious JEV cDNA clones that are able to produce self-replicable JEV RNA transcripts.
- 3) The present invention provides a JEV-based 10 vector.
  - 4) The present invention provides a self-replicable RNA transcript synthesized from the above JEV-based vector.
- 5) The present invention provides a recombinant

  15 JEV virus obtained from cells transfected with a synthetic RNA transcript synthesized from the JEV-based vector.
  - 6) The present invention provides a JEV-based expression vector.
- 7) The present invention provides a variety of strategies for expressing heterologous genes using the JEV-based expression vector.

Further features of the present invention will appear hereinafter.

20

25



I. The present invention provides an authentic JEV genome RNA sequences.

Korean isolate JEV genomic RNA of the present invention is composed of a 5'nontranslated region (NTR), a polypeptide coding region and a 3'NTR. Particularly, the full-length RNA genome is 10,968 bp in length and consists of a 95 bp 5'NTR followed by a 10,299 bp single open reading frame and terminated by a 574 bp 3'NTR.

According to the preferred embodiment of the present invention, the novel genomic RNA of JEV has a sequence represented by SEQ. ID. No 15. And the novel genomic RNA of the present invention also includes any sequence having 98% homology with JEV genomic RNA represented by SEQ. ID. No 15.

Korean isolate JEV of the present invention was isolated and purified from Korean JEV strain K87P39 by taking advantage of plaque-purification technique, and was named "JEV CNU/LP2" (see FIG. 1).

In order to determine the complete nucleotide sequence of CNU/LP2, a Korean isolate JEV, the present inventors amplified the entire viral RNA genome apart from the 5' and 3' termini using long reverse transcription-polymerase chain reaction (RT-PCR) and



yielded three overlapping cDNA products denoted JVF (nucleotide (nt) 1-3865), JVM (nt 3266-8170), and JVR (nt 7565-10893) (about 3.9, 4.9, and 3.3 kb in length, respectively) (see FIG. 2A).

5

10

15

20

25

The 3'-terminal sequence of CNU/LP2 viral RNA was analyzed after synthetic oligonucleotide T was ligated to it. Oligonucleotide T serves as a specific priming site for cDNA synthesis and PCR amplification (see FIG. 2B). Agarose gel electrophoresis revealed that the amplified products migrated as two bands, a larger band of approximately 700 bp and a smaller band of about 450 bp (see FIG. 2C). Both bands were purified and cloned, and 20 and 10 randomly picked clones containing the larger and the smaller bands, respectively, were As has been documented for most of the sequenced. fully sequenced JEV isolates, the present inventors found that all the clones with the larger insert (about 700 bp) terminated the viral genome with -GATCT<sup>10968</sup>. contrast, all the clones with the smaller insert (about 450 bp) showed the viral genome truncated at nt 10,684, resulting in a band 284 bp shorter. During assembly of the full-length JEV cDNA, the present inventors used the nucleotide sequences of the larger insert because the smaller insert did not contain 284 nucleotides at

10

15



the 3' end of the viral genome.

The 5'-terminal sequence of CNU/LP2 viral RNA was examined after the cap structure at its 5' end had been removed by incubation with tobacco acid pyrophosphatase. The resulting viral RNA was then self-ligated, and the 3'-5' junction was subjected to cDNA synthesis and PCR amplification with a positive-sense primer for RT-PCR complementary to a sequence near the viral 3' end (nt 10259-nt 10276) and a negative-sense corresponding to a sequence near the viral 5' end (nt 164-nt 181) (see FIG. 2D). Agarose gel electrophoresis revealed the amplified products as a single band of about 850 bp (see FIG. 2E). The amplicons were cloned, and 12 randomly picked clones were sequenced. In all 12 clones, the  $-GATCT^{10968}$  of the viral 3'-terminal sequence was followed by the 5'-terminal sequence <sup>1</sup>AGAAGT- (see FIG. 2B and 2C).

Thus, the present inventors have determined the complete nucleotide sequence of the JEV CNU/LP2 isolate represented by SEQ. ID. No 15. The full-length RNA genome of JEV CNU/LP2 is 10,968 bp in length and consists of a 95 bp 5'NTR followed by a 10,299 bp single open reading frame and terminated by a 574 bp

10



3'NTR. The present inventors compared the complete nucleotide sequence of the CNU/LP2 isolate with sequences of all 26 JEV strains (Ishikawa, K94P05, FU, CH2195LA, CH2195SA, RP-2ms, RP-9, CH1392, T1P1, YL, JaGAr01, HVI, TC, TL, Beijing-1, Ling, Vellore P20778, p3, SA14-14-2, SA(A), SA14-12-1-7, SA14-2-8, SA14, SA(V), GP78, and JaOArS982) available in GenBank database. Such informations concerning viral strains used for the comparison as isolation regions, isolation years, sources and GenBank accession numbers are briefly stated hereinafter (see Table 1).

<Table 1>

Geographic location	Year	Strain	Source	GenBank accession number				
Australia	1995	FU	Human serum	AF217620				
China	1954	SA14	Mosquito	U14163				
		SA14-14-2	SA14 derivative	AF315119				
	:	SA14-12-1-7	SA14 derivative	AF416457				
		SA14-2-8	U15763					
		SA(V)	D90194					
		SA(A)	SA14-14-2 derivative	D90195				
	1949	Beijing-1	Human brain	L48961				
	1949	р3	Mosquito	U47032				
India	1978	GP78	Human brain	AF075723				



	1958	Vellore P20778	Human brain	AF080251					
Japan	1982	JaOArS982	Mosquito	M18370					
	IU	Ishikawa	IU	AB051292					
	1959	JaGAr01	Mosquito	AF069076					
Korea	1994	K94P05	Mosquito	AF045551					
,	1987	CNU/LP2	Mosquito	This invention					
Taiwan	1997	T1P1	Mosquito	AF254453					
	1994	CH2195LA	CH2195 derivative	AF221499					
	1994	CH2195SA	CH2195 derivative	AF221500					
	1990	CH1392	Mosquito	AF254452					
	1985	RP-2ms	Mosquito	AF014160					
	1985	RP-9	Mosquito	AF014161					
	1965	Ling	Human brain	L78128					
	IU	ХГ	IU	AF486638					
	IU	TC	Mosquito	AF098736					
	IU	TL	Mosquito	AF098737					
	ΙU	HVI	Mosquito	AF098735					

IU : Information unavailable

From the comparison of the nucleotide sequence of the CNU/LP2 isolate with nucleotide sequences of other JEV strains, it was shown that the JEV isolate CNU/LP2 genome shared various degrees of sequence similarity with these other genomes [89.0% (Ishikawa), 89.1% (K94P05), 89.3% (FU), 95.8% (CH2195LA), 95.9% (CH2195SA), 97.1% (RP-2ms), 97.2% (RP-9), 97.3%

10



(CH1392), 97.3% (T1P1), 97.0% (YL), 97.4% (JaGAr01), 97.1% (HVI), 96.9% (TC), 96.7% (TL), 96.4% (Beijing-1), 96.3% (Ling), 96.0% (Vellore P20778), 97.1% (p3), 97.4% (SA14-14-2), 97.5% (SA(A)), 97.5% (SA14-12-1-7), 97.7% (SA14-2-8), 97.9% (SA14), 97.9% (SA(V)), 96.3% (GP78), and 97.1% (JaOArS982)] (see Table 2). Therefore, the nucleotide sequences of JEV viral genomic RNA having over 98% sequence similarity with the nucleotide sequence of the present invention represented by SEQ. ID. NO 15 can be included in the category of the claim of the present invention.

<Table 2>

Isolate	% sequence identity a																											
	Ishikawa	K94P05	€	CH2185LA	CH2195SA	RP-2ms	RP-9	CH1392	цы	ξį	JEG AUD!	¥	5	7	Beling-1	Chr.	Veliare P20778	8	SA14-14-2	SA(A)	SA14-12-1-7	SA14-2-8	SA14	Sacro	CHU/LP2	0P78	Jac Ar S882	WWV
Ishikawa		97.0	90.1	66.3	88.3	68.9	89.0	69.1	89.1	88.9	89.2	89.0	88.8	88.8	88.9	88.8	BB B	69.1	AA A	88.9	RR B	R9 4	89.2	89.2	#0 D	69.6	82.0	69.0
K94P05	97.7		89.6	88.8	88,68	89.2	69.3	B9.4	89.4	89.1	89.5	89.2	89.1	89 D	89.0	89.0	RAA	R9 4	R9 1	RQ 2	80.2	EQ 3	80.5	00.5	80 4	00.0	00,0	68.7
FU	97.7	97.0		88.9	88.9	89,3	89.4	89.4	89.4	89.2	89.6	89.4	89.2	89.1	89.3	89.0	89.1	89.4	R9 1	89.2	89.2	80.9	ROR	80.6	20.1	99.7	03.3 PO A	69.5
CH2195LA	97.7	97.O	99.9		99.9	98.2	98.9	98.3	98.3	98.1	96.5	86.2	95.9	95.8	95.B	85.7	95.1	98,3	98.6	98.7	98.7	98 R	07.4	97.4	05.0	05.7	07.9	60.4
CH2195SA	97.1	98.5	89.0	99.0		98.3	96.3	96.3	96.3	98.1	88.5	86.2	95.9	95.B	95.8	95.7	95.1	98.3	98.8	98.7	QR 7	98.0	07 4	07 4	05.0	05.7	07.9	69.5
RP-2ms	97.5	<b>98.8</b>	99,4	89.4	88.8		99.9	89.5	89.5	99.3	99.4	98.B	98.2	98.1	97.2	97.1	96 B	97.9	98.0	98 1	98.1	CR 3	OR 6	09 5	07.4	08.0	97.7	69.4
RP-9	97.6	98.9	99.5	89.5	98.9	89.7		89.6	89.5	89.3	99.5	98.8	98.2	98.2	97.2	97.2	98.7	98.0	98 1	98 1	98.1	CR 3	98 5	98.5	97.2	CR O	07.6	60 4
CH1392	97.B	97.2	89.7	99.7	99.1	89.8	<b>89.7</b>		89.9	89.5	99.7	99.0	98.3	98.3	97.3	97.3	98 A	98.2	98.2	88.3	989	98.4	08.8	09.7	07 9	97.0	07.0	60.4
T1P1	97.5	98,8	89.3	89.J	96.7	89.1	89.2	99.4																				69.A
YL	87.A	96,7	99.2	99.2	98.7	99.1	89.2	89.4	99.0		89.4	88.8	98.1	98.0	97.1	97.1	96.5	97.9	98 0	99.0	99.0	88 2	984	68 4	97.0	02 A	07.0	60.7
JaG Ar01	97.1	86.A	98,9	98.9	99.2	98.7	88.89	89.1	8,89	98.7		89.1	88.4	88.4	B7.4	97.4	88.9	98.3	88.3	28 4	99.4	88.5	88.8	98 R	97.4	07.4	98.0	60.6
HM	97.2	96.5	98.9	98.9	98.3	8.98	98.9	99.1	98.7	98.8	98.7							98.1										
TC								99.D										97.7										
TL								89.2										97.5										
Beijing-1								89,2										97.4										
Ling								89.3										97.3										
Velore P20778	97.7							89.7																				69.5
p3	97.8							99.7																				69.5
SA14-14-2																		a.ee						89.4				
SA(A)	97.1	8.88	88.89	8.89	98.2	99:7	98.8	99.0	3.89	98.5	98.2	98.3	98.1	98.3	98.4	98.5	88 A	98.9	08 Q					89.4				
SA1442-1-7	97.2	8.88	98.9	98.9	98.3	98.7	98.9	89.1	98.7	3.89	99.3	88.4	98.2	98.4	98.5	88.8	99.0	89.0	BB 8	G9 7				99.5				
SA14-2-8	97.7	97.3	99.4	99.A	88.8	99.3	99,4	a.ee	99.2	99.2	88.8	99.9	98.6	98.9	99 D	89.2	99.5	3.88	09.6	00 1	00.2	55,4		99.6				
SA14	97.5	96. <b>7</b>	99.0	89.D	98.A	98.9	99,0	99.2	98.9	88.8	88.8	98.7	98.4	88.5	98.6	88.7	89 1	99.2	99.2	09.5	GR 5	99.2	65.0				98.6	
SA(V)	97,3	96,6	B8.9	98.9	98.9	98,7	98.8	99.1	99.7	8.82	98.4	98.5	99.2	98.4	98.5	98 R	98.9	89.0	00.2	03 3	09.4	00 n	00 6	03.0			8.88	
CHU/LP2	97.4	98.7	98.9	88.9	98.2	98.7	98.8	99.1	88.88	98.6	98.2	98.4	98.2	98.4	98.5	88.8	98.8	99.0	99.0	98.4	98.4	99.0	98.R	88.6	u0		97.1	
<b>GP78</b>	<b>97.0</b>	98.4	88.88	98.88	88.0	98.5	88,88	8.88	98,5	98.4	98.0	98.1	98.0	98.2	98.3	88.3	98.7	98.7	98.7	98 4	88.2	09.7	00.0	08.3	CR 2	4049		69.6
JaOArS882	97.B	8.89	87.B	97.B	87.2	97.7	97:0	0.88	97.6	97.B	97.2	97.3	97.1	97.3	97.4	97.5	97.9	97.9	08.0	97.9	97.4	97.0	07 A	07.4	-00.E	07.4	87 Z	89.6
WNY	78.2	75,8	78.6	78.B	78.1	78.4	78.5	78.7	78 S	78.6	78.3	70 4	76 4	707	70 9	30 A	70.0	70.0	30.4		70.0	31 A	0.10	01 A	31.0	ar .1		G, CQ

10

15

20

25



The percent nucleotide sequence identities of the complete genomes are presented at the upper right. The percent amino acid sequence identities of the complete genomes are shown in the lower left. The percentages of CNU/LP2 sequence identities are indicated in boldface type.

In addition to determine the nucleotide sequence of polypeptide coding region of JEV, the nucleotide sequences of 5' and 3'NTRs including cis-acting elements involved in the regulation of viral replication, transcription, and translation of the virus were also determined by taking advantage of molecular biological approaches. The importance of both regions have been supported by some of earlier studies reporting that both the 5'- and 3'-terminal regions are required for the initiation of flavivirus RNA replication in vitro (You and Padmanabhan, J. Biol. Chem., 1999, 274, 33714-33722) and in vivo (Khromykh et al., J. Virol., 2001, 75, 6719-6728). Especially, <sup>1</sup>AGAAGT- and -GATCT<sup>10968</sup>, which were proved to be the nucleotide sequence of 5'- and 3'-terminal regions of JEV CNU/LP2 in the present invention, are highly expected to play an important role in self-replication of the virus.



The present inventors proved through the experiments illustrated hereinafter that infectious synthetic JEV could be produced when cells were transfected with a synthetic RNA transcript having a full-length nucleotide sequence of JEV, and further, the inventors are the first to prove the function of the complete full-length nucleotide sequence which is necessary for JEV self-replication.

10

15

20

5

II. The present invention provides infectious JEV cDNA clones that are able to produce a self-replicable JEV RNA transcripts.

The infectious JEV cDNA clones of the present invention was synthesized with a nucleotide sequence represented by SEQ. ID. No 15 or nucleotide sequences of full-length JEV genomic RNA having over 98% sequence similarity therewith, and was used as a template for the synthesis of self-replicable JEV RNA transcript through in vitro transcription. In order to construct the full-length JEV cDNA clones, a viral genomic RNA including 5'- and 3'-terminal regions should be amplified by RT-PCR and then the obtained overlapping cDNAs were sequentially assembled.

10

15

20

25



In order to produce a full-length synthetic JEV RNA transcript through in vitro runoff transcription reaction, SP6 or T7 promoter transcription start site was located at the front of 5'-end of JEV genomic RNA and a unique restriction endonuclease recognition site was located at the end of the viral genome (see FIG. In the preferred embodiment of the present 3A). invention, three SP6-driven full-length JEV cDNAs and three T7-driven full-length JEV cDNAs were constructed by using three overlapping JEV cDNAs (JVF, JVM and JVR) and two additional cDNAs; one is corresponding to 5'terminal region including SP6 or T7 promoter sequence and the other is corresponding to 3'-terminal region including Xho I and Xba I recognition sequence as a runoff site (see FIG. 3B and 3C). However, it is a common knowledge for the people in this field that other promoters but the above two promoters can be used The full-length JEV cDNA developed in the as well. present invention uses Xho I and Xba I as a runoff site but other restriction enzymes can be used as commonly known.

The JEV cDNA clones of the present invention are constructed by producing subclones containing many overlapping cDNAs using the bacterial artificial



chromosome (BAC) plasmid pBeloBAC11 as a vector and sequentially linking those subclones into the full-length JEV cDNAs.

In the preferred embodiment of the present 5 invention, the present inventors provide one set of JEV CDNA clones having SP6 promoter represented by SEQ. ID. No 43, No 44, and No 45, respectively. In addition, the present inventors also provide the other set of three JEV cDNA clones having 10 T7 promoter and represented by SEQ. ID. No 46, No 47, and No 48, respectively (see FIG. 3B and 3C). ensure that the 3' end of the viral genome after runoff transcription would be close to authentic, in all cases, the present inventors placed a unique restriction 15 endonuclease recognition site, either Xho I or Xba I, at the end of the viral genome (see FIG. 3B and 3C).

III. The present invention provides a JEV-based vector.

20 The vector of the present invention characterized by including a full-length infectious JEV CDNA. In the preferred embodiment of the present invention, the inventors provide vectors 'pBAC<sup>sp6</sup>/JVFL/XhoI', 'pBAC<sup>sp6</sup>/JVFLx/XhoI', and  $\pbec{'pbac'}{JVFLx/Xbal'}$  which all have SP6 promoter and 25

10



each is represented by SEQ. ID. No 43, No 44, and No 45, and also vectors 'pBAC<sup>T7</sup>/JVFL/XhoI', 'pBAC<sup>T7</sup>/JVFLx/XhoI', and 'pBAC<sup>T7</sup>/JVFLx/XbaI' which all have T7 promoter and each is represented by SEQ. ID. No 46, No 47, and No 48. The present inventors deposited two most efficient vectors of the above, pBAC<sup>T7</sup>/JVFLx/XbaI and pBAC<sup>SP6</sup>/JVFLx/XbaI, at Gene Bank of Korea Research Institute of Bioscience and Biotechnology (KRIBB) on October 2, 2002 (Accession No: KCTC 10346BP, KCTC 10347BP).

- IV. The present invention provides a selfreplicable RNA transcript synthesized from the above JEV-based vector.
- .15 in vitro runoff transcription, JEV cDNA templates were linearized by digestion with Xho I or Xba I which is engineered for run-off site right behind 3'-terminal region of the viral genome (see FIG. 3). SP6 polymerase runoff transcription of the two Xho I-20 linearized plasmids (pBAC<sup>SP6</sup>/JVFL/XhoI pBAC<sup>SP6</sup>/JVFLx/XhoI) in the presence of the m<sup>7</sup>G(5')ppp(5')A cap structure analog yielded capped synthetic RNAs containing three nucleotides (CGA) of virus-unrelated sequence at their 3' ends (see FIG. 3B). This is the result of copying the 5' overhang left by 25.

10

15

20

25



the Xho I digestion. Similarly, SP6 polymerase runoff transcription of the Xba I-linearized pBAC<sup>SP6</sup>/JVFLx/XbaI plasmid in the presence of the m<sup>7</sup>G(5')ppp(5')A cap structure analog produced capped synthetic RNAs with four nucleotides (CTAG) of virus-unrelated sequence at their 3' ends (see FIG. 3B).

The present inventors have performed infectious center assay to measure the specific infectivity of the synthetic JEV RNA transcripts. As a result, when susceptible BHK-21 cells were transfected with the synthetic RNA transcripts, all were highly infectious  $(3.4-4.3 \times 10^5 \text{ PFU}/\mu\text{g})$  (see Table 3). Similar results  $(2.9-3.8 \times 10^5 \text{ PFU}/\mu\text{g})$  were also obtained with synthetic RNAs transcribed from the T7-driven cDNA constructs by T7 polymerase runoff transcription (see Table 3).

It has been reported that for some flaviviruses, the presence of virus-unrelated sequences at the 3' end of synthetic RNAs transcribed from infectious cDNA diminishes or abrogates their specific infectivity (Yamshchikov et al., Virology, 2001, 281, 294-304). Based on this report, the present inventors generated synthetic RNAs lacking virus-unrelated sequences at their 3'ends and compared their specific infectivities.



Particularly, the present inventors generated synthetic RNAs lacking the unrelated sequences by treating the Xba I-linearized pBACsp6/JVFLx/XbaI plasmid with mung bean nuclease (MBN) prior to the transcription reaction, 5 which removed the four excess nucleotides of CTAG. verify MBN activity, Xba I-linearized and MBN-treated pBAC<sup>SP6</sup>/JVFLx/XbaI plasmid was self-ligated, and its viral 3' end was sequenced, demonstrating removal of the four excess nucleotides of CTAG. RNA transcripts 10 from Xba I-linearized and MBN-treated pBACSP6/JVFLx/XbaI and pBACT7/JVFLx/XbaI (pBACSF6/JVFLx/XbaIMBN, see FIG. 3B pBAC<sup>T7</sup>/JVFLx/XbaI<sup>MBN</sup>, see FIG. 3C) both increased specific infectivities compared to untreated transcripts. Precisely, the specific 15 infectivity of RNAs transcribed from pBAC  $^{\rm SP6}/{\rm JVFLx}/{\it Xba}{\rm I}^{\rm MBN}$  was estimated to be 3.1 x  $10^6$  PFU/  $\mu g$ , approximately 10-fold higher than the specific infectivity (3.4 x  $10^5$  PFU/ $\mu g$ ) of the unmodified template (see Table 3, infectivity). The RNAs derived from  $pBAC^{T7}/JVFLx/XbaI$  also had increased specific 20 infectivity after MBN modification (2.7 x  $10^6$  PFU/ $\mu$ g) (see Table 3, infectivity). Therefore, the present inventors confirmed that the authentic 3' end of the JEV genome should be present to ensure infectious synthetic JEV RNA transcripts are generated. 25

10

15

20

25



Thus, the infectious JEV cDNA clones of the present invention could be used as templates for runoff transcription that generated highly infectious synthetic RNAs with a specific infectivity of  $10^5$  to  $10^6$  PFU/ $\mu g$ .

Previous attempts (Mishin et al., Virus Res., 2001, 81, 113-123; Zhang et al., J. Virol. Methods, 2001, 96, 171-182; Sumiyoshi et al., J. Infect. Dis., 1995, 171, 1144-1151; Sumiyoshi et al., J. Virol., 1992, 66, 5425-5431) to assemble a full-length infectious JEV cDNA were all failed because of the genetic instability of cloned JEV cDNA. One study attempted to overcome this problem by designing a system in which the template would be generated by in vitro ligation of two overlapping JEV cDNAs (Sumiyoshi et al., J. Virol., 1992, 66, 5425-5431). This template was then used to synthesize infectious RNA transcripts in vitro. However, the specific infectivity of these transcripts was about 100 PFU/ $\mu g$ , which was too low to make this system useful for molecular and genetic analyses of virus biology (Sumiyoshi et al., J. Virol., 1992, 66, 5425-5431).

In the present invention, the present inventors were able to overcome the genetic instability of JEV



cDNA by cloning it into a BAC plasmid that is maintained at one or two copies in *E. coli*. The genetic structure and functional integrity of the infectious cDNA plasmid remained stable for at least 180 generations during its propagation in *E. coli* (see FIG. 7). So, the present inventors settled the problem of genetic instability of making full-length infectious JEV cDNA by introducing BAC, and further had skills to treat the synthetic infectious JEV cDNA stably.

10

15

20

25

5

It is important to produce full-length infectious cDNA that, in in vitro transcription, generate RNA transcripts with authentic 5' and 3' ends because several studies have shown that both the 5'and 3'-terminal regions are needed for the initiation flavivirus RNA replication in vitro of (You Padmanabhan, J. Biol. Chem., 1999, 274, 33714-33722) and in vivo (Khromykh et al., J. Virol., 2001, 75, 6719-6728). To achieve this objective, the present inventors adapted approaches used previously for other flaviviruses (van der Werf et al., Proc. Natl. Acad. Sci. USA, 1986, 83, 2330-2334; Rice et al., New Biol., 1989, 1, 285-296). The cap structure in JEV genomic RNA is followed by the dinucleotide AG, an absolutely conserved feature of the flaviviruses (Rice,

10

15


20

25



Flaviviridae: The viruses and their replication, 1996, 931-960, Lippincott-Raven Publisher). The authenticity of the 5' end was ensured by placing either the SP6 or the T7 promoter transcription start at the beginning of Incorporating the  $m^7G(5')ppp(5')A$ the viral genome. cap structure analog in the SP6 or T7 polymerase-driven transcription reactions (Contreras et al., Nucleic Acids Res., 1982, 10, 6353-6362), the present inventors synthesized capped RNA transcripts with authentic 5' ends that were highly infectious upon transfection into susceptible cells. In addition, incorporating the m<sup>7</sup>G(5')ppp(5')G cap structure analog in the SP6 or T7 polymerase-driven transcription reactions (Contreras et al., Nucleic Acids Res., 1982, 10, 6353-6362) places an unrelated extra G nucleotide upstream of the dinucleotide AG. As reported earlier (Rice et al., New Biol., 1989, 1, 285-296), the present inventors did find that the extra nucleotide was lost from the genomic RNA of the recovered JEV progeny. Furthermore, did not present inventors observe that infectivity or the replication of synthetic RNAs transcribed from infectious cDNA templates was altered if the inventors added the extra nucleotide.

The dinucleotide CT located at the 3' end of JEV RNA is absolutely conserved among the flaviviruses



10

20

25



(Rice, Flaviviridae: The viruses and their replication, 1996, 931-960, Lippincott-Raven Publisher). This suggests that these nucleotides are important in viral replication and that transcripts from infectious cDNAs must have authentic 3' ends. Thus, the present inventors designed our reverse genetics system for JEV so that the synthetic RNA would be terminated with the authentic 3' ends. Indeed, the present inventors showed that RNA transcripts with authentic 3' ends were 10-fold more infectious than transcripts with three or four virus-unrelated nucleotides hanging on their 3' ends.

V. The present invention provides a recombinant

15 JEV virus obtained from cells transfected with a synthetic RNA transcript synthesized from the JEV-based vector.

In the present invention, synthetic JEV viruses produced from the cells transfected with JEV transcripts synthesized from full-length infectious JEV cDNAs were produced. Transfected cells showed strong cytopathic effect induced by JEV virus infection and all the synthetic viruses were indistinguishable from the CNU/LP2 parental virus in terms of plaque morphology, cytopathogenicity, growth kinetics, protein



expression and RNA accumulation (see FIG. 5). Furthermore, recombinant JEV virus mutants could be produced by inducing site-directed mutation on a specific region of JEV cDNA, indicating that the infectious JEV cDNA can be manipulated in *E. coli*. Thus, the reverse genetics system using the infectious JEV cDNAs of the present invention can be effectively used for the genetic studies on the replication mechanism of JEV genome.

10

15


20

25

5

 ${
m VI.}$  The present invention provides a JEV-based expression vector.

The present invention provides the use of JEV cDNA as a novel expression vector in a variety of cell types. Alphaviruses, which are also RNA viruses, can replicate in a variety of commonly used animal cells and thus have been successfully exploited as eukaryotic expression vectors in cell culture and in vivo (Agapov et al., Proc. Natl. Acad. Sci. USA, 1998, 95, 12989-12944; Frolov et al., Proc. Natl. Acad. Sci. USA, 1996, 93, 11371-11377; Schlesinger, Trends Biotechnol., 1993, 11, 18-22). It was reported that JEV, like the alphaviruses, is also able to replicate in a wide variety of primary and continuous cell cultures from humans, mice, monkeys, pigs, and hamsters (Burke and



10

15



Monath, Flaviviruses, 2001, 1043-1125, Lippincott Williams&Wilkins Publishers). This suggests that JEV could be useful as a vector for the expression of heterologous genes in a variety of different cells. When a full-length infectious JEV cDNA is used as an expression vector, in which heterologous genes are inserted, RNA transcripts having heterologous genes are produced by in vitro transcription reaction. Those transcripts can self-replicate as they are transfected into cells, so that lots of foreign proteins can be produced.

An expression cassette is preferably inserted at the beginning of JEV 3'NTR for the expression of a heterologous gene. A deletion of 9-25 bp exists at the beginning of the viral 3'NTR in CNP/LP2 and three other fully sequenced JEV strains (Williams et al., J. Gen. Virol., 2000, 81, 2471-2480; Nam et al., Am. J. Trop. Med. Hyg., 2001, 65, 388-392; Jan et al., Am. J. Troop. Med. Hyg., 1996, 55, 603-609), suggesting that this may be a good site to insert the foreign genes. infectious JEV cDNA developed by the present invention can act as а vector for rapid expression heterologous genes in a variety of cells including mammalian cells.

20



10

15

20



WI. The present invention provides a variety of strategies for expressing heterologous genes using the JEV-based expression vector.

It is a function of the expression vector to deliver heterologous genes of interest into cells for the expression of those genes. In the present invention, the full-length infectious JEV cDNA has been demonstrated to act as a heterologous gene expression vector in a variety of cell types including mammalian cells.

Here, the present inventors also describe heterologous gene expression system based on the fulllength infectious JEV cDNA, which serves as a BAC (Yun et al., J. Virol., 2003, 77, 6450-6465). transient expression system, JEV offers several advantages: (i) high titers of the virus are rapidly produced, (ii) the virus infects a wide range of host cells, including insect and mammalian cell types, (iii) the genetically stable infectious cDNA is available and readily manipulable, and (iv)the cytoplasmic replication of the RNA genome minimizes the possibility of its integration into the host's genome and the consequent undesirable mutagenic consequences.

10



The present inventors demonstrated here that the JEV-based system can be used to express foreign genes in three different ways. One involves infectious recombinant vector RNAs/viruses encoding the foreign gene, the second involves the production of a viral replication-competent but propagation-deficient JEV viral replicon vector RNA. The third involves the use of packaging systems for viral replicon particle (VRP) formation. Thus, the present inventors have shown here that the JEV system can be used to produce a JEV virus/infectious RNA/replicon RNA/VRP vector that will rapidly express foreign genes of interest in a wide variety of mammalian cell types.

- The basic method for the expression of heterologous genes using the infectious or replicon JEV cDNA vectors of the present invention is composed of the following steps:
- Preparing a recombinant JEV cDNA expression
   vector by inserting heterologous genes into the infectious or relicon JEV cDNA vector;
  - 2) Producing a JEV RNA transcript from the above recombinant JEV cDNA expression vector;
- 3) Preparing a transformant by transfecting hostcells with the above JEV RNA transcript; and



4) Expressing foreign proteins by culturing the above transformant.

The present inventors produced full-length 5 infectious recombinant JEV cDNAs expressing green fluorescent protein (GFP), an enhanced version of GFP luciferase (LUC), and LacZ genes and the (EGFP), dominant selective marker puromycin N-acetyltransferase (PAC), which confers resistance to the drug puromycin, 10 according to the method explained hereinbefore (see Fig. 8 and 9). BHK-21 cells were transfected with JEV RNA transcripts transcribed from the recombinant 'JEV cDNAs. GFP, EGFP, LUC, LacZ and PAC expression is shown in Fig. 8 and 10. In addition, recombinant infectious JEV 15 viral particles containing those heterologous genes culture were prepared from supernatants. The expression of those heterologous genes was further investigated after infecting various animal cell lines (BHK-21, Vero, NIH/3T3, ST, HeLa, MDCK, CRFK, B103 and 20 SHSY-5Y), which have been generally used in the field of biology and medicine, with the recombinant viruses. As a result, GFP or LUC gene inserted in virus genome was expressed in all cells tested (see Table 4). Thus, it was confirmed that recombinant JEV cDNAs, JEV RNA 25 transcripts, and recombinant JEV viral paticles could

20



be effectively used as a vector for expression of foreign heterologous genes in a variety of cell types.

JEV RNA replication machinery, the present inventors generated a panel of self-replicating self-limiting viral replicons by deleting one, two, or all of the viral structural genes, which meet stringent safety concerns (Fig. 11A). These viral replicons were capable of initiating replication and gene expression upon RNA transfection (see Fig. 11B and 11C).

The utility of the JEV replicon-based expression vectors was further elaborated by developing a panel of stable replicon packaging cell lines (PCLs) that would constitutively express all JEV viral structural proteins (C, prM, and E) in trans (see Fig. 12). These PCLs allowed the trans-complementation of the efficient packaging of JEV viral replicons. Thus, these PCLs were shown to be useful for efficiently producing high titer viral VRPs upon introducing JEV viral replicons (see Fig. 12).

The present inventors also showed that infectious

JEV recombinant viral RNAs encoding heterologous genes



up to 3 kb can be packaged into the viral particles. By the choice of JEV viral replicon vectors such as JEV/Rep/ΔC+ΔprM+ΔE and JEV/Rep/NS1, it was estimated that a foreign gene of at least 5 kb could be packaged into the JEV VRPs. It will be of interest to examine 5 the upper size limit of the foreign sequences that can be packaged in the JEV virion. This may be important issue if one wishes to express lengthy genes such as cystic fibrosis transmembrane conductance 10 regulator, whose coding sequence is approximately 4.5 kb (Flotte et al., J. Biol. Chem., 1993, 268, 3781-3790). In addition, a large packaging capacity of JEV viral replicons would be useful if one wishes to add two or more expression units (Thiel et al., J. Virol., 2003, 77, 9790-9798; Agapov et al., Proc. Natl. Acad. 15 Sci. USA, 1998, 95, 12989-12994). In the case of the adeno-associated virus-based vector, its packaging capacity has been elegantly expanded to bypass its natural size limitation (Duan et al., Nat. Med., 2000, 20 6, 595-598; Yan et al., Proc. Natl. Acad. Sci. USA, 2000, 97, 6716-6721), which shows that it may be possible to expand the packaging capabilities of JEV viral replicons in a similar manner.

25 As with other RNA virus-derived vectors (Agapov et



al., Proc. Natl. Acad. Sci. USA, 1998, 95, 12989-12994; Pushko et al., Virology, 1997, 239, 389-401; Berglund et al., Nat. Biotechnol., 1998, 16, 562-565; Basak et al., J. Interferon Cytokine Res., 1998, 18, 305-313; 5 Barclay et al., J. Gen. Virol., 1998, 79, 1725-1734; Khromykh and Westaway, J. Virol., 1997, 71, 1497-1505; Molenkamp et al., J. Virol., 2003, 77, 1644-1648; Shi et al., Virology, 2002, 296, 219-233; Varnavski and Khromykh, Virology, 1999, 255, 366-375; Perri et al., J. 10 Virol., 2000, 74, 9802-9807; Curtis et al., J. Virol., 2002, 76, 1422-1434), the present inventors could also engineer a variety of JEV viral replicon vector RNAs that can be packaged when the structural proteins are supplied in trans by using the alphavirus-based 15 expression system (Agapov et al., Proc. Natl. Acad. Sci. USA, 1998, 95, 12989-12994). Thus, the ability of packaging systems to efficiently generate biosafe JEV vectors has clearly been demonstrated. alphaviruses (Frolova et al., J. Virol., 1997, 71, 248-20 258; White et al., J. Virol., 1998, 72, 4320-4326) and retroviruses (Rein, Arch. Virol. Suppl., 1994, 9, 513-522), little is known about the packaging signals employed by flaviviruses, including JEV. Our transcomplementation system for JEV provides evidence that 25 suggests the whole JEV structural region is unlikely to

10

15

20



play a role in packaging. Thus, this system will be useful in defining the packaging signals in JEV RNA and the regions in the structural proteins that are involved in RNA encapsidation and morphogenesis. This information will further enhance the utility of our JEV-based expression systems.

In summary, the full-length JEV genomic RNA and infectious JEV cDNA therefrom of the present invention are not only able to identify neurovirulenceand pathogenesis-related JEV genes but also available the study of molecular mechanisms JEV transcription and translation. replication, In addition, the full-length JEV genomic RNA and infectious JEV cDNA can be effectively used for the development of treatment agents, vaccines, diagnostic reagents and diagnostic kits for JEV, and an expression vector for heterologous genes of interest in eukaryotic cells as well. Furthermore, the JEV-based vector system described in the present invention promising system by which foreign genes can delivered into cells in vitro and possibly in vivo for DNA immunization and transient gene therapy.



# BRIEF DESCRIPTION OF THE DRAWINGS

The application of the preferred embodiments of the present invention is best understood with reference to the accompanying drawings, wherein:

5

10

15

20

25

FIG. 1 is a set of photographs showing the comparison of large-plaque-forming JEV isolate CNU/LP2 and original K87P39 strain. (A-B) A set of photographs showing plaque morphology using BHK-21 cells (A) Vero cells (B). BHK-21 (A) or Vero (B) cells were mock infected (Mock-infected) or infected with the original JEV K87P39 strain (K87P39-infected), which formed a heterogeneous mixture of viral plaque sizes. CNU/LP2 isolate purified in the present invention formed a homogeneous population of large plaques (CNU/LP2-infected). (C) Levels and patterns of JEV protein expression. BHK-21 cells were mock infected or infected with K87P39, CNU/LP2 or the yellow fever virus strain YF17D. Eighteen hours later, they were fixed and stained with JEV-specific mouse hyperimmune ascites followed by fluorescein isothiocyanate-conjugated goat anti-mouse immunoglobulin G (green fluorescence) and confocal microscopy. Nuclei were visualized by staining with propidium iodide (red fluorescence) in the presence of RNase A.

10

15

20

25



is a set of diagrams and a pair of FIG. 2 electrophoresis photographs showing strategies used to sequence genomic RNA of CNU/LP2. (A) A schematic diagram showing the RT-PCR amplification of three overlapping cDNA amplicons representing the entire JEV genomic RNA apart from the 5' and 3' termini. indicated in gray, and cDNA is indicated by solid parallel lines. The top panel schematically depicts the CNU/LP2 JEV genomic RNA (10,968 base pairs length). The bottom panels portray the overlapping cDNAs, JVF (nt 1 to 3865), JVM (nt 3266 to 8170), and JVR (nt 7565 to 10893). (B) A schematic diagram showing the procedure to sequence the 3' end of CNU/LP2 genomic RNA. The 5'-phosphorylated and 3'blocked oligonucleotide T (Oligo T) was ligated to the 3' end of JEV genomic RNA by T4 RNA ligase, and the resulting RNA was then used for cDNA synthesis and amplification with the primers indicated by arrows. The resulting products were cloned and sequenced. An electrophoresis photograph showing the JEV-specific amplicons synthesized from the oligonucleotide ligated JEV genomic RNA described in (B). First-strand CDNA synthesized was with oligonucleotide TR, complementary to oligonucleotide T, and the RT reaction

10

15

20

25



was carried out in the presence (lane 1) or absence (lane 2) of Superscript II reverse transcriptase. cDNA was amplified with oligonucleotide TR and primer J35, which is complementary to nt 10259 to 10276. expected size of the PCR product is 727 base pairs. The products were separated on a 1.2% agarose gel and visualized by staining with ethidium bromide (EtBr). A schematic diagram showing the procedure to sequence the 5' end of CNU/LP2 genomic RNA. structure of viral genomic RNA was removed with tobacco acid pyrophosphatase, and the decapped viral RNA was then self-ligated with T4 RNA ligase and used for cDNA synthesis and amplification. The resulting amplified products were cloned and sequenced. (E) An electrophoresis photograph showing the JEV-specific amplicons synthesized from the self-ligated JEV genomic RNA described in (D). First strand cDNA synthesis was carried out with primer J40, which is complementary to nt 215 to 232. The RT reaction was performed in the presence (lane 1) or absence (lane 2) of Superscript II reverse transcriptase. The cDNA was amplified with primer J35 and primer J39, which is complementary to nt 164 to 181. The expected size of the PCR product is 890 base pairs. The amplified products were separated on a 1.2% agarose gel and visualized by staining with



EtBr. Lane M indicates a 100-bp DNA size ladder marker (in base pairs).

3 is set of diagrams showing the 5 construction of full-length JEV clones CDNA in bacterial artificial chromosome (BAC) pBeloBAC11. (A) A schematic diagram of the full-length JEV cDNAs constructed in pBeloBAC11. Viral proteins are shown with thick solid lines at both termini representing the 5' and 3' NTRs of the viral genome. The SP6 and T7 10 promoter transcription start sites and the unique restriction endonuclease recognition site ensuring runoff transcription are shown at the 5' and 3' ends, respectively. (B-C) A set of schematic diagrams 15 showing the 5' and 3' termini of full-length JEV cDNA Nucleotide sequences of JEV genomic RNA are shown as bold italic lowercase letters. Illustrated are the 5' termini of four SP6-driven (B) and four T7driven (C) full-length JEV cDNA templates. To produce SP6 and T7 RNA polymerase runoff products, the 3' 20 termini of two SP6-driven (B, pBACSP6/JVFL/XhoI and pBAC<sup>SP6</sup>/JVFLx/XhoI) and two T7-driven (C, pBAC<sup>T7</sup>/JVFL/XhoI and pBAC<sup>T7</sup>/JVFLx/XhoI) JEV CDNA templates were linearized by Xho I digestion, resulting in three nucleotides (CGA) of virus-unrelated sequence 25

10



at the 3' ends. Similarly, the cutting of the 3' termini of an SP6-driven (B, pBAC<sup>SP6</sup>/JVFLx/XbaI) and a T7-driven (C, pBAC<sup>T7</sup>/JVFLx/XbaI) JEV cDNA template with Xba I resulted in four nucleotides (CTAG) of virus-unrelated sequence at the 3' ends. In contrast, the authentic 3' end of JEV genomic RNA was present when SP6-driven (B, pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MEN</sup>) and T7-driven (C, pBAC<sup>T7</sup>/JVFLx/XbaI<sup>MEN</sup>) JEV cDNA templates were linearized by Xba I digestion and then treated with mung bean nuclease (MBN) to remove the unrelated single-stranded sequences. Underlined is the restriction endonuclease recognition site introduced at the 3' end of the viral genome. An arrowhead indicates a cleavage site.

15 FIG. 4 is a set of a photograph and a graph showing the fact that full-length JEV cDNA template alone is not infectious but is required for the generation of infectious synthetic RNAs during in vitro transcription. (A) An electrophoresis photograph 20 showing the cDNA template and synthetic RNA transcripts. (B) graph showing infectivity obtained transfecting BHK-21 cells with an in vitro transcription reaction mixture, which contains fulllength JEV cDNA template and synthetic RNA transcripts. pBAC<sup>SP6</sup>/JVFLx/XbaI (100-200 ng) linearized with Xba I 25



and treated with MBN was used for SP6 polymerase transcription in the absence (A, lane 1; B, Without Treatment) or presence (A, lane 2; B, Dnase I During) After synthesis, the transcription of DNase I. reaction mixture was treated for 30 min at 37°C with DNase I (A, lane 3; B, Dnase I After) or RNase A (A, lane 4; B, Rnase A After). As a control, the reaction was carried out in the absence of SP6 RNA polymerase (A, lane 5; B, Without SP6 Pol). (A) Following treatment, 5% of the reaction mixture was separated on a 0.6% agarose gel and the cDNA template and RNA transcripts were visualized by staining with EtBr. (B) reaction mixtures were used to transfect BHK-21 cells, and infectious centers of plaques were estimated.

15

20

25

10

5

FIG. 5 is a set of photographs and graphs showing the comparison of synthetic JEVs with parental virus CNU/LP2. (A) Representative plaque assays of synthetic JEVs and parent CNU/LP2. BHK-21 cells were infected with parent or synthetic viruses, overlaid with agarose, and stained 3 days later with crystal violet. (B) Growth kinetics in BHK-21 cells of synthetic JEVs and parent CNU/LP2 infected at multiplicaties of infection (MOI) of 0.01, 1, and 10. Viruses were harvested at the hour postinfection (h.p.i) indicated, and titers

10

15

20



were determined by plaque assays. (C-D) Viral protein and RNA levels were analyzed by immunoblotting (C) and Northern blotting (D), respectively. BHK-21 cells were infected at an MOI of 1 with synthetic JEVs (lanes 1-4) or CNU/LP2 (lane 5) or mock-infected (lane 6) and cultured for 18 hrs. (C) Protein extracts were prepared from approximately  $3x10^4$  cells and separated on 10% SDS-polyacrylamide gels. Viral proteins were visualized by immunoblotting with JEV-specific mouse hyperimmune ascites (top panel). In parallel, actin protein was detected as a loading and transfer control (bottom panel). The positions of viral protein-related cleavage intermediates and actin are indicated with arrowheads on the left. Molecular mass markers in kDa are indicated on the right. (D) Total RNA from approximately  $1 \times 10^5$  cells was extracted and analyzed by Northern blotting using a <sup>32</sup>P-labeled antisense riboprobe hybridizing to the sequence in the NS5 gene encompassing nt 9143-9351 (top panel). Etbr-stained 18S rRNA bands are shown as a loading control (bottom panel). Full-length genomic viral RNA (11kb) and 18S rRNA are indicated on the left.

FIG. 6 is a set of diagrams and an electrophoresis photograph showing the presence of Xho



I genetic marker in recombinant JEVs derived from pBAC<sup>SP6</sup>/JVFLx/gm/XbaI. (A) Schematic diagram of the RT-PCR fragments of JVFLx/XbaIMBN and JVFLx/qm/XbaIMBN expected after Xho I digestion. Indicated are the 5 primers used for RT-PCR (arrows), the introduced Xho I site (asterisk), and the sizes of the RT-PCR products (2,580 bp) and the two Xho I digestion products (1,506 bp and 1,074 bp) expected after digestion of  $JVFLx/gm/XbaI^{MBN}$  with Xho I. (B) BHK-21 cells were 10 transfected with synthetic RNAs transcribed from either pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup> or pBAC<sup>SP6</sup>/JVFLx/gm/XbaI<sup>MBN</sup>. Viruses were recovered 24 hr later and serially passaged in BHK-21 cells at a multiplicity of infection of 0.1. At each passage prior to the next round of infection, 15 viruses were incubated with DNase I and RNase A. passage 1 and 3, viral RNA was extracted from the culture supernatant containing the released viruses and used for RT-PCR. The PCR products were incubated in the presence (+) or absence (-) of Xho I, separated on 20 a 1% agarose gel, and stained with EtBr. The expected sizes of the undigested and digested PCR products are shown on the left. Lane M indicates a 1-kb DNA ladder marker (in base pairs).

25 FIG. 7 is a graph showing the specific infectivity of

10

15

20

25



synthetic RNAs transcribed from infectious JEV cDNA (pBAC<sup>SP6</sup>/JVFLx/XbaI) propagated for 180 generations. Two independent clones carrying pBAC<sup>SP6</sup>/JVFLx/XbaI (solid and open circles) 37°C cultivated at overnight in 2xYTwith chloramphenicol. The primary cultures were propagated every day for nine days by 106-fold dilution and adding fresh broth for overnight growth. Each passage was estimated to be about 20 generations. At the indicated passages, the DNA plasmids were purified, linearized by Xba I digestion and treated with MBN, and used as templates for runoff transcription using SP6 transcripts were then polymerase. The used transfect BHK-21 cells to determine specific infectivity.

FIG. 8 is a set of diagrams, photographs, and a graph showing the expression of foreign genes with JEV cDNA as a vector. (A) Schematic diagram of the cDNA templates used for runoff transcription with SP6 RNA polymerase. Indicated are the encephalomyocarditis virus (EMCV) internal ribosome entry site (IRES)-driven GFP or LUC genes that were inserted at the beginning of the 3'NTR of the viral genome, the SP6 promoter transcription start, and the runoff site generated by

10

15



Xba I digestion and MBN treatment (XbaI/MBN). In pBAC<sup>SP6</sup>/JVFLx/LUC<sup>REP-</sup>/XbaI<sup>MBN</sup>, a solid vertical indicates an 83-nucleotide deletion (nt 5580-5663) in the middle of the NS3 gene that preterminates viral translation at nt 5596 (asterisk). (B) Expression of GFP protein. BHK-21 cells were mock-transfected (Mock) or transfected with 2  $\mu g$  of synthetic RNAs transcribed pBAC<sup>SP6</sup>/JVFLx/GFP/XbaI<sup>MBN</sup> from the template  $(JVFLx/GFP/XbaI^{MBN})$ , incubated for 30 hr, and then fixed and examined by confocal microscopy. (C) Induction of LUC protein. BHK-21 cells (8x106) were mock-transfected or transfected with 2  $\mu g$  of synthetic RNAs transcribed pBAC<sup>sp6</sup>/JVFLx/LUC/XbaI<sup>MBN</sup> the **( )** or $pBAC^{SP6}/JVFLx/LUC^{REP-}/XbaI^{MBN}$  (0) templates, and seeded in a 6-well plate at a density of  $6 \times 10^5$  cells per well. Cells were lysed at the indicated time points and LUC activity was determined. The standard deviations obtained from three independent experiments indicated by error bars.

20

25

Fig. 9 shows the construction and characterization of heterologous gene-encoding infectious recombinant JEVs that are based on the bicistronic full-length infectious JEV cDNA that serves as a BAC. (A) Strategy to construct the infectious

10

15

20

25



recombinant JEV cDNAs. The structure of the parental infectious JEV cDNA (pJEV/FL) is shown (Yun et al., J. Virol., 2003, 77, 6450-6465). The viral ORFs are illustrated by thick solid lines at both termini that indicate the 5' and 3' NTRs of the viral genome. additional expression unit driven by the EMCV IRES was inserted at the beginning of the 3'NTR using the unique natural *Nsi* I site. Indicated are the SP6 promoter transcription start site (SP6 promoter) and the runoff site generated by Xba I digestion and MBN treatment (XbaI/MBN). X indicates a foreign gene of interest. (B) The structures of the infectious recombinant JEV cDNAs constructed in the present invention are shown. Three commonly used reporters (EGFP, 768 bp; LUC, 1653 bp; and LacZ, 3012 bp) or a dominant selective marker PAC (600 bp) were engineered to be at the beginning of In case of the replication-competent the 3'NTR. pJEV/FL/LUC CDNA, the replication-incompetent  $pJEV/FL/LUC^{REP-}$  cDNA was also used as a negative control by introducing an 83-nucleotide deletion (■) in the middle of the NS3 gene, which results in the premature termination of viral translation at nt 5596 (\*) as previously described (Yun et al., J. Virol., 2003, 77, 6450-6465). (C-D) Comparison of the infectiousness of the recombinant JEVs with that of the parent. BHK-21



cells (8X106) were mock-transfected or transfected with 2 Mg of the parent or recombinant JEV RNAs that had been transcribed from the relevant JEV CDNA, indicated. (C) Representative plaques. The 5 transfected cells were overlaid with agarose stained 5 days later with crystal violet. (D) Viral protein accumulation. The transfected cells (4X105) were lysed with 1X sample loading buffer at the indicated time points and the protein extracts were 10 resolved on 10% SDS-polyacrylamide gels. The viral proteins were visualized by immunoblotting with JEVspecific mouse hyperimmune sera (Yun et al., J. Virol., 2003, 77, 6450-6465). The positions of the viral proteins (E and NS1) and the cleavage-related 15 intermediates are indicated by arrowheads on the left. Molecular mass markers in kDa are indicated on the right. V indicates JEV CNU/LP2-infected BHK-21 cells and N indicates naïve BHK-21 cells.

Fig. 10 shows the expression of the commonly used reporter genes and a dominant selective marker using infectious JEV cDNA as the vector. BHK-21 cells (8X10<sup>6</sup>) were mock-transfected or transfected with 2 \mu g of the parent or recombinant JEV RNAs that had been transcribed from each plasmid. (A-B) pJEV/FL/EGFP, (C)



pJEV/FL/LacZ, (D) pJEV/FL/LUC or pJEV/FL/LUC<sup>REP-</sup>, pJEV/FL/PAC. (A-B) Expression of EGFP. transfected cells were prepared 36 hr posttransfection for confocal microscopy (A) and flow cytometric analysis (B). - indicates JEV/FL/EGFP RNA-transfected 5 cells and " " indicates mock-transfected cells. Expression of LacZ. The transfected cells were processed for X-gal staining 36 hr posttransfection. Induction of LUC. (D) The transfected cells were seeded on six-well plates at a density of  $4X10^5$  cells 10 per well. At the indicated time points, the cell lysates were subjected to LUC assays. The experiments were done in triplicate and the mean values are shown by error bars. • indicates JEV/FL/LUC RNA-transfected cells, 0 indicates JEV/FL/LUCREP- RNA-transfected cells, 15 and - indicates the level of background luminescence of naïve cells. (E) Expression of PAC. The transfected cells were plated on a 6-well plate and incubated in complete media (dishes 1, 3, 5, and 7) or under a 0.5% agarose-containing overlay (dishes 2, 4, 6, and 8). 20 After 2 days incubation, the plates were incubated for an additional 3 days in the presence of 10  $\mu\text{g/ml}$ puromycin (dishes 5-8) or in its absence (dishes 1-4). The cells were then fixed and stained with crystal 25 violet.

10

15

20

25



Fig. 11 shows the construction and vector characteristics of JEV viral replicons. (A) The structures of the JEV viral replicons are shown. Solid boxes ( ) indicate in-frame deletions that had been introduced into the genome of the infectious pJEV/FL/LUC construct. Four constructs, namely, pJEV/Rep/ $\Delta$ CC/LUC, pJEV/Rep/ $\Delta$ C/LUC, pJEV/Rep/ $\Delta$ prM/LUC, and pJEV/Rep/ $\Delta$ E/LUC, contain a single in-frame deletion in each structural gene of JEV. pJEV/Rep/ $\Delta$ CC/LUC has a deletion that extends to the proposed cyclization sequence motif in the 5' region of the C gene, unlike  $pJEV/Rep/\Delta C/LUC.$ Three constructs, namely, pJEV/Rep/ $\Delta$ C+ $\Delta$ prM/LUC,  $pJEV/Rep/\Delta C+\Delta E/LUC$ and pJEV/Rep/ $\Delta$ prM+ $\Delta$ E/LUC, contain double in-frame deletions, while pJEV/Rep/ $\Delta$ C+ $\Delta$ prM+ $\Delta$ E/LUC bears triple in-frame deletions in all of the structural proteins. Also engineered was pJEV/Rep/NS1/LUC, which encodes the 35 N-terminal and 24 C-terminal amino acids of the C protein followed immediately by the N-terminus of the NS1 protein and the rest of the viral genome. (B) Induction of LUC. Naïve BHK-21 cells (8X10<sup>6</sup>) were transfected with 2  $\mu g$  of the parent or JEV viral replicon RNAs that had been transcribed from each plasmid and then seeded on 6-well plates at a density



of  $4X10^5$  cells per well. At the indicated time points the cell lysates were subjected to LUC assays. The experiments were performed in triplicate and the mean values are shown. ● black, pJEV/FL/LUC; ◆ black, pJEV/FL/LUC<sup>REP-</sup>; ♦ blue, pJEV/Rep/ΔCC/LUC; ■ 5 pJEV/Rep/ΔC/LUC; ▲ blue, pJEV/Rep/ΔprM/LUC; ● blue, pJEV/Rep/ $\Delta$ E/LUC;  $\blacksquare$  red, pJEV/Rep/ $\Delta$ C+ $\Delta$ prM/LUC;  $\triangle$  red, pJEV/Rep/ΔC+ΔprM+ΔE/LUC; green, pJEV/Rep/NS1/LUC. — indicates the level of background 10 luminescence of naïve cells. (C) Viral protein accumulation. The transfected cells (4X105) were lysec with 1X sample loading buffer 48 hr posttransfection and the protein extracts were resolved on 10% SDS-15 polyacrylamide gels. The proteins were transferred onto the nitrocellulose membrane and immunoblotted with JEV-specific mouse hyperimmune sera.

Fig. 12 shows the construction of the packaging system for JEV viral replicons. (A) Structures of the JEV structural protein expression cassettes based on the Sindbis virus-based expression vector. pSinRep19 is the double subgenomic noncytopathic RNA vector. A foreign gene and the PAC gene are expressed by using separate subgenomic promoters, as indicated by arrows.

10

15

20

25



The pSinRep19/JEV C-E cassette encodes the JEV C, prM, and E genes. The pSinRep19/JEV C-E-Bg1II cassette encodes the JEV C, prM, and E genes, followed by the N terminal 58 residues of NS1, whereas the pSinRep19/JEV C-NS1 bears a remnant of the NS1 gene. MCS indicates multiple cloning sites. (B) Western blot analysis of the JEV structural proteins expressed from three JEV structural protein expression cassettes. The BHK-21 cells were mock-transfected or transfected with each structural protein expression vector lysates were obtained 48 hr later. Equivalent amounts of cell lysates were resolved by SDS-PAGE and probed with the JEV-specific hyperimmune sera. Indicated are the positions of viral proteins E and NS1 on the right and the molecular mass markers in kDa on the left. (C) Schematic representation showing how JEV VRPs can be generated by (i) co-transfection of the JEV structural protein expression vector RNAs with JEV viral replicon RNAs (ii) transfection of the JEV structural protein-expressing PCLs with JEV viral replicon RNAs. (D-E) The production of JEV VRPs. Two approaches were taken. One approach is involved the cotransfection of naïve BHK-21 cells with two vector RNAs, namely, JEV structural protein expression vector RNA and the JEV viral replicon vector RNA indicated (D). The other

10

20



approach involved JEV PCLs, which were transfected with the JEV viral replicon vector RNA indicated (E). JEV viral replicon RNAs used were as follows: [] green, JEV/Rep/ΔC+ΔprM+ΔE/EGFP; ■ green, JEV/Rep/NS1/EGFP; □  $JEV/Rep/\Delta C+\Delta prM+\Delta E/LacZ;$ blue, blue, JEV/Rep/NS1/LacZ;  $\Box$  black, JEV/Rep/ $\Delta$ C+ $\Delta$ prM+ $\Delta$ E/LUC;  $\blacksquare$ black, JEV/Rep/NS1/LUC. The supernatants collected 48 hr posttransfection and used to infect naïve BHK-21 cells for the titration of VRPs and the examination of the respective reporter gene expression. - indicates the level of background luminescence of naïve cells.

#### EXAMPLES

Practical and presently preferred embodiments of the present invention are illustrative as shown in the following Examples.

However, it will be appreciated that those skilled in the art, on consideration of this disclosure, may make modifications and improvements within the spirit and scope of the present invention.



#### Example 1: Isolation of JEV viruses

## <1-1> Cell lines and viruses

BHK-21 cell line was provided from Dr. Charles M. Rice of the Rockefeller University, and maintained in 5 alpha minimal essential medium (MEM) supplemented with fetal bovine serum (FBS), 2 mM L-glutamine, vitamins, and antibiotics. All reagents used in cell culture were purchased from Gibco/BRL Life Technologies, Inc., Gaithersburg, MD. The Korean JEV strain K87P39 10 (Chung et al., Am. J. Trop. Med. Hyg., 1996, 55, 91-97) was obtained from the Korean National Institute of This JEV K87P39 was isolated from wild Health. mosquitoes in Korea in 1987 and underwent five passages in suckling mouse brains. The YF17D yellow fever virus 15 strain was generated from infectious the CDNA pACNR/YF17D (provided from Dr. Charles M. Rice) by SP6 polymerase runoff transcription as described bellow.

#### <1-2> Plaque purification

Cells infected with the JEV K87P39 strain were overlaid with MEM containing 10% fetal bovine serum and 0.5% SeaKem LE agarose (FMC BioProducts, Rockland, Maine) and incubated in a 5% CO<sub>2</sub>, 37°C incubator for 3 to 4 days. After being cultured for 3 to 4 days, the

10

15

20

25



infected cells were fixed with 3.7% formaldehyde at room temperature for 4 hr. Then, agarose covering the cells was removed. Plaques were visualized by crystal violet staining. As a result, K87P39 strain formed a heterogeneous mixture of viral plaque sizes (FIG. 1A, K87P39-infected).

Consequently, the present inventors performed the plaque purification assay with BHK-21 cells to isolate a homogeneous population of a large-plaque-forming variant that the present inventors named CNU/LP2. BHK-21 cells infected with the JEV K87P39 strain were overlaid with MEM containing 10% fetal bovine serum and 0.5% SeaKem LE agarose and incubated in a 5% CO<sub>2</sub>, 37°C incubator for 3 to 4 days. Individual plaques were picked with sterile Pasteur pipettes and resuspended in 1 ml of MEM. Viruses were eluted from the agarose at 4°C for 2 hr. The eluate was amplified only once in BHK-21 cells and stored at -80°C.

Plaque assay was performed to compare the viral plaque sizes of susceptible BHK-21 cells infected with JEV K87P39 and JEV CNU/LP2 strains. As a result, the viral plaque sizes of susceptible BHK-21 cells infected with K87P39 varied (FIG. 1A, K87P39-infected). On the other hand, the CNU/LP2 purified in the present invention formed a homogeneous population of large



plaques (FIG. 1A, CNU/LP2-infected). In addition, similar plaque morphologies were also observed when Vero cells were infected with JEV K87P39 and JEV CNU/LP2 strains (FIG. 1B).

5

10

15

20

25

#### <1-3> Immunofluorescence

In order to examine JEV expression in infected BHK-21 cells by confocal microscopy, cells (2X105) were seeded in a four-well chamber slide, incubated for 12 hr, and then mock-infected or infected at an MOI of 1 for 18 hr with either the original JEV K87P39 strain, the JEV CNU/LP2 isolate, or the YF17D Immunostaining for JEV viral proteins was accomplished by first fixing the cells by incubation in phosphatebuffered saline (PBS) containing 0.37%(v/v)formaldehyde for 30 min at  $25^{\circ}$ C. The cells were then washed three times with PBS and permeabilized for 10 min at 37℃ with PBS containing 0.2%(v/v) Triton X-100. Thereafter, the cells were washed four times with PBS, rehydrated in PBS for 15 min, and blocked for 1 hr at  $37\,^{\circ}$  with PBS containing 5%(w/v) bovine serum albumin (BSA). The cells were then incubated for 2 hr at  $25\,^{\circ}\mathrm{C}$ with 1:500-diluted mouse hyperimmune ascites fluid specific for JEV, washed three times with incubated for 2 hr at 25°C with 1:500-diluted FITC-



conjugated goat anti-mouse IgG (Jackson ImmunoResearch Labs Inc.), and washed again three times with PBS. Thereafter, the cells were incubated for 30 min at 37°C in PBS containing 5  $\mu$ g/ml of propidium iodide and 5  $\mu$ g/ml of RNase A to localize the nuclei and mounted with 0.2 ml of 80% glycerol. Images were acquired on a Zeiss Axioskop confocal microscope equipped with a 63% objective with a Bio-Rad MRC 1024 and LaserSharp software.

10 Confocal microscopy with anti-JEV hyperimmune ascites revealed that CNU/LP2-infected BHK-21 cells expressed JEV viral proteins around the perinuclear membranes (FIG. 1C, CNU/LP2-infected), similar K87P39-infected cells (FIG. 1C, K87P39-infected). This 15 fluorescence staining was not observed in mock-infected BHK-21 cells (FIG. 1C, Mock-infected). As a negative control, BHK-21 cells infected with yellow fever virus 17D, a flavivirus closely related to JEV, did not stain with anti-JEV hyperimmune ascites (FIG. 1C, YF17D-20 infected). CNU/LP2 infection of a variety of animal cell lines, including the neuronal SHSY-5Y(human) and B103 (mouse) cell lines and the nonneuronal Vero (monkey) and MDCK (dog) cell lines, resulted in high virus titers  $(10^6-10^7 \text{ PFU/m}\ell)$  in the culture supernatants. Thus, the present inventors decided to use CNU/LP2 as 25

15

20



the parental strain for developing a reverse genetics system for JEV.

## Example 2: Complete nucleotide sequence analysis of JEV

## 5 CNU/LP2 genomic RNA

Viral genomic RNA was extracted from 100  $\mu$ l of virus-containing culture fluid with 300  $\mu l$  of TRIzol LS reagent as recommended by the manufacturer (Gibco/BRL) and then resuspended in 20  $\mu$ l of RNase-free water. analyze the complete nucleotide sequence of the viral genomic RNA, five overlapping cDNAs (JVF, JVM, JVR, JV3NTR, and JV35NTR) representing the entire viral RNA genome were amplified by long RT-PCR (FIG. 2). Oligonucleotides used for cDNA synthesis amplification were designed according to the consensus sequence of all 16 fully sequenced JEV RNA genomes available from the GenBank database (CH2195LA, CH2195SA, FU, GP78, HVI, JaGAr01, JaOArS982, K94P05, Vellore P20778, p3, SA(A), SA(V), SA14, SA14-14-2, TC, and TL strains).

<2-1> Nucleotide sequence analysis of JEV CNU/LP2 genomic RNA

For JVF amplicons (nt 1-3865), primer J7,

10

15

20

25



represented by SEQ. ID. No 1 and complementary to nt 3986-4003 of the JEV genome, was used for cDNA synthesis (FIG. 2A). The primers for PCR amplification were primer J8 represented by SEQ. ID. No 2 and complementary to nt 1-18, and primer J6 represented by SEQ. ID. No 3 and complementary to nt 3845-3865. JVM amplicons (nt 3266-8170), primer J4, represented by SEQ. ID. No 4 and complementary to nt 8150-8170 of the JEV genome, was used for cDNA synthesis. The primers for PCR amplification were primer J20 represented by SEQ. ID. No 5 and complementary to nt 3266-3283, and primer J4. For JVR amplicons (nt 7565-10893), primer J1, represented by SEQ. ID. No 6 and complementary to nt 10947-10967 of the JEV genome, was used for cDNA synthesis. The primers for PCR amplification were primer J12 represented by SEQ. ID. 7 No and complementary to 7565-7582, nt and primer J2 represented by SEQ. ID. No 8 and complementary to nt 10870-10893. The standard RT reaction was conducted in a 20- $\mu$ l reaction mixture containing 10  $\mu$ l of extracted viral RNA, 5 p mol of the appropriate primer, 100 U of Superscript II reverse transcriptase (Gibco/BRL), 40 U of RNaseOUT (Gibco/BRL), 0.1 mM dithiothreitol (DTT), 10 mM deoxynucleotide triphosphate (dNTP) mix, and the RT buffer supplied by the manufacturer (Gibco/BRL).

10

25



The reaction mixture was incubated at  $37^{\circ}{\circ}$  for 1 hr and then heated at  $70^{\circ}{\circ}$  for 15 min. A 5- $\mu$ l aliquot of the RT mixture was subsequently used for PCR amplification with Pyrobest DNA polymerase (Takara Bio Inc., Shiga, Japan) and the appropriate primer pair. The PCRs were performed with 30 cycles of denaturation at 94°C for 30 sec, annealing at 60°C for 30 sec, and extension at 72°C for 5 min, followed by a final extension at 72°C for 10 min. To avoid the selection bias that can occur due to cloning, the uncloned materials of the amplified products were directly sequenced in both directions with an automatic 3700 DNA sequencer. Sequencing analysis with two independently isolated preparations of viral RNA resulted in identical sequences.

As a result, the complete nucleotide sequence of the entire viral genome of JEV CNU/LP2 except for 3'-and 5'-terminal regions was determined and represented by SEQ. ID. No 9.

20 <2-2> Determination of 3'-terminal sequence of JEV CNU/LP2 genomic RNA

In order to sequence the 3'-terminal sequences of the JEV CNU/LP2 genomic RNA, a synthetic oligonucleotide T represented by SEQ. ID. No 10 was ligated to the 3' end of the viral genomic RNA to

10

15

20

25



provide a primer-binding site for cDNA synthesis and PCR amplification (Kolykhalov et al., J. Virol., 1996, 70, 3363-3371). The 3' end of oligonucleotide T was first modified by incorporating ddATP with terminal deoxynucleotidyltransferase (Takara), which blocks the intramolecular and intermolecular ligation of oligonucleotide T. The 5' end of oligonucleotide T was also phosphorylated with T4 polynucleotide kinase Thereafter, the modified oligonucleotide T (Takara). was ligated to the 3' end of the viral genomic RNA by T4 RNA ligase (New England Biolabs, Inc., Beverly, MA). The 20  $\mu$ l of ligation reaction mixture contained 10 U T4 RNA ligase, 40 U of RNaseOUT, 10 p mol of of oligonucleotide T, viral genomic RNA, and the buffer supplied by the manufacturer (NEB). After incubation at 16°C for 12 hr, the ligated viral RNA was phenol extracted, precipitated with ethanol, and resuspended with 20  $\mu$ l of RNase-free water. Subsequently, 10  $\mu$ l of the oligonucleotide-ligated viral RNA was used for cDNA synthesis with oligonucleotide TR represented by SEQ. ID. No 11, which is complementary to oligonucleotide T, as previously described. First-strand CDNA amplified with primer J35 represented by SEQ. ID. No 12 and complementary to nt 10259 to 10276, and primer TR. For PCR, 5  $\mu$ l aliquot of the RT reaction mixture was



amplified with Pyrobest DNA polymerase and 30 cycles of 30 sec at  $94^{\circ}$ C, 30 sec at  $60^{\circ}$ C, and 1 min at  $72^{\circ}$ C, followed by a final extension of 10 min at  $72^{\circ}$ C. The PCR mixtures were as described above. The cDNA amplicons designated as JV3NTR were cloned into the pRS2 vector (provided by Dr. Charles M. Rice) with *Hind* III and *Eco*R I sites incorporated in the positive-sense and negative-sense primers, respectively (FIG. 2B).

As a result of agarose gel electrophoresis, it 10 was revealed that the amplified products migrated as two bands, a larger band of approximately 700 bp and a smaller band of about 450 bp (FIG. 2C). Both bands were purified and cloned, and 20 and 10 randomly picked clones containing the larger and the smaller bands, 15 respectively, were sequenced. As has been documented for most of the fully sequenced JEV isolates, the present inventors found that all the clones with the larger insert (about 700 bp) terminated the viral genome with -GATCT10968. In contrast, all the clones 20 with the smaller insert (about 450 bp) showed the viral genome truncated at nt 10684, resulting in a band 284 bp shorter. During assembly of the full-length JEV cDNA. the present inventors used the nucleotide sequences of the larger insert because the smaller insert did not contain 284 nucleotides at the 3' end of 25



the viral genome.

<2-3> Determination of 5'-terminal sequence of JEV CNU/LP2 genomic RNA

5 The 5'-terminal sequence of JEV CNU/LP2 genomic RNA was determined by self-ligation of viral (Campbell and Pletnev, Virology, 2000, 269, 225-237). The cap structure of viral genomic RNA was first cleaved off with tobacco acid pyrophosphatase (TAP). 10 The cleavage reaction mixture (20  $\mu$ ) contained 10 U of (Epicentre Technology Co., Madison, WI), 10  $\mu$ l of viral RNA, and the buffer supplied by the manufacturer (Epicentre Technology Co.). After incubation at 37°C for 1 hr, the TAP-treated viral RNA was subjected to 15 phenol extraction and ethanol precipitation, resuspended with 20  $\mu l$  of RNase-free water. Half (10  $\mu$ ) of the decapped viral RNA was self-ligated in a 20- $\mu$  reaction mixture with T4 RNA ligase as described A quarter (5  $\mu$ l) of the self-ligated viral RNA 20 used for cDNA synthesis with primer represented by SEQ. ID. No 13 and complementary to nt 215 to 232. First-strand cDNA was PCR amplified with primer J39 represented by SEQ. ID. No 14 and complementary to nt 164 to 181, and primer J35 (FIG. 25 2D). Agarose gel electrophoresis revealed the

10

15



amplified products as a single band of about 850 bp (FIG. 2E). The amplified cDNA amplicons (JV35NTR) were digested with Apo I and Spe I, and ligated into the pRS2 vector which had been digested with Apo I and Xba I, leading to construct pRS2/JV3'5'.

CNU/LP2 genomic RNA, 12 randomly picked clones were sequenced. In all 12 clones, the present inventors found that the -GATCT<sup>10968</sup> of the viral 3'-terminal sequence was followed by the 5'-terminal sequence <sup>1</sup>AGAAGT- (FIG. 2B and 2C). Identical results were also obtained by direct cycle sequencing of uncloned material. Thus, the present inventors have determined the complete nucleotide sequence of the CNU/LP2 isolate and confirmed that the sequence is represented by SEQ. ID. No 15.

# Example 3: Construction of full-length infectious cDNAs for JEV

During our initial attempts to clone the cDNA of the CNU/LP2 RNA genome, it became apparent that a particular region of the viral genome was not compatible with cloning in high-copy-number plasmids in E. coli because the cloned DNA underwent genetic

25



rearrangements. These difficulties have also been reported for other flaviviruses (Campbell and Pletnev, Virology, 2000, 269, 225-237; Polo et al., J. Virol., 1997, 71, 5366-5374; Gritsun and Gould, Virology, 1995, 5 214, 611-618; Sumiyoshi et al., J. Infect. Dis., 1995, 171, 1144-1151; Sumiyoshi et al., J. Virol., 1992, 66, 5425-5431; Rice et al., New Biol., 1989, 1, 285-296). Attempts to clone this region into a low-copy-number bacterial plasmid were also unsuccessful due to genetic 10 instability together with a low DNA yield. Thus, the inventors used the bacterial artificial chromosome (BAC) plasmid pBeloBAC11 as a vector to house full-length infectious cDNAs for JEV.

15 <3-1> Subcloning of three long overlapping JEV cDNA amplicons

The present inventors used recombinant DNA techniques according to standard procedures (Sambrook et al., Molecular cloning, 1989, Cold Spring Harbor Laboratory). First, three overlapping cDNA amplicons (JVF, JVM and JVR) originally used for complete nucleotide sequence analysis were subcloned into pBAC/SV represented by SEQ. ID. No 42, a derivative of the pBeloBAC11 plasmid. The pBAC/SV plasmid contains the 491-bp Not I-Aat II (T4 DNA polymerase-treated)



fragment of pACNR/NADL (Mendez et al., J. Virol., 1998, 72, 4737-4745), the 9,215-bp Sac I (T4 DNA polymerastreated)-Ssp I (T4 DNA polymerase-treated) fragment of pSINrep19 (Frolov et al., Proc. Natl. Acad. Sci., USA., 5 1996, 93, 11371-11377), and the 6,875-bp Sfi I (T4 DNA polymerase-treated) - Not I fragment of pBeloBAC11. Thus, the 3,863-bp Rsr II-Avr II fragment of the JVF amplicons, the 4,717-bp BspE I-Mlu I fragment of the JVM amplicons, and the 3,326-bp Rsr II-Bgl II fragment of the JVR 10 amplicons were inserted into the pBAC/SV plasmid, which had been digested with the same enzymes. This led to pBAC/JVF, pBAC/JVM, and pBAC/JVR subclone constructs, respectively. These BAC plasmids were grown in E. coli DH10B cells and sequenced. The 15 nucleotide sequences of the cloned cDNAs were identical to that of CNU/LP2 with the exception of a point mutation,  $T^{8906} \rightarrow C$  (silent), within the NS5 gene in т<sup>8906</sup> pBAC/JVR. The С substitution translationally silent and must have arisen during the 20 cloning because sequencing of eight randomly picked individual clones revealed a T residue at nt 8906. Although the  $T^{8906} \rightarrow C$  substitution does not alter the corresponding amino acid, it is possible that this change could affect viral replication (van Dinten et 25 al., Proc. Natl. Acad. Sci. USA, 1997, 94, 991-996),

15

20

25



and thus the present inventors corrected this substitution back to a T residue. The  $T^{8906} \rightarrow C$  substitution was corrected by recloning a 315-bp Apa I-Hind III fragment corresponding to nt 8827 to 9142, leading to the construct pBAC/JVRR. During their manipulation and propagation in the E.coli strain DH10B, all three subcloned JEV cDNAs remained genetically stable.

10 <3-2> Insertion of SP6 promoter into the 5' end of the full-length JEV cDNA

In order to facilitate the precise adjoining of the bacteriophage SP6 promoter transcription start to the 5' end of the full-length JEV cDNA, the present inventors modified the pBAC/JVF. First, two fragments were isolated by PCR of pBAC/SV with primer represented by SEQ. ID. 16 No and primer represented by SEQ. ID. No 17, which incorporates the negative-sense sequence of the SP6 promoter and PCR of pBAC/JVF with primer J42 represented by SEQ. ID. No 18 and primer J40 represented by SEQ. ID. No 19. two fragments were fused by a second round of PCR with primers J41 and J40. The resulting amplicons were digested with Pac I and Pme I, and ligated with pBAC/JVF which had been digested with the same two



enzymes. This produced pBACSP6/JVF.

<3-3> Construction of full-length JEV cDNAs containing SP6 promoter

5 In order to generate an authentic or nearly authentic 3' terminus during runoff transcription of plasmid linearized at the 3' end of the viral genome, the present inventors modified pBAC/JVRR so that the nucleotide sequence of the authentic 3' terminus was 10 followed unique restriction by а endonuclease recognition site, either Xho I or Xba I. To create the pBAC/JVRR/XhoI subclone containing a unique Xho I site at the end of the viral genome, fragment I was synthesized by PCR amplification of pRS2/JV3'5' with 15 primer J90 represented by SEQ. ID. No 20 and primer J45 represented by SEQ. ID. No 21, which incorporates an Xho I site. The 298-bp Sfi I-Spe I portion of fragment I amplicons was ligated with pBAC/JVRR which had been digested with Sfi Ι and Nhe I. To 20 pBAC/JVRRx/XbaI, which has an Xba I site at the end of the viral genome, the existing Xba I site at nt 9,131 to 9,136 within the NS5 gene was first inactivated by introducing a silent point mutation ( $A^{9134} \rightarrow T$ ) by PCR. In this construct, the "x" denotes the presence of the silent point mutation  $(A^{9134} \rightarrow T)$  that destroyed the 25

10

15



original Xba I site. Particularly, pBAC/JVRR was amplified with primer J31 represented by SEQ. ID. No 22 and primer J47 represented by SEQ. ID. No 23, which incorporated the  $A^{9134} \rightarrow T$  substitution. The 315-bp Apa I-Hind  ${
m I\hspace{-.1em}I}$  portion of the cDNA amplicons, corresponding to nt 8,828 to 9,143, was cloned into pBAC/JVRR, leading to the construct pBAC/JVRRx. Subsequently, pBAC/JVRRx/XbaI was constructed in the same manner as described for pBAC/JVRR/XhoI. Thus, fragment II was obtained by PCR amplification of pRS2/JV3'5' with primer J90 and primer J46 represented by SEQ. ID. No 24, which incorporated an Xba I site. The 298-bp Sfi I-Spe I portion of the fragment II amplicons was then ligated into pBAC/JVRRx which had been digested with Sfi I and Nhe I. To create pBAC/JVRRx/XhoI containing a unique Xho I site and the  $A^{9134} \rightarrow T$  substitution, the 298-bp Sfi I-Spe I portion of fragment I amplicons was ligated into pBAC/JVRRx which had been digested with Sfi I and Nhe I.

Thus, the present inventors constructed five plasmids, pBAC<sup>SP6</sup>/JVF, pBAC/JVM, pBAC/JVRR/XhoI, pBAC/JVRRx/XbaI, and pBAC/JVRRx/XhoI. These plasmids contained contiguous regions of the JEV genome and could now be used to assemble three different full-length JEV cDNAs (FIG. 3). First, the pBAC<sup>SP6</sup>/JVFM



subclone was constructed by ligating together the 4,717-bp BspE I-Mlu I fragment of pBAC/JVM, the 8,970bp BspE I-Xba I fragment of pBAC PF6/JVF, and the 3,670bp Xba I-Mlu I fragment of pBAC/SV. Subsequently, two fragments of pBAC<sup>SP6</sup>/JVFM (the 8,142-bp Pac I-Sap I 5 fragment and the 4,801-bp Pac I-BsrG I fragment) were ligated with either i) the 5,620-bp Sap I-BsrG I fragment of pBAC/JVRR/XhoI to generate pBAC pBAC JVFL/XhoI, fragment of Sap I-BsrG I 5,622-bp ii) the pBAC/JVRRx/XbaI to generate pBAC<sup>SP6</sup>/JVFLx/XbaI, or iii) 10 the 5,620-bp Sap I-BsrG I fragment of pBAC/JVRRx/XhoI generate pBAC<sup>SP6</sup>/JVFLx/XhoI. Finally, were designated JEV cDNAs full-length assembled pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI and represented by SEQ. ID. No 43, No 15 44, and No 45, respectively (FIG. 3B). These cDNA clones all had the SP6 promoter transcription start at the beginning of the viral genome so that synthetic RNA transcripts with an authentic 5' end would be generated through in vitro transcription using SP6 RNA polymerase 20 (FIG. 3B, gray box). To ensure that the 3' end of the viral genome after runoff transcription would be close to authentic, the present inventors placed a unique restriction endonuclease recognition site, either Xho I or Xba I, at the end of the viral genome (FIG. 3B, 25

10

15



underlined). Thus, pBAC<sup>SP6</sup>/JVFL/XhoI bears an Xho I site at the end of the viral genome. For the construct with an Xba I site immediately at the end of viral genome, as the viral genome already contains an Xba I site in the NS5 gene, this site had to be destroyed by introducing a silent point mutation  $(A^{9134} \rightarrow T)$ . This construct was designated pBAC<sup>SP6</sup>/JVFLx/XbaI, where the "x" denotes the presence of the silent point mutation that destroyed the original Xba I site. The third clone, pBAC<sup>SP6</sup>/JVFLx/XhoI, contains both the Xho I site at the end of viral genome and the  $A^{9134} \rightarrow T$  substitution.

The present inventors deposited the pBAC<sup>SP6</sup>/JVFLx/XbaI at Gene Bank of Korea Research Institute of Bioscience and Biotechnology (KRIBB) on October 2, 2002 (Accession No: KCTC 10347BP).

<3-4> Construction of full-length JEV cDNAs containing T7 promoter

In addition to the SP6-driven JEV cDNAs, the present inventors also constructed a set of three T7-driven full-length JEV cDNAs in a similar manner of the Example <3-3>. First, a fragment from pBAC/NADLcIn-/PAC (provided by Dr. Charles M. Rice) was synthesized by PCR with the primer J81 represented by SEQ. ID. No

15

20

25



25 and the primer J80 represented by SEQ. ID. No 26. A fragment from pBACSP6/JVFLx/XbaI was also synthesized with the primer J42 represented by SEQ. ID. No 27 and the primer J82 represented by SEQ. ID. No 28. two fragments were fused by the second round of PCR with the primers J81 and J82. The 793-bp EcoR I-Spe I fragment of the resulting amplicons was inserted into the pRS2 vector digested with EcoR I and Xba I, leading to the construct pRS2<sup>T7</sup>/5'JV. The 675-bp Pvu I-Pme I fragment of pRS2<sup>T7</sup>/5'JV was ligated with either i) the **10** . 18,364-bp Pac I-Pme I fragment of pBACSP6/JVFL/XhoI to create pBACT7/JVFL/XhoI, ii) the 18,364-bp Pac I-Pme I pBAC<sup>SF6</sup>/JVFLx/XhoI of to create fragment pBAC<sup>T7</sup>/JVFLx/XhoI, or iii) 18,366-bp Pac I-Pme I of pBAC<sup>SP6</sup>/JVFLx/XbaI to create pBAC<sup>T7</sup>/JVFLx/XbaI. Finally, three assembled full-length JEV cDNAs were designated pBAC<sup>T7</sup>/JVFL/XhoI, pBAC<sup>T7</sup>/JVFLx/XhoI, and pBAC<sup>T7</sup>/JVFLx/XbaI and represented by SEQ. ID. No 46, No 47, and No 48, respectively (FIG. 3C). At every cloning step during the assembly process, structural integrity of the cloned cDNAs was assessed by extensive restriction and nucleotide sequence Structural instability of the analyses. leading to deletions or rearrangements was not observed. The present inventors deposited the

15

20



pBAC<sup>T7</sup>/JVFLx/XbaI at Gene Bank of Korea Research Institute of Bioscience and Biotechnology (KRIBB) on October 2, 2002 (Accession No: KCTC 10346BP).

# 5 Example 4: Transcriptions and transfections

The present inventors synthesized RNA transcripts by in vitro transcription. Particularly, 100 to 200 ng of the template DNA linearized with Xho I or Xba I digestion and in some cases modified with MBN was added to a  $25-\mu$ l reaction mixture consisting of the buffer supplied by the manufacturer (Gibco/BRL) plus 0.6 mM cap analog  $[m^7G(5')ppp(5')A$  or  $m^7G(5')ppp(5')G$ , NEB Inc.], 0.5  $\mu$  M [ $^3$ H]UTP (1.0 mCi/m $^l$ , 50 Ci/m mol, New England Nuclear Corp., Boston, MA), 10 mM DTT, 1 mM each UTP, GTP, CTP and ATP, 40 U of RNaseOUT, and 15 U The reaction SP6 RNA polymerase (Gibco/BRL). mixtures were incubated at  $37^{\circ}$ C for 1 hr. RNAs were quantified on the basis of [3H]UTP incorporation as measured by RNA adsorption to DE-81 (Whatman, Maidstone, UK) filter paper (Sambrook et al., Molecular cloning, 1989, Cold Spring Harbor Laboratory). A 1- to 1.5- $\mu$ l aliquot of reaction mixture was examined by agarose gel electrophoresis, and aliquots were stored at  $-80\,^{\circ}\mathrm{C}$ until use.

10

15

20

25



For RNA transfection, cells were electroporated with synthetic RNAs with a model ECM 830 electroporator (BTX Inc., San Diego, CA), as recommended by the Briefly, subconfluent manufacturer. cells trypsinized, washed three times with ice-cold RNasefree PBS, and resuspended at a density of 2x107 cells/ ml in PBS. A 400- $\mu$ l aliquot of the suspension was mixed with 2  $\mu$ g of synthetic RNA, and the cells were immediately electroporated under the conditions determined previously to be optimal (980 V, 99- $\mu$ s pulse length, and five pulses). The electroporated mixture was then transferred to 10 ml of fresh medium.

An infectious center assay was used to quantify specific infectivity of the the synthetic RNA. for runoff transcription, Particularly, JEV CDNA templates were linearized by digestion with Xho I or Xba I. SP6 polymerase runoff transcription of the two (pBAC<sup>SP6</sup>/JVFL/XhoI plasmids Xho I-linearized and pBAC<sup>SP6</sup>/JVFLx/XhoI) in the presence of the m<sup>7</sup>G(5')ppp(5')A cap structure analog yielded capped synthetic RNAs containing three nucleotides (CGA) of virus-unrelated sequence at their 3' ends (FIG. 3B). This is the result of copying the 5' overhang left by Xho I digestion (FIG. 3B). the Similarly, polymerase runoff transcription of the Xba I-linearized

10

15

20



pBAC<sup>SP6</sup>/JVFLx/XbaI plasmid in the presence of the m<sup>7</sup>G(5')ppp(5')A cap structure analog produced capped synthetic RNAs with four nucleotides (CTAG) of virusunrelated sequence at their 3' ends (FIG. 3B). The electroporated cells were serially diluted 10-fold and plated on monolayers of untransfected cells (5x10<sup>5</sup>) in a six-well plate. Cells were allowed to attach to the plate for 6 hr, after which they were overlaid with 0.5% SeaKem LE agarose-containing MEM as described above. The plates were incubated for 3 to 4 days at 37°C with 5% CO<sub>2</sub>, and infectious plaque centers were visualized by crystal violet staining.

When susceptible BHK-21 cells were transfected with the synthetic RNAs from these constructs, all were highly infectious (Table 3). That is, the synthetic RNAs obtained from pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI transfected and under electroporation conditions had specific infectivities of  $3.5 \times 10^5$ ,  $4.3 \times 10^5$ , and  $3.4 \times 10^5$  PFU/ $\mu$ g, respectively (Table 3, infectivity). Similar results were also obtained with synthetic RNAs transcribed from the T7constructs by T7 polymerase runoff driven CDNA transcription (Table 3, infectivity).

25 <Table 3>



10



Specific infectivity of in vitro RNA transcripts generated from full-length JEV cDNAs and virus titer

Templates used for transcription <sup>a</sup>	Infectivity <sup>b</sup> (PFU/µg of	Virus titer <sup>c</sup> (PFU/ml)		
_	RNA)	24 hr	48 hr	
pBAC <sup>SP6</sup> /JVFL/XhoI	3.5x10 <sup>5</sup>	4.4x10 <sup>5</sup>	3.6x10 <sup>6</sup>	
pBAC <sup>T7</sup> /JVFL/XhoI	2.9x10 <sup>5</sup>	2.0x10 <sup>5</sup>	2.3x10 <sup>6</sup>	
pBAC <sup>SP6</sup> /JVFLx/XhoI	4.3x10 <sup>5</sup>	2.1x10 <sup>5</sup>	5.2x10 <sup>6</sup>	
pBAC <sup>T7</sup> /JVFLx/XhoI	3.8x10 <sup>5</sup>	3.3x10 <sup>5</sup>	4.1x10 <sup>6</sup>	
pBAC <sup>SP6</sup> /JVFLx/XbaI	3.4x10 <sup>5</sup>	3.5x10 <sup>5</sup>	3.2x10 <sup>6</sup>	
pBAC <sup>T7</sup> /JVFLx/ <i>Xba</i> I	3.0x10 <sup>5</sup>	2.4x10 <sup>5</sup>	2.7x10 <sup>6</sup>	
pBAC <sup>SP6</sup> /JVFLx/XbaI <sup>MBN</sup>	3.1x10 <sup>6</sup>	6.2x10 <sup>6</sup>	1.4x10 <sup>6</sup>	
pBAC <sup>T7</sup> /JVFLx/XbaI <sup>MBN</sup>	2.7x10 <sup>6</sup>	5.6x10 <sup>6</sup>	2.4x10 <sup>6</sup>	

- a: All full-length JEV cDNAs were linearized with an appropriate restriction endonuclease for runoff transcription as indicated in the names of the cDNAs. For pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup> and pBAC<sup>T7</sup>/JVFLx/XbaI<sup>MBN</sup>, these cDNA templates were prepared by linearization with Xba I digestion, which was followed by treatment with MBN.
  - b: After in vitro transcription with SP6 or T7 RNA polymerase, as indicated, samples were used to electroporate BHK-21 cells, and infectious plaque centers were determined.
- 15 c : Virus titers at 24 and 48 hr postelectroporation.

10

15

20

25



<4-1> Construction of JEV RNA transcripts lacking the virus-unrelated sequences at their 3' ends

It has been reported that for some flaviviruses, the presence of unrelated sequences at the 3' end of synthetic RNAs transcribed from infectious diminishes or abrogates their specific infectivity (Yamshchikov et al., Virology, 2001, 281, 294-304). Based on this report, the present inventors generated synthetic RNAs lacking the virus-unrelated sequences at their 3'ends and compared their specific infectivities. Particularly, the present inventors generated synthetic RNAs lacking the virus-unrelated sequences by treating the Xba I-linearized pBACsp6/JVFLx/XbaI plasmid with MBN prior to the transcription reaction, which removed the four excess nucleotides of CTAG. RNA from Xba I-linearized and MBN-treated transcripts · pBAC<sup>T7</sup>/JVFLx/*Xba*I pBAC<sup>SP6</sup>/JVFLx/XbaI and (pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>, FIG. 3B and pBAC<sup>T7</sup>/JVFLx/XbaI<sup>MBN</sup>, FIG. 3C) both had increased specific infectivities compared to the untreated transcripts. Precisely, the infectivity of RNAs transcribed specific pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup> was estimated to be 3.1 x 10<sup>6</sup> PFU/  $\mu g$ , approximately 10-fold higher than the specific infectivity (3.4 x  $10^5$  PFU/ $\mu$ g) of the unmodified

10

15

20

25



template (Table 3, infectivity). The RNAs derived from pBAC<sup>T7</sup>/JVFLx/XbaI also had increased specific infectivity after MBN modification (2.7 x  $10^6$  PFU/ $\mu$ g) (Table 3, infectivity). Therefore, the present inventors demonstrated that the authentic 3' end of the JEV genome should be present to ensure highly infectious synthetic JEV RNA transcripts are generated.

In addition, the altered specific infectivity of the RNA transcripts due to the presence of three or four virus-unrelated nucleotides at the 3' end also influences the virus titers harvested from culture supernatants of the transfected BHK-21 cells. titers released from BHK-21 cells transfected with RNA MBN-untreated pBAC<sup>SP6</sup>/JVFL/XhoI, transcripts from pBAC<sup>SP6</sup>/JVFLx/XhoI, and pBAC<sup>SP6</sup>/JVFLx/XbaI ranged from  $2.1 \times 10^5$  to  $4.4 \times 10^5$  PFU/ml at 24 hr posttransfection (Table 3, virus titer 24 hr), at which time half of the transfected cells were still attached to culture dishes showing virus-induced strong cytopathic effect. titers increased about 10-fold to the range of 3.2 x 10<sup>6</sup> to 5.2 x 10<sup>6</sup> PFU/ml at 48 hr posttransfection (Table 3, virus titer 48 hr), at which point most of the cells had died and detached from the bottom of the culture In contrast, the virus titer released from dishes. BHK-21 cells transfected with RNA transcripts from MBN-

15


20



treated pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup> had already reached 6.2 x 10<sup>6</sup> PFU/ml at 24 hr posttransfection, at which time the majority of the transfected cells had died (Table 3, virus titer 24 hr). This titer decreased slightly to 1.4 x 10<sup>6</sup> PFU/ml at 48 hr posttransfection (Table 3, virus titer 48 hr). Similar patterns of virus production were seen with the T7 polymerase-driven RNA transcripts (Table 3).

### 10 Example 5: Confirmation of specific infectivity of synthetic RNA transcripts

The present inventors confirmed that specific infectivity requires the transcription of RNA from the full-length JEV cDNA template by using the full-length cDNA clone pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup> (FIG. 4). The cDNA template alone was not infectious (FIG. 4A, lane 5 and B, without SP6 Pol), but the intact cDNA template was needed during the transcription reaction because DNase I treatment abolished infectivity (FIG. 4A, lane 2 and B, DNase I During). Addition of DNase I after the transcription reaction had no effect (FIG. 4A, lane 3 and B, DNase I after) relative to the intact reaction mixture (FIG. 4A, lane 1 and B, without treatment), but RNase A treatment abolished the infectivity of the





transcribed synthetic RNAs (FIG. 4A, lane 4 and B, RNase A after).

# Example 6: Comparison of synthetic JEVs recovered from full-length infectious cDNAs with the CNU/LP2 parental virus

The present inventors compared the synthetic JEVs recovered from full-length infectious cDNAs (pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI, and pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>) with the parental virus CNU/LP2 originally used for cDNA construction (plaque morphology, growth kinetics, protein expression, RNA production, etc).

BHK-21 cells were infected with the synthetic JEVs recovered from full-length infectious cDNAs (pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI, and pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>) and the parental virus CNU/LP2.

The cells were overlaid with MEM containing 10% fetal bovine serum and 0.5% Seakem LE agarose (FMC BioProducts, Rockland, Maine) and incubated in a 5% CO<sub>2</sub>, 37°C incubator for 3 to 4 days. After being cultured



for 3 to 4 days, the infected cells were fixed with 3.7% formaldehyde at room temperature for 4 hr. Then, agarose covering the cells was removed. Plaques were visualized by crystal violet staining. As shown in FIG. 5A, BHK-21 cells infected with synthetic JEVs recovered from pBAC<sup>SP6</sup>/JVFL/XhoI (dish 1), pBAC<sup>SP6</sup>/JVFLx/XhoI (dish 2), pBAC<sup>SP6</sup>/JVFLx/XbaI (dish 3), and pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup> (dish 4) formed homogeneous large plaques, similar to the cells infected with CNU/LP2 (dish 5).

10

15

20

25

5

### <6-2> Comparison of growth kinetics

The present inventors infected BHK-21 cells with JEVs recovered from full-length the synthetic infectious cDNAs (pBACSP6/JVFL/XhoI, pBACSP6/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI, and pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>) and the parental virus CNU/LP2. BHK-21 cells were infected with low (0.01 PFU/cell), medium (1.0 PFU/cell), and high (10 PFU/cell) MOI, after which the cell culture fluids were harvested periodically and used determine the kinetics of infectious virus release over time. Particularly, viruses were harvested at the indicated time points, and titers were determined by plaque assay. As shown in FIG. 5B, the MOI-dependent virus titers accumulating over time were similar for (pBAC<sup>SP6</sup>/JVFL/XhoI, the four viruses recovered

10

15

20


25



pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI, and pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>) and the parental virus CNU/LP2.

<6-3> Comparison of viral protein level by Western blot analysis

The present inventors compared viral protein expressed in BHK-21 cells infected with the synthetic from full-length infectious cDNAs JEVs recovered (pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI, and pBACSP6/JVFLx/XbaIMBN) with that in BHK-21 cells infected with the parental virus CNU/LP2. Particularly, BHK-21 cells  $(3x10^5)$  were lysed with 200  $\mu$ l of sample loading buffer [80 mM Tri-HCl (pH 6.8), 2.0% SDS, 10% glycerol, 0.1 M DTT, 0.2% bromophenol blue], and onetenth of the lysate was boiled for 5 min and fractionated on an SDS-polyacrylamide gel. Proteins were transferred electrophoretically onto a methanolactivated polyvinylidene difluoride membrane with a Trans-Blot SD electrophoretic transfer cell machine (Bio-Rad Laboratories Inc., Hercules, CA), and the membrane was blocked at room temperature for 1 hr with 5% nonfat dried milk in washing solution (0.2% Tween 20 in PBS). After three washes with washing solution, membranes were incubated at room temperature for 2 hr with either a monoclonal anti-actin antibody (A4700,



10

15

20

25



Sigma, St. Louis, MO) that recognizes the epitope conserved in the C terminus of all actin isoforms or mouse hyperimmune ascites fluid specific for JEV (ATCC VR-1259AF, American Type Culture Collection). membranes were then washed three times with washing solution and incubated at room temperature for 2 hr with alkaline phosphatase (AP)-conjugated goat antimouse immunoglobulin G (Jackson ImmunoResearch Labs Inc., West Grove, PA). The membranes were washed three times with washing solution and once with PBS. and JEV protein bands were visualized by incubation with the substrates 5-bromo-4-chloro-3-indolylphosphate and nitroblue tetrazolium. As a result, it was demonstrated that the synthetic JEVs and the parental virus produced similar amounts and identical patterns of virus-specific proteins (FIG. 5C, top panel). Actin protein was measured as an internal sample loading control and revealed equivalent levels of actin protein in mock-infected and infected cells (FIG. 5C, bottom panel).

<6-4> Comparison of viral RNA level by Northern blot analysis

The present inventors compared viral RNA expressed in BHK-21 cells infected with the synthetic

10

15

20

25



recovered from full-length infectious cDNAs JEVs (pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XhoI, pBAC<sup>SP6</sup>/JVFLx/XbaI, and pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>) with that in BHK-21 cells infected with the parental virus CNU/LP2. Particularly, total RNA was extracted from infected BHK-21 cells  $(3x10^5)$  with 1 ml of TRIzol reagent (Gibco/BRL). third of the RNA was analyzed for JEV-specific RNA by Northern blot analysis (Sambrook et al., Molecular cloning, 1989, Cold Spring Harbor Laboratory). The RNA was electrophoresed in denaturing 2.2 M formaldehyde-1% agarose gels and transferred onto nylon membranes (Amersham Biosciences Inc., Piscataway, NJ). The RNA on the membranes was cross-linked by irradiation with a 254-nm light source (Stratalinker UV cross-linker, Stratagene, La Jolla, CA), and the JEV-specific RNAs were detected by hybridization with a [32P]CTP-labeled antisense riboprobe that binds to nt 9,143 to 9,351 of the JEV genome. This probe had been synthesized by in vitro transcription from the BamH I-linearized cDNA clone pGEM3Zf(+)/JV9143, which was constructed by ligating the 209-bp Hind III-Sac I fragment pBAC<sup>SP6</sup>/JVFLx/XbaI with pGEM3Zf(+) digested with the same enzymes. This clone was transcribed with the T7-MEGAscript kit (Ambion, Austin, TX) as recommended by  $20-\mu\ell$  reaction the manufacturer with mixture a

10

15

20

25



containing 3.12  $\mu$  M [ $\alpha$  -32P]CTP(800 Ci/m mol, Amersham). After being treated with DNase I, the reaction mixture Spin G-50 Sephadex column spun in a Quick to remove unincorporated (Boehringer Mannheim) ribonucleoside triphosphates. The membrane was 55℃ for 6 hr in hybridization prehybridized at solution [5x SSPE(0.9 M NaCl, 50 mM NaH2PO4, and 5 mM EDTA pH 7.7), 5x Denhardt's reagent, 0.5% SDS, 100  $\mu$ g/ ml of denatured salmon sperm DNA, 50% formamide] and then incubated at  $55\,^{\circ}$ C overnight in the hybridization solution containing 107 cpm of the labeled riboprobe. The membrane was washed three times at  $55^{\circ}$ C for 10 min with 1x SSPE-0.5% SDS and once for 10 min with 0.1x SSPE-0.5% SDS. Viral RNA bands were visualized by autoradiography and quantified with a Molecular Imager (Bio-Rad Lab). As a result, viral RNA levels were all. similar (FIG. 5D). Quantification of these blots by image analysis revealed that the ratios of viral genomic RNA (FIG. 5D, top panel) to 18S rRNA (FIG. 5D, not differ significantly, bottom panel) did demonstrating that all viral genomic RNAs were produced at similar levels.

Thus, all the synthetic viruses recovered from full-length infectious cDNAs (pBAC<sup>SP6</sup>/JVFL/XhoI, pBAC<sup>SP6</sup>/JVFLx/XhoI, and

10

15

20



pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MEN</sup>) were indistinguishable from the parental virus CNU/LP2 in terms of plaque morphology, cytopathogenicity, growth kinetics, protein expression, and RNA production. Furthermore, analyses of the 3' end sequence did not reveal an extra three (CGA) or four (CTAG) nucleotides of virus-unrelated sequence at the 3' end of the viral RNA genomes derived from any of the synthetic viruses. These results validate the use of infectious JEV cDNA clones developed in the present invention for future molecular genetics.

# Example 7: Check the possibility that the transfected cultures were contaminated with the parental virus

While the above results strongly suggest that the JEV cDNA clones can produce highly infectious RNA transcripts after SP6 or T7 polymerase transcription, the possibility that the transfected cultures were contaminated with the parental virus CNU/LP2 was not formally excluded. To assess this remote possibility, the present inventors used PCR-based site-directed mutagenesis to introduce a genetic marker (gm) into the pBAC $^{\rm SP6}$ /JVFLx/XbaI construct. Particularly, the point mutation  $A^{\rm B171} \rightarrow C$  (silent) was placed inside the NS5 gene in pBAC $^{\rm SP6}$ /JVFLx/XbaI by PCR-based site-directed



mutagenesis to generate pBAC<sup>SP6</sup>/JVFLx/gm/XbaI (FIG. 6A). The point mutation resulted in the acquisition of a unique Xho I restriction endonuclease recognition site. A fragment from pBACSP6/JVFLx/XbaI was first generated by PCR with primer J48 represented by SEQ. ID. No 29, 5 in which the Xho I was created by the  $A^{6171} \rightarrow C$ substitution, and primer J3 represented by SEQ. ID. No The 665-bp Mlu I-Apa I fragment of the resulting 30. amplicons was then ligated with the 4,802-bp Apa I-BsrG 10 5,874-bp BsrG I-Mlu I fragments of and the pBAC<sup>SP6</sup>/JVFLx/XbaI, resulting in the pBAC<sup>SP6</sup>/JVFLx/qm/XbaI construct. BHK-21 cells transfected with RNA transcripts from Xba I-linearized MBN-treated pBAC<sup>SP6</sup>/JVFLx/gm/XbaI<sup>MBN</sup> produced infectious 15 virus containing the genetic marker (denoted JVFLx/qm/XbaIMBN) phenotypic (FIG. 6A). The characteristics of JVFLx/gm/XbaIMBN did not differ from those of the original virus JVFLx/XbaIMBN, indicating that the  $A^{8171} \rightarrow C$  substitution did not affect viral 20 replication.

To verify that the JVFLx/gm/XbaI<sup>MBN</sup> virus had been recovered from the cDNA template of pBAC<sup>SP6</sup>/JVFLx/gm/XbaI<sup>MBN</sup>, the present inventors serially passaged the recovered virus in BHK-21 cells at an MOI of 0.1. The viruses resulted from each passage were

10

15



incubated with RNase A and DNase I to avoid the carryover of the input transcript RNA and template plasmid cDNA (Mendez et al., J. Virol., 1998, 72, 4737-4745). Viral RNAs extracted from the JVFLx/gm/XbaIMBN and JVFLx/XbaIMBN viruses released at passages 1 and 3 were used in RT-PCR to amplify a 2,580-bp product that encompassed the  $A^{8171} \rightarrow C$  substitution (FIG. 6B, lanes 1, 3, and 5). Digestion of the amplified product from  ${\tt JVFLx/gm/\it XbaI^{MBN}}$  with  ${\it Xho}$  I resulted in two fragments of 1,506 and 1,074 bp (FIG. 6B, lanes 2 and 4). On the other hand, the JVFLx/XbaIMBN-derived RT-PCR product did not digest with Xho I (FIG. 6B, compared lane 5 with lane 6), demonstrating that the  $A^{8171} \rightarrow C$  substitution was indeed present in the JVFLx/gm/XbaIMBN virus. Thus, the recovered confirmed that it was originated JVFLx/qm/XbaIMBN full-length from the infectious cDNA pBACSP6/JVFLx/gm/XbaIMBN.

### Example 8: Genetic stability of full-length infectious

### 20 JEV cDNA

A previous study has shown that constructs containing full-length JEV cDNA frequently acquired stabilizing nonsense mutations in the regions encoding the structural proteins prM and E (Sumiyoshi et al., J.

10

15

20

25



Virol., 1992, 66, 5425-5431). Since studies into the molecular genetics of JEV will indispensably require a reliable infectious JEV molecular clone for manipulation, the present inventors manipulated pBAC<sup>SP6</sup>/pJVFLx/XbaI in several ways and extensively investigated its genetic structure and functional integrity.

Particularly, the genetic structure and functional integrity of the infectious JEV cDNAs were analyzed as follows. E.coli strain DH10B was pBAC<sup>SP6</sup>/JVFLx/*Xba*I, with transformed and two independently derived clones were grown 37℃ at overnight in 10 ml of 2x YT containing 12.5  $\mu$ g/ml of chloramphenicol. Cells from these primary cultures were maintained for 9 days by diluting them 106-fold every day (Almazan et al., Proc. Natl. Acad. Sci. USA, 2000, 97, 5516-5521). In the experimental conditions of the present invention, each passage represented approximately 20 generations, which was consistent with observations made previously (Alamzan et al., Proc. Natl. Acad. Sci. USA, 2000, 97, 5516-5521). After the third, sixth, and ninth passages, large-scale preparation of the infectious cDNA plasmid was made by the SDS-alkaline method and purified further by cesium chloride density gradient centrifugation (Sambrook et

10

15

20



al., Molecular cloning, 1989, Cold Spring Harbor Laboratory). The genetic structure of the plasmid DNA was monitored by its restriction endonuclease pattern. The plasmids extracted from the two cultures at passage 0, 3, 6 and 9 were examined by restriction enzyme analysis. The restriction enzyme patterns at passages 3, 6 and 9 did not differ visibly from those at passage 0. Thus, within the resolution of agarose gel electrophoresis analysis, the two infectious cDNA clones appeared to be structurally stable.

The functional integrity of the JEV cDNA plasmid was also investigated by measuring the specific infectivities of the synthetic RNAs transcribed from the cDNA template, which was linearized by Xba I digestion and MBN treatment. As a result, the infectivity of the RNA transcripts made from the two cDNA clones did not differ between passage 0 and passage 9 (FIG. 7). From the above result, it was confirmed that the infectious JEV cDNA remained functionally stable during serial growth in E. coli.

## Example 9: Infectious JEV cDNA as a vector for foreign gene expression

As previously described (Burke and Monath,

10

15

20

25



Flaviviruses, 2001, 1043-1125, Lippincott Williams & Wilkins Publishers), the present inventors found that JEV was able to replicate in a wide variety of eukaryotic cells originating from a number of species, including humans, mice, monkeys, swine, dogs, cats, and hamsters. This suggests that JEV could be useful as a vector for the expression of heterologous genes in a variety of different cells. To test this, two commonly used reporter genes, the Aequeorea victoria GFP and the Photinus pyralis LUC, were inserted at the beginning of the viral 3'NTR of pBAC<sup>SP6</sup>/JVFLx/XbaI as expression cassettes driven by the IRES element of EMCV (FIG. 8A).

create the pBACSP6/JVFLx/GFP/XbaI construct (FIG. 8A), a fragment from pBAC<sup>SP6</sup>/JVFLx/XbaI amplified by PCR with the primer J72 represented by SEQ. ID. No 31 and the primer J73 represented by SEQ. ID. No 32. A fragment was also amplified from pRSGFP-C1 with the primer J74 represented by SEQ. ID. No 33 and the primer J75 represented by SEQ. ID. No 34. fragments were fused by the second round of PCR with the primers J72 and J75. The 913-bp Kpn I-Nsi I fragment of the resulting amplicons was then ligated with the 8,011-bp Nsi I-Pac I and 11,021-bp Pac I-Kpn I fragments of pBAC<sup>SP6</sup>/JVFLx/XbaI, resulting in the pBAC<sup>SP6</sup>/JVFLx/GFP/XbaI construct.

10

15

20

25



To generate the pBACSP6/JVFLx/LUC/XbaI construct of pBAC<sup>SP6</sup>/JVFLx/XbaI 8A), a fragment was amplified with the primer J72 and the primer J76 represented by SEQ. ID. No 35. A fragment was also amplified from pACNR/NADLcIn-/LUC (provided by Dr. Charles M. Rice) with the primer J77 represented by SEQ. ID. No 36 and the primer J78 represented by SEQ. ID. No These two fragments were then fused by the second 37. round of PCR with the primers J72 and J78. The 1,801bp Kpn I-Nsi I fragment of the resulting amplicons was then ligated with the 8,011-bp Nsi I-Pac I and 11,021bp Pac I-Kpn I fragments of pBACSP6/JVFLx/XbaI, leading to pBACSP6/JVFLx/LUC/XbaI.

To generate pBAC<sup>SP6</sup>/JVFLx/LUC<sup>REP-</sup>/XbaI (FIG. 8A), which contains an 83-nucleotide deletion (nt 5,581 to 5,663) in the middle of the NS3 gene that results in premature termination of viral translation at nt 5,596, a fragment of pBAC<sup>SP6</sup>/JVFLx/LUC/XbaI was amplified with the primer J89 represented by SEQ. ID. No 38 and the primer J91 represented by SEQ. ID. No 39. A fragment was also amplified from pBAC<sup>SP6</sup>/JVFLx/LUC/XbaI with the primer J92 represented by SEQ. ID. No 40 and the primer J93 represented by SEQ. ID. No 41. These two fragments were then fused by the second round of PCR with the primers J89 and J93. The 3,960-bp Sfi I-Eag I fragment

25



of the resulting amplicons was then ligated with the 6,493-bp Eag I-Sfi I and 10,297-bp Sfi I-Sfi I fragments of pBAC<sup>SP6</sup>/JVFLx/LUC/XbaI, leading to pBAC<sup>SP6</sup>/JVFLx/LUC<sup>REP-</sup>/XbaI.

5 A deletion of 9 to 25 nucleotides exists at the beginning of the viral 3'NTR in CNP/LP2 and three other fully sequenced JEV strains (Williams et al., J. Gen. Virol., 2000, 81, 2471-2480; Nam et al., Am. J. Trop. Med. Hyg., 2001, 65, 388-392; Jan et al., Am. J. Troop. Med. Hyg., 1996, 55, 603-609), suggesting that this may 10 be a good site to insert the foreign genes. Therefore, when BHK-21 cells were transfected with the synthetic transcribed from pBACSP6/JVFLx/GFP/XbaI RNAs pBAC<sup>SP6</sup>/JVFLx/LUC/XbaI cDNAs, the insertion did not 15 alter the specific infectivity of the synthetic RNA transcripts.

To examine GFP expression, naive BHK-21 cells were transfected with infectious synthetic RNA transcribed from the pBAC<sup>SP6</sup>/JVFLx/GFP/XbaI<sup>MBN</sup> template and examined by confocal microscopy. Particularly, BHK-21 cells were mock-transfected or transfected with 2  $\mu$ g of JVFLx/GFP/XbaI<sup>MBN</sup> RNA. Transfected cells (1x10<sup>5</sup>) were incubated for 30 hr in a four-well chamber slide. Cells were washed twice with PBS, fixed by incubation for 30 min at 25°C in PBS containing 0.37% (v/v)

10

15

20

25



formaldehyde, and mounted with 0.2 ml of 80% glycerol. Cells were viewed by confocal microscopy and analyzed. As a result, BHK-21 cells expressing GFP displayed green fluorescence in both the nucleus and the cytoplasm (FIG. 8B, JVFLx/GFP/XbaI<sup>MBN</sup>) because GFP is small enough to permit diffusion between the nucleus and the cytoplasm. As expected, this fluorescence was not observed in mock-transfected cells (FIG. 8B, mock) or in cells transfected with RNA transcripts from pBAC<sup>SP6</sup>/JVFLx/XbaI<sup>MBN</sup>.

To monitor the induction of LUC over time in a quantitative manner, the present inventors produced not only replication-competent RNA transcripts from pBAC<sup>SP6</sup>/JVFLx/LUC/XbaI<sup>MBN</sup> but also replicationincompetent RNA transcripts from pBACSP6/JVFLx/LUCREP-The pBAC<sup>SP6</sup>/JVFLx/LUC<sup>REP-</sup>/XbaI<sup>MBN</sup> /XbaI<sup>MBN</sup> (FIG. 8A). template contains an 83-nucleotide deletion (nt 5,581 to nt 5,663) in the middle of the NS3 gene that prematurely terminates viral translation at nt 5,596 (see \* in FIG. 8A, pBACSP6/JVFLx/LUCREP-/XbaIMBN).

For the LUC assay, BHK-21 cells  $(8 \times 10^6)$  were mock-transfected or transfected with 2  $\mu g$  of JVFLx/LUC/XbaI<sup>MBN</sup> RNA or JVFLx/LUC<sup>REP-</sup>/XbaI<sup>MBN</sup> RNA. Cells were seeded at a concentration of  $6 \times 10^5$  cells/well in a six-well plate and cultivated. At the given time

10

15

20

25



points, the cells were washed with Ca2+- and Mg2+-free PBS solution and then lysed by adding 0.2 ml of lysis buffer [25 mM Tris-phosphate (pH 7.8), 2 mM DTT, 2 mM 1,2-diaminocyclohexane-N,N,N',N'-tetraacetic acid, 10% glycerol, 1% Triton X-100(v/v)] to each well. Cell lysates were incubated for 10 min at room temperature, and cellular debris was then removed by centrifugation. The supernatants were quickly placed at  $-80\,\mathrm{C}$  for storage until use. To determine the LUC activity, 20  $\mu$  of the cell lysates was placed in a luminometer tube containing 100  $\mu$ l of LUC assay reagent [20 mM Tricine, 1.07 mM (MgCO<sub>3</sub>)<sub>4</sub>Mg(OH)<sub>2</sub>· 5H<sub>2</sub>O, 2.67 mM MgSO<sub>4</sub>, 0.1 mM EDTA, 33.3 mM DTT, 270 µ M coenzyme A, 470 µ M luciferin (Promega), 530 µ M ATP]. The activity was usually measured for 10 sec. Each data point represents the results of three independent experiments.

As a result, in BHK-21 cells transfected with the replication-competent JVFLx/LUC/XbaI<sup>MBN</sup> RNA (FIG. 8C, •), the initial LUC activity 6 hr posttransfection was 2.4x10<sup>3</sup> ± 0.2x10<sup>3</sup> relative light units (RLU). This activity was dramatically increased to 5.3x10<sup>4</sup> ± 0.1x10<sup>4</sup> RLU 30 hr posttransfection and reached 7.8x10<sup>5</sup> ± 0.6x10<sup>5</sup> RLU 54 hr posttransfection, at which point >50% of the cells were dying. In contrast, in BHK-21 cells transfected with the replication-incompetent

10

15

20

25



JVFLx/LUC<sup>REP-</sup>/XbaI<sup>MBN</sup> RNA, the initial LUC activity 6 hr posttransfection was 1.9x10<sup>3</sup> ± 0.4x10<sup>3</sup> RLU (FIG. 8C, 0), like the JVFLx/LUC/XbaI<sup>MBN</sup>-transfected cells (FIG. 8C, •), but this activity gradually decreased over time to 16 ± 1.2 RLU at 54 posttransfection, which is at the level of background luminescence of naïve cells (FIG. 8C, 0). Thus, the level of LUC activity expressed over time varied depending on the presence or absence of viral replication.

present inventors produced full-length infectious recombinant JEV cDNAs having GFP and LUC genes according to the method explained hereinbefore. BHK-21 cells were transfected with JEV RNA transcripts transcribed from the recombinant JEV cDNAs, and then, recombinant JEV JVFLx/GFP/XbaIMBN and JVFLx/LUC/XbaIMBN containing GFP and LUC genes were recovered from culture supernatants. The expression of GFP and LUC genes in the recombinant JEV was investigated after infecting a variety of animal cell lines (BHK-21, Vero, NIH/3T3, ST, HeLa, MDCK, CRFK, B103, and SHSY-5Y), which have been generally used in the field of biology and medicine, with the virus. As a result, GFP or LUC gene inserted in virus genome was expressed in all cells tested (Table 4). Thus, it was confirmed that recombinant JEV cDNAs, JEV RNA transcripts,



recombinant JEV viral particles could be effectively used as a vector for expression of foreign heterologous genes in a variety of cell types.

# 5 <Table 4> Expression of GFP and LUC genes engineered in the infectious JEV cDNAs

Cell line	GFP expression <sup>a</sup>	LUC inductionb
BHK-21	Expressed	Expressed
Vero	Expressed	Expressed
HeLa	Expressed	Expressed
MDCK	Expressed	Expressed
CRFK	Expressed	Expressed
NIH/3T3	Expressed	Expressed
ST	Expressed	Expressed
B103	Expressed	Expressed
SHSY-5Y	Expressed	Expressed

a : Expression of GFP protein was analyzed after infecting cells with recombinant JEV JVFLx/GFP/XbaIMBN.

b : Expression of LUC protein was analyzed after

Example 10: Utility of the infectious JEV cDNA for a novel heterologous gene expression system.

infecting cells with recombinant JEV  $JVFLx/LUC/XbaI^{MBN}$ .

The present inventors further investigated the utility of JEV-based expression system in expressing

10

15



foreign genes of interest. First, the present inventors engineered the full-length viral genome to express three commonly used and variously sized heterologous reporter genes, namely, an improved version of the Aequorea victoria GFP gene (EGFP, 768 bp), the LUC gene from Photinus pyralis (1653 bp), and the Lacz (3012 bp) gene (FIG. 9B). The present inventors also introduced the dominant selective marker PAC (600 bp), which facilitates resistance to the drug puromycin (FIG. 9B).

<10-1> Construction and characterization of
heterologous gene-encoding infectious recombinant JEVs
that are based on the bicistronic full-length
infectious JEV cDNA that serves as a BAC.

<10-1-1> Plasmid construction of infectious recombinant JEV vectors

All plasmids were constructed by standard 20 molecular biology protocols (Sambrook et al., Molecular cloning: a laboratory manual, 2<sup>nd</sup> ed. Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y., 1989) and all regions amplified by PCR were verified by sequencing. All of the recombinant JEV vectors used in the present invention were constructed based on

10

15

20

25



pBAC<sup>SP6</sup>/JVFLx/XbaI (Yun et al., J. Virol., 2003, 77, 6450-6465), which is designated as pJEV/FL hereinafter (FIG. 9A).

The present inventors constructed a set of four infectious recombinant JEV vectors expressing the LUC, EGFP, LacZ, and PAC genes. pJEV/FL/LUC is identical to the construction designated as pBACSP6/JVFLx/LUC/XbaI hereinbefore in the Example 9 (FIG. 9B). To construct pJEV/FL/LacZ, the 2,409-bp Kpn I-Avr II fragment of pJEV/FL/LUC was first subcloned into pGEM3Zf(+) which was digested with Kpn I and Xba I, resulting The 3,177-bp Nco I-Stu I fragment of pGEM/LUC. pSinRep3/LacZ (a generous gift from Dr. Charles Rice) was ligated to the 3,935-bp Nco I-Nsi I (T4 DNA polymerase-treated) fragment of pGEM/LUC, leading to The 3,873-bp Kpn I-Not I fragment of pGEM/LacZ. pGEM/LacZ was ligated to the 7,456-bp Not I-Pac I and I-Kpn I fragments of pJEV/FL/LUC, 11,021-bp *Pac* creating pJEV/FL/LacZ (FIG. 9B). To facilitate the construction of pJEV/FL/EGFP, the 5,792-bp Sac II-Not I fragment of pJEV/FL/LacZ was inserted into pRS2, which digested with the same enzymes, resulting in was pRS/LacZ. A fragment of the sequence coding for EGFP was produced by PCR amplification of pEGFP-C1 with the primers EGFPF (represented by SEQ. ID. No 49) and EGFPR





(represented by SEQ. ID. No 50). The 773-bp Nco I-Stu I portion of the EGFP fragment amplicons was ligated to the 3,241-bp EcoR V-Sac II and 2,062-bp Sac II-Nco I fragments of pRS/LacZ, resulting in pRS/EGFP. 5 3,406-bp Sac II-Not I fragment of pRS/EGFP was ligated to the 7,456-bp Not I-Pac I and 9,102-bp Pac I-Sac II fragments of pJEV/FL/LUC, leading to pJEV/FL/EGFP (FIG. 9B). To generate pJEV/FL/PAC, a fragment pACNR/NADLcIns / PAC (a generous gift from Dr. Charles 10 Rice) was PCR-amplified with primers PACF (represented by SEQ. ID. No 51) and PACR (represented by SEQ. ID. No 52). The 881-bp Dra III-Nsi I portion of the resulting amplicons was ligated to the 8,011-bp Nsi I-Pac I, 10,096-bp Pac I-Nde I, and 842-bp Nde I-Dra III 15 fragments of pJEV/FL/LUC, resulting in pJEV/FL/PAC (FIG. An expression cassette driven by the EMCV IRES 9B). was inserted at the beginning of the viral 3' NTR of pJEV/FL (FIG. 9A and 9B).

### 20 <10-1-2> Assay for EGFP expression

25

Cells were seeded in a four-well chamber slide for 36-48 hr posttransfection. After incubation, cells were fixed by being incubated in PBS containing 0.37% (v/v) formaldehyde and then mounted with 0.2 ml 80% glycerol. Cells were observed under a confocal



microscope outfitted with an appropriate filter. The expression of EGFP was also examined by flow cytometric analysis. Particularly, the cells were trypsinized, washed once with PBS, and resuspended in 0.37% (v/v) formaldehyde in PBS, followed by analysis with a FACScan flow cytometer FACSCalibur (Becton Dickinson). Dead cells were excluded by appropriate forward and side light-scattering gates. Ten thousand viable cells were counted.

10

15

5

### $<10-1-3> \beta$ -galactosidase assay

Cells were washed once with PBS, fixed with 0.05% (v/v) glutaraldehyde in PBS for 15 min at room temperature, and carefully washed three times with PBS. The cells were assessed for  $\beta$ -gal activity by being incubated in staining solution [5mM potassium ferricyanide, 5mM potassium ferrocyanide, 2mM MgCl<sub>2</sub> in PBS] with 5-bromo-4-chloro-3-indolyl- $\beta$ -galactopyranoside (Sigma) at 37°C.

20

25

### <10-1-4> Luciferase assay

Cells were analyzed for LUC activity by using the substrate luciferin (Promega) as described hereinbefore (Yun et al., *J. Virol.*, 2003, 77, 6450-6465). Each experiment was performed in triplicate and the mean

10

15

20

25



values are presented.

### <10-1-5> Puromycin selection

Cells were seeded in 6-well plates at 37°C for 6 To measure Pur foci formation, the cells were overlaid with 0.5% SeaKem LE agarose (FMC BioProducts, Rockland, Maine) in MEM containing 10% heat-inactivated FBS and penicillin/streptomycin and incubated at 37°C for 2 days. Thereafter, the plates were incubated for an additional 3 days in the absence or presence of puromycin (10  $\mu$ g/ml). After the selection, the Pur<sup>R</sup> foci were visualized by crystal violet staining of the formaldehyde-fixed cells (Yun et al., J. Virol., 2003, 77, 6450-6465). For  $Pur^R$  cell culture, the cells were left unplugged with the agarose and incubated in complete medium at 37°C for 2 days. Subsequently, the cells were cultivated in complete media containing 10 Mg/ml puromycin and 24-48 hr after selection, the surviving cells were visualized by staining with crystal violet.

<10-1-6> Heterologous proteins are expressed in BHK-21
cells transfected/infected with recombinant synthetic
JEV RNAs/viruses containing an additional expression
unit

10

15

20

25



To examine whether the insertion of the expression cassette altered its specific infectivity/replication, the present inventors examined the specific in vitro infectivity of the synthetic RNAs that had been transcribed from the four SP6-driven foreign genebearing infectious JEV cDNA constructs (Table 5). Purified pJEV/FL and its derivative plasmids were linearized by digestion with Xba I followed by treatment with MBN. The linearized plasmids were used in vitro transcription reactions (25  $\mu$ l) employing SP6 RNA polymerase, as described hereinbefore. transcription, the reaction mixtures were incubated with 10 U DNase I for 30 min and extracted with phenol-chloroform-isoamylalcohol. RNA yields were quantified on the basis of [3H]UTP incorporation as measured by RNA absorption to DE-81 filter paper (Whatman, Maidstone, UK). RNA (2  $\mu$ g) was transfected into cells by electroporation as described hereinbefore (Yun et al., J. Virol., 2003, 77, 6450-6465).

The synthetic RNAs derived from pJEV/FL/PAC, pJEV/FL/EGFP, pJEV/FL/LUC, and pJEV/FL/LacZ introduced into susceptible BHK-21 cells had specific infectivities of 3.5x10<sup>6</sup>, 2.5x10<sup>6</sup>, 3.4x10<sup>6</sup>, and 1.1x10<sup>6</sup> PFU/µg, respectively, which are similar to the infectivity of the parental pJEV/FL (3.2x10<sup>6</sup> PFU/µg).

10

15

20



However, the BHK-21 cells transfected with recombinant synthetic RNAs did form homogeneous smaller plagues than the pJEV/FL-transfected cells (FIG. 9C). This accords with the delayed production of infectious 5, Virus titer) and virus (Table cytopathogenicity (Table 5, CPE) that was observed in the recombinant RNA-transfected cells. The present inventors also showed that the delayed accumulation of the viral proteins (FIG. 9D) in the recombinant RNAtransfected BHK-21 cells correlated with the length of foreign gene that had been inserted (FIG. 9B).

#### <Table 5>

Specific infectivity of *in vitro* RNA transcripts generated from full-length JEV cDNA derivatives containing various reporter genes and recombinant virus titer

Template used for	Infectivity <sup>b</sup> (PFU/µg of RNA)	Virus titer <sup>c</sup> (PFU/ml)		CPEd
transcription <sup>a</sup>	(110) pg 01 1441)	48 hr	72 hr	
pJEV/FL	3.2×10 <sup>6</sup>	3.0×10 <sup>6</sup>	5.1×10 <sup>5</sup>	++++
pJEV/FL/PAC	3.5×10 <sup>6</sup>	6.2×10 <sup>4</sup>	4.0×10 <sup>5</sup>	++
pJEV/FL/EGFP	2.5×10 <sup>6</sup>	9.0×10 <sup>4</sup>	2.1×10 <sup>5</sup>	++
pJEV/FL/LUC	3.4×10 <sup>6</sup>	2.0×10 <sup>4</sup>	3.2×10 <sup>5</sup>	+
pJEV/FL/LUCREP-	0	0	0	· -
pJEV/FL/LacZ	1.1×10 <sup>6</sup>	1.1×10 <sup>4</sup>	1.3×10 <sup>5</sup>	+

a : All JEV cDNA templates used for in vitro transcription reaction were prepared by linearization with Xba I digestion, which was followed by treatment

10

15

25



with MBN.

After in vitro transcription with SP6 RNA polymerase, samples were used to electroporate BHK-21 cells, and infectious plaque centers were determined (Yun et al., J. Virol., 2003, 77, 6450-6465).

c: Virus titers at 48 hr and 72 hr postelectroporation. Virus-induced CPE was observed electroporation with RNA transcripts generated from full-length JEV CDNA derivatives. At 24 hr postelectroporation, strong CPE was observed for the parental pJEV/FL as indicated by ++++. For pJEV/FL/PAC pJEV/FL/EGFP, CPE was observed at postelectroporation indicated as by ++. pJEV/FL/LacZ, clear CPE began to be displayed at 72 hr postelectroporation as indicated by +. - indicates no CPE.

EGFP, LUC, LacZ and PAC expression using infectious JEV cDNA is shown in FIG. 10. The 20 JEV/FL/EGFP RNA-transfected BHK-21 cells showed bright green fluorescence under a fluorescence microscope (FIG. 10A). The green fluorescent cells (-), as determined by flow cytometry analysis, comprised 99.7% of the cells compared to mock-transfected cells ( -- -- ) (FIG. 10B). FIG. 10C demonstrates the X-gal staining pattern

10



of the JEV/FL/LacZ RNA-expressing BHK-21 cells. The present inventors also monitored the LUC activity over time of BHK-21 cells that had been transfected with either the replication-competent JEV/FL/LUC RNA ( ) or replication-incompetent JEV/FL/LUCREP-RNA which lacks a section that prematurely terminates viral translation at nt 5596 (\*). This demonstrated that the increased viral replication correlated with increased LUC activity (FIG. 10D), as previously described (Yun et al., J. Virol., 2003, 77, 6450-6465). Furthermore, selection of the JEV/FL/PAC RNA-transfected BHK-21 cells with puromycin (FIG. 10E) revealed the JEV/FL/PAC RNA-transfected cells survived and become confluent in the puromycin-containing media (dish 7) or formed Pur<sup>R</sup> foci under semisolid agar overlaid with puromycincontaining media (dish 8), whereas the mock-transfected cells died within 24 hr of selection (dishes 5-6). expected, both cell types became confluent in the absence of puromycin (dishes 1-4).

20

15

<10-2> Construction and vector characteristics of JEV viral replicons

<10-2-1> Plasmid construction of JEV viral replicon
25 vectors

Plasmids for all JEV viral replicons were 102

10

15

20

25



constructed based on pJEV/FL/LUC by engineering inframe deletions in the coding sequences of the All deletions were distinguished structural proteins. by a novel Xho I site that resulted in the insertion of two residues, namely, Leu and Glu. First, the present inventors generated a set of four JEV viral replicon vectors containing a single in-frame deletion in each structural protein. To construct pJEV/Rep/ΔCC/LUC, which contains a 273-nucleotide deletion (nt 132-404) in the C gene, two fragments were synthesized by PCR amplification of pJEV/FL, namely, fragment C1 with primers DelF (represented by SEQ. ID. No 53) and C1R (represented by SEQ. ID. No 54), and fragment C2 with primers C2F (represented by SEQ. ID. No 55) and DelR (represented by SEQ. ID. No 56). Two fragments (the 267-bp Pac I-Xho I portion of the C1 fragment amplicons and the 226-bp Xho I-BsiW I portion of the C2 fragment amplicons) were ligated to the 20,073-bp BsiW I-Pac I fragment of pJEV/FL/LUC, resulting in the pJEV/Rep/ΔCC/LUC construct. To generate pJEV/Rep/ΔC/LUC, which contains а 204-nucleotide deletion (nt 201-404) in the C gene, fragment C3 from pJEV/FL was amplified by PCR with the primers DelF and C3R (represented by SEQ. ID. No 57). The 336-bp Pac I-Xho I fragment of the resulting amplicons was ligated

10

15

20

25



to the 12,850-bp Xho I-Rsr II and 7,449-bp Rsr II-Pac I fragments of pJEV/Rep/ $\Delta$ CC/LUC, resulting in pJEV/Rep/ΔC/LUC construct. To create pJEV/Rep/ΔprM/LUC, which contains a 282-nucleotide deletion (nt 531-812) in the prM gene, two fragments were obtained by the PCR amplification of pJEV/FL, namely, fragment prM1 with the primers DelF and prM1R (represented by SEQ. ID. No 58), and fragment prM2 with primers prM2F (represented by SEQ. ID. No 59) and DelR. Two fragments (the 666-bp Pac I-Xho I portion of the prM1 fragment amplicons and the 1,616-bp Xho I-Sfi I portion of the prM2 fragment amplicons) were ligated to the 10,264-bp Sfi I-Nsi I and 8,011-bp Nsi I-Pac I fragments of pJEV/FL/LUC, resulting in the pJEV/Rep/ΔprM/LUC construct. engineer pJEV/Rep/ $\Delta$ E/LUC, which contains a nucleotide deletion (nt 1,032-2,201) in the E gene, two fragments were produced by PCR amplification of pJEV/FL, with primers DelF and E1R namely, fragment E1 (represented by SEQ. ID. No 60), and fragment E2 with primers E2F (represented by SEQ. ID. No 61) and DelR. Two fragments (the 1,167-bp Pac I-Xho I portion of the prM1 fragment amplicons and the 227-bp Xho I-Sfi I portion of the prM2 fragment amplicons) were ligated to the 10,264-bp Sfi I-Nsi I and 8,011-bp Nsi I-Pac I pJEV/FL/LUC, resulting in the fragments of



pJEV/Rep/ $\Delta$ E/LUC construct (FIG. 11A).

Second, the present inventors constructed a panel of three JEV viral replicon vectors that contain a 5 double in-frame deletion in the JEV structural genes. Two fragments of pJEV/FL/LUC (the 10,264-bp Sfi I-Nsi I and 8,011-bp Nsi I-Pac I fragments) were ligated to either (i) the 438-bp Pac I-Hind III fragment of pJEV/Rep/ΔC/LUC and the 1,646-bp  ${\it Hind}$ III-Sfi Ι 10 fragment of pJEV/Rep/\DrM/LUC to generate  $pJEV/Rep/\Delta C + \Delta prM/LUC$ , (ii) the 866-bp Pac I-Mlu I fragment of pJEV/Rep/ $\Delta$ C/LUC and the 330-bp Mlu I-Sfi I pJEV/Rep/ΔE/LUC fragment of to generate pJEV/Rep/ $\Delta$ C+ $\Delta$ E/LUC, or (iii) the 788-bp Pac I-Mlu I 15 fragment of pJEV/Rep/AprM/LUC and the 330-bp Mlu I-Sfi I fragment of pJEV/Rep/ΔE/LUC to generate pJEV/Rep/ $\Delta$ prM+ $\Delta$ E/LUC (FIG. 11A).

Third, the present inventors created a set of two

JEV viral replicon vectors in which all JEV structural proteins were lacking. To generate pJEV/Rep/ΔC+ΔprM+ΔE/LUC, two fragments of pJEV/FL/LUC (the 10,264-bp Sfi I-Nsi I and 8,011-bp Nsi I-Pac I fragments) were ligated to the 590-bp Pac I-Mlu I fragment of pJEV/Rep/ΔC+ΔprM/LUC and the 330-bp Mlu I-

10

15

20

25



fragment of pJEV/Rep/ΔE/LUC. Sfi The present Ι also constructed pJEV/Rep/NS1/LUC, inventors contains the 35 N-terminal and 24 C-terminal amino acids of the C protein followed immediately by the Nterminus of the NS1 protein and the rest of the viral A fragment from pJEV/Rep/ΔC/LUC was genome. synthesized by PCR with the primers DelF and NS1R (represented by SEQ. ID. No 62). A fragment from pJEV/FL was then synthesized with the primers NS1F (represented by SEQ. ID. No 63) and RR (represented by SEQ. ID. No 64). These two fragments were fused by a second round of PCR with the primers DelF and RR. The 474-bp Pac I-ApaL I fragment of the resulting amplicons was ligated to the 3,038-bp ApaL I-BamH I and 15,122-bp BamH I-Pac I fragments of pJEV/FL/LUC, leading to pJEV/Rep/NS1/LUC (FIG. 11A).

In addition to  $pJEV/Rep/\Delta C + \Delta prM + \Delta E/LUC$ pJEV/Rep/NS1/LUC, the inventors present also constructed eight other JEV viral replicon vectors. The 6,797-bp BamH I-Not I fragment of pJEV/FL/EGFP was ligated to either (i) the 11,529-bp BamH I-Not I fragment of  $pJEV/Rep/\Delta C + \Delta prM + \Delta E/LUC$ to create pJEV/Rep/ $\Delta$ C+ $\Delta$ prM+ $\Delta$ E/EGFP, or (ii) the 10,968-bp BamH I-Not I fragment of pJEV/Rep/NS1/LUC to create

25



pJEV/Rep/NS1/EGFP. The 5,792-bp Sac II-Not I fragment of pJEV/FL/LacZ was ligated to either (i) the 7,456-bp Not I-Pac I and the 7,464-bp Pac I-Sac II fragments of  $pJEV/Rep/\Delta C + \Delta prM + \Delta E/LUC$ to pJEV/Rep/ $\Delta$ C+ $\Delta$ prM+ $\Delta$ E/LacZ, or (ii) the 7,456-bp Not I-5 Pac I and the 6,903-bp Pac I-Sac II fragments of pJEV/Rep/NS1/LUC to create pJEV/Rep/NS1/LacZ. The 6,663-bp BamH I-Not I fragment of pJEV/FL/PAC was ligated to either (i) the 11,529-bp BamH I-Not I pJEV/Rep/ΔC+ΔprM+ΔE/LUC 10 fragment of to create pJEV/Rep/ $\Delta$ C+ $\Delta$ prM+ $\Delta$ E/PAC, or (ii) the 10,968-bp BamH Iof pJEV/Rep/NS1/LUC to create Not fragment pJEV/Rep/NS1/PAC.

15 <10-2-2> Heterologous proteins are expressed from a variety of self-replicating self-limiting JEV viral replicons

To independently express foreign genes using the JEV RNA replication machinery, the present inventors generated a panel of self-replicating self-limiting viral replicons that meet stringent safety concerns (FIG. 11A). Initially, the present inventors used the LUC reporter as the heterologous gene as it facilitates the monitoring of viral replication in a sensitive and quantitative manner. Thus, a variety of replicon

10

15

20

25



vectors were carefully engineered in the context of pJEV/FL/LUC by the in-frame deletion of one, two, or all of the viral structural genes (C, prM, and E), in consideration with the membrane orientation of each protein (FIG. 11A).

The LUC activities of the BHK-21 cells that had been transfected with the various viral replicons were plotted over time (FIG. 11B). BHK-21 cells In transfected with the replication-competent JEV/FL/LUC RNA ( , black) as a positive control, the initial LUC activity at 6 hr posttransfection was 5.5±0.3 X 103 RLU. This activity dramatically increased to 2.7±0.5 X 106 at 48 hr posttransfection and was maintained through to 96 hr posttransfection. In BHK-21 cells transfected with the replication-incompetent JEV/FL/LUC<sup>REP-</sup> RNA (♠, black), the initial LUC activity expressed from the input viral RNA at posttransfection was similar, namely, 5.2±0.6 X 103 RLU. However, this activity gradually decreased over time to 96 hr posttransfection, 8.8±1.0 RLU at equivalent to the background luminescence of naïve Apart from pJEV/Rep/ $\Delta$ CC/LUC ( $\spadesuit$ , blue), which lacks a sequence that is complementary to a proposed cyclization sequence in the 3'NTR that is conserved in all flaviviruses (Bredenbeek et al., J. Gen. Virol.,

10

15

20



2003, 84, 1261-1268; Lo et al., J. Virol., 2003, 77, 10004-10014; Khromykh et al., J. Virol., 2001, 75, 6719-6728), the LUC activities of the BHK-21 cells transfected with the viral replicons lacking part of one or more structural protein genes were almost identical in the 6-48 hrs posttransfection to those of the replication-competent JEV/FL/LUC RNA-transfected BHK-21 cells (0, black). Thereafter, however, these activities decreased dramatically over time due to a JEV/FL/LUCREP-. spread, similar to lack of viral LUC activities due Interestingly, the **(0** , green), JEV/Rep/NS1/LUC RNA but not to  $JEV/Rep/\Delta C + \Delta prM + \Delta E/LUC$ RNA (**I**, green), were approximately 5-fold higher at all time points compared to the activities of the other replication-competent viral replicons.

The LUC expression profiles agreed with the viral protein accumulation (FIG. 11C), as quantified by immunoblotting with JEV-specific hyperimmune sera. The present inventors also confirmed that other reporter genes could be efficiently expressed in various commonly used animal cells by using JEV-based replicon vectors such as pJEV/Rep/NS1 and pJEV/Rep/ $\Delta$ C+ $\Delta$ prM+ $\Delta$ E.


25 <10-3> Construction of the packaging system for JEV



viral replicons

<10-3-1> Plasmid construction of JEV structural protein expression vectors based on the pSinRep19 vector

5 The present inventors constructed three JEV expression vectors based structural protein on pSinRep19 (Agapov et al., Proc. Natl. Acad. Sci. USA, 1998, 95, 12989-12994). For pSinRep19/JEV C-E, a fragment of pJEV/FL was amplified with primer JEVCF (5'-GATTCTAGAATGACTAAAAAACCA, represented by SEQ. ID. 10 No 65), which incorporates an Xba I site (underlined) and primer JEVER (5'-GATGTTTAAACTATTAAGCATGCACATTGGT, represented by SEQ. ID. No 66), which incorporates a Pme I site (underlined). The 2,393-bp Xba I-Pme I 15 fragment of the resulting amplicons was ligated to the 10,864-bp Xba I-Mlu I (T4 DNA polymerase-treated) fragment of pSinRep19 to construct pSinRep19/JEV C-E (FIG. 12A). For pSinRep19/JEV C-NS1, a fragment was obtained by PCR amplification of pJEV/FL with primer 20 **JEVCF** JEVNS1R and primer GATGTTTAAACTATTAAGCATCAACCTGTGA, represented by SEQ. ID. No 67), which incorporates a Pme I site (underlined). The 3,449-bp Xba I-Pme I fragment of the resulting amplicons was then ligated to the 10,864-bp Xba I-Mlu I 25 (T4 DNA polymerase-treated) fragment of pSinRep19 to



10

15

20



construct pSinRep19/JEV C-NS1 (FIG. 12A). For pSinRep19/JEV C-E-BglII, the 2,559-bp Xba I-Bgl II (T4 DNA polymerase-treated) fragment of pSinRep19/JEV C-NS1 was ligated to the 10,864-bp Xba I-Mlu I (T4 DNA polymerase-treated) fragment of pSinRep19 (FIG. 12A).

<10-3-2> Generation of packaging cell lines for JEV-derived replicon vector RNAs.

The utility of the JEV replicon-based expression vectors was elaborated by developing packaging cell (PCLs) that constitutively express structural proteins of JEV (C, prM, and E) and allow the trans-complementation of the efficient packaging of JEV viral replicons. Based on the pSinRep19 expression vector that contains the PAC gene driven by the subgenomic promoter, which facilitates selection (FIG. 12A), the present inventors constructed three different JEV structural protein expression cassette constructs that encode the sequences for C-E (pSinRep19/JEV C-E), N-terminal residues C-Eplus the 58 of (pSinRep19/JEV C-E- $Bg1\Pi$ ), and C-NS1 (pSinRep19/JEV C-NS1).

The protein expression yielded by these vectors
25 was evaluated in BHK-21 cells transfected with the



10

15


20

25



synthetic RNAs that had been transcribed in vitro from pSinRep19 and its corresponding vector. derivatives were linearized by digestion with Xho I. were used in vitro linearized plasmids The employing SP6 transcription reactions (25  $\mu$ ) RNA hereinbefore. After described polymerase, as transcription, the reaction mixtures were further incubated with 10 U DNase I for 30 min and extracted with phenol-chloroform-isoamylalcohol. RNA yields were quantified on the basis of [3H]UTP incorporation as measured by RNA absorption to DE-81 filter paper (Whatman, Maidstone, UK). RNA (2  $\mu$ g) was transfected into cells by electroporation as described hereinbefore (Yun et al., J. Virol., 2003, 77, 6450-6465). lysates from the transfected cells the cell with JEV-specific immunoblotting analyzed by hyperimmune sera, equal amounts of viral glycoprotein E were detected in the BHK-21 cells transfected with each of the three vectors (FIG. 12B). As designed, the NS1 protein was detected only in the SinRep19/JEV C-NS1 RNA-transfected cells (FIG. 12B).

Two approaches to produce JEV viral replicon particles (VRPs) are illustrated in FIG. 12C. One involves the transient cotransfection of in vitro-





transcribed JEV replicon vector RNA with the SinRep19 vector RNA that expresses the JEV structural proteins. Titering and monitoring of the packaged VRPs was made possible by infecting naïve BHK-21 cells with the VRPs and then assaying for 5 reporter gene expression. Cotransfection of SinRep19/JEV C-NS1 RNA with EGFP-JEV viral expressing replicon RNAs [either  $JEV/Rep/\Delta C + \Delta prM + \Delta E/EGFP$  ( $\Box$ , green) or JEV/Rep/NS1/EGFP(**I**, green)] in several experiments produced 1.1-4.3X104 infectious units/ml (IU/ml) of VRPs (FIG. 12D). 10 Similar results were obtained using LacZ-expressing JEV viral replicons, namely, either  $JEV/Rep/\Delta C + \Delta prM + \Delta E/LacZ$ JEV/Rep/NS1/LacZ (**I**, blue). blue) ordifference was observed when the SinRep19/JEV C-NS1 or SinRep19/JEV C-E-Bg1 II JEV structural protein 15 the expression cassettes were used. However, cotransfection of the SinRep19/JEV C-E vector RNA with the viral replicons expressing either EGFP or LacZ produced ≈ 100-fold fewer VRPs (FIG. 12D). observations were confirmed by cotransfecting all JEV 20 structural protein expression vector RNAs with the LUCexpressing JEV replicon RNAs, namely,  $JEV/Rep/\Delta C + \Delta prM + \Delta E/LUC$  ([], black) or JEV/Rep/NS1/LUC(■, black) (FIG. 12D).

25 The other approach to producing JEV VRPs is based



10

15

20

25



on using a continuous PCL, which is established by transfecting cells with the JEV structural protein expression vector RNA and selecting with puromycin. The BHK-21 cells were transfected with JEV structural mentioned protein expression vector RNAs as After transfection, hereinbefore. the cells were seeded for ≈24 hr and the media were replaced with fresh complete media containing 10 µg/ml puromycin (Sigma). Thereafter, the cells were maintained in the presence of puromycin and passaged or frozen as the parental BHK-21 cells.

The selected cells were shown to stably express the JEV structural proteins without any deleterious effects to the host cell and were slightly more efficient in producing JEV-based VRPs than the parental BHK-21 cells. In all cases, higher VRP titers (1.0X10<sup>3</sup>-1.2X10<sup>5</sup> IU/ml) were obtained upon transfection of these PCLs with the JEV viral replicon vector RNAs, protocol involving compared to the cotransfection of the parental BHK-21 cells with two vector RNAs (FIG. 12E).

To test for the presence of replication-competent viral particles in the packaging system developed in the present invention, naïve BHK-21 cells were infected

10

15

20



with 3X10<sup>5</sup> IU of the VRPs at an MOI of 1 for 72 hr. The undiluted supernatant obtained from the infected cells was further passaged three times to amplify the possible existence of very low amounts of replication-At the end of these competent viral particles. passages, the infected cells were tested for the expression of the reporter gene or viral protein by IFA using JEV-specific hyperimmune sera. No replicationviral particles detected. competent were ever Furthermore, Sindbis replicon RNAs that express JEV structural proteins were not encapsidated in the released VRPs.

## INDUSTRIAL APPLICABILITY

As explained hereinbefore, the authentic nucleotide sequence of JEV genomic RNA and the full-length infectious JEV cDNA of the present invention synthesized therefrom can be used not only for the identification of the JEV genes, but also for the molecular biological studies including JEV replication, transcription, and translation. Moreover, they can also be applied to the development of the therapeutic agents, vaccines, diagnostic reagents, and diagnostic



10



devices for Japanese encephalitis, and can be used as an expression vector for the various foreign genes.

Those skilled in the art will appreciate that the conceptions and specific embodiments disclosed in the foregoing description may be readily utilized as a basis for modifying or designing other embodiments for carrying out the same purposes of the present invention. Those skilled in the art will also appreciate that such equivalent embodiments do not depart from the spirit and scope of the invention as set forth in the appended claims.



BUDAREST TREATY ON JITE INTERNATIONAL RECURRITION OF THE DESCRIPTION OF THE PROPERTY PRESENTION.

#### INTERNATIONAL FORM

# RECEIPT IN THE CASE OF AN ORIGINAL DEPOSIT

issued pursuant to Rule 7.1

10: LEE, Young-Min
 College of Medicine, Chungbuk National University,
 48. Gaeshin-dong, Heungduk-ku, Cheongju-si, Chungbuk 361 763,
 Republic of Korea

#### 1. IDENTIFICATION OF THE MICROORGANISM

Identification reference given by the DEPOSITOR:

pBAC<sup>77</sup>/JVFL<sub>x</sub>/Xbal (plasmid)

Accession number given by the INTERNATIONAL DEPOSITARY AUTHORITY:

KCTC 10346BP

# 11. SCIENTIFIC DESCRIPTION AND/OR PROPOSED TAXONOMIC DESIGNATION

The microorganism identified under I above was accompanied by:

| x | a scientific description

I I a proposed taxonomic designation (Mark with a cross where applicable).

# III. RECEIPT AND ACCEPTANCE

This International Depositary Authority accepts the microorganism identified under I above, which was received by it on October 02 2002.

#### IV. RECEIPT OF REQUEST FOR CONVERSION

The microorganism identified under I above was received by this International Depositary Authority on and a request to convert the original deposit to a deposit under the Budapest Treaty was received by it on

# V. INTERNATIONAL DEPOSITARY AUTHORITY

Name: Korean Collection for Type Cultures

Address: Korca Research Institute of Bioscience and Biotechnology

(KRIBB)

#52, Oun-dong, Yusong-ku,

Taejon 305-333, Republic of Korea Signature(s) of person(s) having the power to represent the International Depositary Authority of authorized official(s):

PARK Yong-Ha, Director Date: October 04 2002



inidates three on the international recognition of the hortest of microorganisms for the purpose of patent maximum.

# INTERNATIONAL FORM

# RECEIPT IN THE CASE OF AN ORIGINAL DEPOSIT

issued pursuant to Rule 7.1

TO: LEE, Young-Min

College of Medicine, Chungbuk National University, #48. Gaeshin-dong, Heungduk-ku, Cheongju-si, Chungbuk 361:763, Republic of Korea

#### 1. IDENTIFICATION OF THE MICROORGANISM

Identification reference given by the DEPOSITOR

pBAC<sup>NP6</sup>/JVFL<sub>X</sub>/Xbal (plasmid) :

Accession number given by the INTERNATIONAL DEPOSITARY AUTHORITY:

KCTC 10347BP

## II. SCIENTIFIC DESCRIPTION AND/OR PROPOSED TAXONOMIC DESIGNATION

The microorganism identified under I above was accompanied by: L x J a scientific description

l a proposed taxonomic designation (Mark with a cross where applicable)

#### III. RECEIPT AND ACCEPTANCE

This International Depositary Authority accepts the microorganism identified under I above, which was received by it on October 62 2002.

### N. RECEIPT OF REQUEST FOR CONVERSION

The microorganism identified under I above was received by this International Depositary Authority on and a request to convert the original deposit to a deposit under the Budapest Treaty was received by it on

#### V. INTERNATIONAL DEPOSITARY AUTHORITY

Name: Korean Collection for Type Cultures

Address: Korea Research Institute of

Bioscience and Biotechnology

(KRIBB) #52, Oun-dong, Yusong-ku,

Taejon 305 333,

Republic of Korea

Signature(s) of person(s) having the power to represent the International Depository Authority of authorized official(s):

PARK Yong-Ha, Director Date: October 04 2002



## What is claimed is

- 1. A genomic RNA of the Korean JEV isolate composed of a 5'nontranslated region (NTR), a single polypeptide coding region, and a 3'NTR.
- A genomic RNA of the Korean JEV isolate as set forth in claim 1, wherein the full-length RNA genome is 10,968-nucleotide in length and consists of a 95-nucleotide 5'NTR followed by a 10,299-nucleotide single open reading frame and terminated by a 574-nucleotide 3'NTR.
- 3. A genomic RNA of the Korean JEV isolate as set forth
  in claim 1, wherein the JEV genomic RNA is represented by SEQ. ID. No 15.
- 4. A JEV genomic RNA as set forth in claim 3, wherein the JEV genomic RNA has over 98% homology with the JEV genomic RNA represented by SEQ. ID. No 15.
  - 5. A JEV genomic RNA as set forth in claim 1, wherein the 5' terminal sequence is 'AGAAGT-.
- 25 6. A JEV genomic RNA as set forth in claim 1, wherein 119



the 3' terminal sequence is -GATCT10968.

7. An infectious JEV cDNA for the full-length JEV genomic RNA of claim 1.

5

10

- 8. The JEV cDNA as set forth in claim 7, wherein the cDNA contains a promoter at the beginning of 5' end of a JEV genomic RNA and a restriction endonuclease recognition sequence at the end of 3' end as a runoff site.
- 9. The JEV cDNA as set forth in claim 8, wherein the promoter is SP6 or T7.
- 15 10. The JEV cDNA as set forth in claim 8, wherein the restriction endonuclease recognition sequence is not exist in the JEV genomic RNA.
- 11. The JEV cDNA as set forth in claim 8, wherein the construction endonuclease recognition sequence is the Xho I or Xba I.
- 12. The JEV cDNA as set forth in claim 8, wherein the JEV cDNA is selected from a group consisting of sequences represented by SEQ. ID. No 43, No 44, and



No 45, which all have SP6 promoter and sequences represented by SEQ. ID. No 46, No 47, and No 48, which all have T7 promoter.

- 5 13. A vector including the JEV cDNA for the full-length JEV genomic RNA of claim 7.
- 14. The vector as set forth in claim 13, wherein the vector used bacterial artificial chromosome (BAC)10 as a parental vector.
- 15. The vector as set forth in claim 13, wherein the vector is selected from a group consisting of pBAC<sup>SP6</sup>/JVFL/XhoI containing the JEV **CDNA** 15 represented by SEQ. ID. No 43, pBACSP6/JVFLx/XhoI containing the JEV cDNA represented by SEQ. ID. No 44, pBACSP6/JVFLx/XbaI containing the JEV cDNA represented by SEQ. ID. No 45, pBACT7/JVFL/XhoI containing the JEV cDNA represented by SEQ. ID. No 20 pBAC<sup>T7</sup>/JVFLx/XhoI containing the represented by SEQ. ID. No 47, and pBACT7/JVFLx/XbaI containing the JEV cDNA represented by SEQ. ID. No 48.
- 25 16. The vector as set forth in claim 15, wherein the



vector is pBAC<sup>T7</sup>/JVFLx/XbaI having T7 promoter (Accession No : KCTC 10346BP).

- 17. The vector as set forth in claim 15, wherein the vector is pBAC<sup>SP6</sup>/JVFLx/XbaI having SP6 promoter (Accession No : KCTC 10347BP).
  - 18. An infectious JEV RNA transcript synthesized from the vector of claim 13.

10

- 19. An infectious JEV RNA transcript as set forth in claim 18, wherein the virus-unrelated nucleotides at its 3' end are removed.
- 20. An infectious JEV RNA transcript as set forth in claim 19, wherein the virus-unrelated nucleotides are removed by treating mung bean nuclease (MBN).
- 21. A cell transfected with the JEV RNA transcript of claim 18.
  - 22. A synthetic JEV obtained by cultivation of the cell of claim 21.
- 25 23. A synthetic JEV as set forth in claim 22, wherein



the mutation is introduced in the JEV cDNA.


- 24. A method for the expression of heterologous genes comprising the following steps:
- 5 1) Preparing a recombinant JEV cDNA expression vector by inserting heterologous genes into the JEV cDNA vector of claim 13;
  - 2) Producing a JEV RNA transcript from the above recombinant JEV cDNA expression vector;
- 10 3) Preparing a cell transfected with the above JEV RNA transcript; and
  - 4) Expressing foreign proteins by culturing the above cell.
- 15 25. The method as set forth in claim 24, wherein the foreign genes are inserted at the beginning of the JEV 3'NTR of the JEV cDNA.
- 26. A diagnostic reagent containing elements originated 20 from the JEV genomic RNA or JEV cDNA.
  - 27. An anti-JEV vaccine containing elements originated from the JEV genomic RNA or JEV cDNA.
- 25 28. A therapeutic agent comprising the JEV cDNA of



claim 7 as effective ingredients.




1/16 FIGURES FIG. 1




2/16

FIG. 2







# 3/16 FIG. 3




4/16 FIG. 4





5/16


FIG. 5







6/16

FIG. 6






7/16 FIG. 7






8/16


FIG. 8






9/16

FIG. 9




10/16 FIG. 10






# 11/16

# FIG. 11A



12/16 FIG. 11B 10<sup>5</sup> Luciferase activity 10<sup>2</sup> Time (h.p.i)

13/16 FIG. 11C



14/16

FIG. 12A





FIG.





15/16







FIG. 12D

FIG. 12D

ANALYSE STREETS JEV C.E. Ball JEV C.NS1

JEV structural protein expression vectors





# SEQUENCE LISTING

<110> CID Co., Ltd. and Lee, Seung Han <120> Novel full-length genomic RNA of Japanese encephalitis virus and infectious JEV cDNA therefrom, and use thereof <130> 3fpo-06-03 <150> KR 2002-61589 <151> 2002-10-09 <160> 67 <170> KopatentIn 1.71 <210> 1 <211> 18 <212> DNA <213> Artificial Sequence <220> <223> primer J7, complementary to nt 3986-4004 of the JEV genome <400> 1 agcgctaaga ctggcatg 18 <210> 2 <211> 28 <212> DNA <213> Artificial Sequence <220> <223> primer J8, complementary to nt 1-18 of the JEV genome <400> 2 gatcggaccg agaagtttat ctgtgtga 28 <210> 3 <211> 21 <212> DNA <213> Artificial Sequence <220> <223> primer J6, complementary to nt 3845-3865 of the JEV genome



<400>	3	
gcccctagg	ga ccagaaccac g	21
<210>	4	
<211>	21	
	DNA	
<213>	Artificial Sequence	
<b>4000</b> 5		
<220>		
<223>	primer J4, complementary to nt 8150-8170 of the JEV genome	
<400>	4	
	ta gtgtgcgttg t	21
<210>	5	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
	-	
<220>		
<223>	primer J20, complementary to nt 3266-3283 of the JEV genome	
<400>	5	
aaaccaggga ccttggga 18		
∠010 <b>\</b>	c	
<210>	6	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J1, complementary to nt 10947-10967 of the JEV genome	
1220	primer 31, comprementary to fit 10347 10307 of the 3EV genome	
<400>	6	
	gt tcttcctcac c	21
<210>	7	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	



<220> <223>	primer J12, complementary to nt 7565-7582 of the JEV genome	
<400> gatcggaco	7 eg aatteeacea cageeac	27
	8 24 DNA Artificial Sequence	
<220> <223>	primer J2, complementary to nt 10870-10893 of the JEV genome	
<400> agaagatci	8 tc ccagtctatt ccca	24
<210> <211> <212> <213>	9 10818 DNA Japanese encephalitis virus	
<400> agagatta	9 gt gcagtttaaa cagttttta gaacggaaga taaccatgac taaaaaaacca	60
ggagggcc	cg gtaaaaaccg ggctatcaat atgctgaaac gcggcctacc ccgcgtattc	120
ccactagt	gg gagtgaagag ggtagtaatg agcttgttgg acggcagagg accagtacgt	180
ttcgtgctg	gg ctcttatcac gttcttcaag tttacagcat tagccccgac caaggcgctt	240
ttaggccg	at ggaaagcagt ggaaaagagt gtggcaatga aacatcttac tagtttcaaa	300
cgagaact	tg gaacactcat tgacgccgtg aacaagcggg gcagaaagca aaacaaaaga	360
ggaggaaa	tg aaggeteaat catgtggete gegagtttgg cagttgteat agettgtgta	420
ggagccat	ga agttgtcaaa tttccaaggg aagcttttga tgaccattaa caacacggac	480
attgcaga	cg tcatcgtgat tcctacctca aaaggagaga acagatgctg ggtccgggca	540
atcgatgt	cg gctacatgtg tgaggacact atcacgtacg aatgtcctaa gcttaccatg	600
ggcaatgai	to cagaggatgt ggattgotgg tgtgacaacc aagaagtota cgtccaatat	660



ggacggtgca cgcggaccag gcattccaag cgaagcagga ggtccgtgtc ggtccaaaca 720 catggggaga gttcactagt gaataaaaaa gaggcttggc tggattcaac gaaagccaca 780 cgatatetea tgaaaactga gaactggate ataaggaate etggetatge ttteetggeg 840 geggtaettg getggatget tggeagtaac aatggteaac gegtggtgtt taccateete 900 ctgctgttgg tcgctccggc ttacagtttt aattgtctgg gaatgggcaa ccgtgacttc 960 atagaaggag ccagtggagc cacttgggtg gacttagtgc tagaaggaga tagctgcttg 1020 acaatcatgg caaacgacaa accaacattg gacgtccgca tgattaacat cgaagccagc 1080 caacttgctg aggtcagaag ctattgctat catgcttcag tcactgacat ctcgacggtg 1140 gctcggtgcc ccacgactgg agaagcccac aacgagaagc gagctgatag tagctatgtg 1200 tgcaaacaag gtttcactga tcgtgggtgg ggcaacggat gtggactttt cgggaaggga 1260 agcattgaca catgtgcaaa attctcctgc accagtaagg cgattgggag aacaatccag 1320 ccagaaaaca tcaaatacga agttggcatt tttgtgcatg gaaccaccac ctcggaaaac 1380 catgggaatt attcagcgca agtaggggcg tcccaggcgg caaagtttac agtaacaccc 1440 aatgctcctt cgataaccct caaacttggt gactacggag aagtcacact ggactgtgaa 1500 ccaaggagtg gactgaacac tgaagcgttt tacgtcatga ccgtggggtc aaagtcattt 1560 ctggtccata gggaatggtt tcatgacctc gctctcccct ggacgtcccc ttcgagcaca 1620 gcgtggagaa acagagaact cctcatggaa tttgaagagg cgcacgccac aaaacagtcc 1680 gttgttgctc ttgggtcaca ggaaggaggc ctccatcagg cgctggcagg agccatcgtg 1740 gtggagtact caagctcagt gaagttaaca tcaggccacc tgaaatgtag gctgaaaatg 1800 gacaaactgg ctctgaaagg cacaacctat ggcatgtgta cagaaaaatt ctcgttcgcg 1860 aaaaatccgg cggacactgg ccacggaaca gttgtcattg aactctccta ttctgggagt 1920 gatggcccct gcaaaattcc gattgtctcc gttgcgagcc tcaatgacat gacccccgtt 1980 gggcggctgg tgacagtgaa ccccttcgtc gcgacttcca gtgccaactc aaaggtgctg 2040 gtcgagatgg aaccccctt cggagactcc tacatcgtag ttggaagggg agacaagcag 2100



atcaaccacc	attggcataa	agctggaagc	acgctgggca	aggcttttc	aacaactttg	2160
aagggagctc	aaagactggc	agcgttgggc	gacacagcct	gggactttgg	ctctattgga	2220
ggggtcttca	actccatagg	aaaggccgtt	caccaagtgt	ttggtggcgc	tttcagaaca	2280
ctctttgggg	gaatgtcttg	gatcacacaa	gggttaatgg	gtgccctact	actctggatg	2340
ggcatcaacg	cacgagatcg	atcaattgct	ttggccttct	tggccacagg	aggtgtgctc	2400
gtgttcttag	cgaccaatgt	gcatgctgac	actggatgtg	ccattgacat	cgcaagaaaa	2460
gagatgagat	gcggaagtgg	catcttcgtg	cacaacgacg	tggaagcctg	ggtggatagg	2520
tataaatatt	tgccagaaac	gcccagatcc	ctagcgaaga	tcgtccacaa	agcgcacaag	2580
gaaggcgtgt	gcggagtcag	atctgtcact	agactggagc	accaaatgtg	ggaagccgtg	2640
cgggacgaat	tgaacgtcct	gctcaaagag	aatgcagtgg	acctcagtgt	ggttgtgaac	2700
aagcccgtgg	ggagatatcg	ctcagcccca	aaacgcctgt	ccatgacgca	agagaagttt	2760
gaaatgggct	ggaaagcatg	gggaaaaaagc	attctctttg	ccccggaatt	ggctaactcc	2820
acatttgttg	tagatggacc	tgagacaaag	gaatgtcctg	atgagcacag	agcctggaac	2880
agcatgcaaa	tcgaagactt	cggctttggt	atcacatcaa	cccgtgtgtg	gctgaagatt	2940
agagaggaaa	gcactgacga	gtgtgatgga	gcgatcatag	gcacagctgt	caaaggacat	3000
gtggcagttc	atagtgactt	gtcgtactgg	attgagagtc	gctacaacga	cacatggaaa	3060
cttgagaggg	cagtctttgg	agaggt caaa	tcttgcactt	ggccagagac	acacactctt	3120
tggggagatg	gtgttgagga	aagtgaactc	atcatcccgc	ataccatagc	cggaccaaaa	3180
agcaagcaca	atcggaggga	agggtacaaa	acacaaaacc	agggaccttg	ggacgaaaac	3240
ggcatagtct	tggactttga	ttattgccca	gggacaaaag	tcaccatcac	agaggattgt	3300
ggcaagagag	gcccttcggt	cagaaccact	actgacagtg	gaaagttgat	tactgactgg	3360
tgctgtcgca	gttgctccct	tccgccccta	cgattccgga	cagaaaatgg	ctgctggtac	3420
ggaatggaaa	tcagacctgt	taggcatgat	gaaacaacac	tcgtcagatc	acaggttgat	3480
gctttcaatg	gtgaaatggt	tgaccctttt	cagctgggcc	ttctggtgat	gtttctggcc	3540
acccaggagg	tccttcgcaa	gaggtggacg	gccagattga	ccattcctgc	ggttttgggg	3600




gccctgcttg	tgctgatgct	tgggggcatc	acttacactg	atttggcgag	gtatgtggtg	3660
ctagtcgctg	ctgctttcgc	agaggccaat	aatggaggag	acgtcctgca	ccttgctttg	3720
attgccgttt	ttaagatcca	accagctttt	ctagtgatga	acatgcttag	cacgagatgg	3780
acgaaccaag	aaaacgtggt	cctggtccta	ggggctgcct	tctttcaatt	ggcctcagta	3840
gatctgcaaa	tcggagtcca	cggaatcctg	aatgccgccg	ctatagcatg	gatgattgtt	3900
cgagcgatca	ccttccccac	aacctcctcc	gtcaccatgc	cagtcttagc	gcttctaact	3960
ccgggaatga	gggctctata	cctagacact	tacagaatca	tccttctcgt	catagggatt	4020
tgctccctgc	tgcaagagag	gaaaaagacc	atggcaaaaa	agaaaggagc	tgtactcttg	4080
ggcttagcgc	tcacatccac	tggatggttc	tcgcccacca	ccatagctgc	tggacttatg	4140
gtctgcaacc	caaacaagaa	gagagggtgg	ccagctactg	agtttctgtc	ggcagtcgga	4200
ttgatgtttg	ccatcgtagg	tggtttggcc	gagttggata	ttgaatccat	gtcaataccc	4260
ttcatgctgg	caggtcttat	ggcagtgtcc	tacgtagtgt	caggaaaaagc	aacagatatg	4320
tggctcgaac	gggccgccga	catcagctgg	gagatggatg	ctgcaatcac	aggaagcagt	4380
cggaggctgg	atgtgaaact	ggatgatgac	ggagattttc	acttgattga	tgatcccggc	4440
gttccatgga	aagtttgggt	cttgcgcatg	tcttgcattg	gcttagccgc	cctcacgcct	4500
tgggccattg	ttcccgccgc	tttcggttac	tggctcactt	taaaaacaac	aaaaagaggg	4560
ggcgtgtttt	gggacacgcc	atccccgaaa	ccttgcttaa	aaggagacac	cactacagga	4620
gtctaccgaa	tcatggctag	agggattctt	ggcacctacc	aggctggcgt	cggagtcatg	4680
tacgagaatg	ttttccacac	actatggcac	acaactagag	gggcagccat	tatgagtgga	4740
gaaggaaaat	tgacgccata	ctggggtagc	gtgaaagaag	accgcatagc	ttacggaggc	4800
ccatggagat	ttgatcgaaa	atggaatgga	acagatgacg	tgcaagtgat	cgtggtagaa	4860
ccggggaagg	ctgcggtaaa	catccagaca	aaaccaggag	tgtttcggac	cccttcggg	4920
gaggttgggg	ctgttagcct	ggattacccg	cgaggaacat	ccggctcacc	cattctggat	4980
tccaatggag	acatcatagg	cctatacggc	aatggagttg	agcttggcga	tggctcatac	5040



gtcagcgcca tcgtgcaggg tgaccgtcag gaggaaccag tcccagaagc ttacactcca 5100 aacatgttaa gaaagagaca gatgactgtg ttagatttgc accctggttc agggaaaacc 5160 aggaaaattc tgccacaaat aattaaggat gcaatccagc agcgcctaag aacagctgtg 5220 ttggcaccga cgcgggtggt agcagcagaa atggcagaag ctttgagagg gctcccagta 5280 cgataccaaa cttcagcagt gcagagagag caccaaggga atgaaatagt ggatgtgatg 5340 tgccacgcca ctctgaccca cagattgatg tcaccgaaca gagtgcccaa ctacaatcta 5400 tttgtcatgg atgaagctca tttcaccgac ccagccagca tagccgcacg aggatacatc 5460 gctaccaagg tggaattagg agaggcagca gccatcttta tgacagcgac cccgcctgga 5520 accacggate cttttcccga ctcaaatgcc ccaatccatg atttacaaga tgagatacca 5580 gacagggcat ggagcagtgg atacgaatgg atcacagaat atgcgggtaa aaccgtgtgg 5640 tttgtggcga gcgtaaaaat ggggaatgag attgcaatgt gcctccaaag agcgggaaaa 5700 aaggtcatcc aactcaaccg caagtcctat gacacagaat acccaaaatg taagaatgga 5760 gactgggatt tigicattac caccgacatc tctgaaatgg gggctaactt cggtgcgagc 5820 agggtcatcg actgcagaaa gagcgtgaaa cccaccatct tagaagaggg agaaggcaga 5880 gtcatcctcg gaaacccatc tcccataacc agtgctagcg cagctcaacg gaggggcaga 5940 gtaggcagaa accccaacca agttggagat gaataccatt atggaggggc taccagtgaa 6000 gatgacagta acctagccca ttggacagag gcaaagatca tgttagacaa catacacatg 6060 cccaatgggc tggtggccca gctctatgga ccagagaggg aaaaggcttt cacaatggat 6120 ggcgaatacc gtctcagggg tgaagaaaag aaaaacttct tagagctgct taggacggct 6180 gaccttccgg tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga 6240 aagtggtgtt ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag 6300 atagtcaccc ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta 6360 tacgcagatc accaagccct caagtggttc aaagactttg cagcaggaaa gagatcggcc 6420 gttagcttca tagaggtgct cggtcgcatg cctgagcatt tcatgggaaa gacgcgggaa 6480 getttagaca ccatgtactt ggtcgcaacg getgagaaag gtgggaaggc acaccgaatg 6540







tacggctgga acctggtctc cttgaagagt ggagtggatg tgttctacaa accttcagag 8040 cctagtgaca ccctgttctg tgacataggg gaatcctccc caagtccaga agtggaagaa 8100 caacgcacac tacgcgtcct agagatgaca tccgattggt tgcatcgagg acccagagag 8160 ttctgcataa aagttctctg cccttacatg cccaaggtca tagaaaaaat ggaagttctg 8220 cagcgccgct tcggaggtgg gctagtacgt ctcccctgt cccgaaactc caatcacgag 8280 atgtattggg ttagtggagc cgctggcaat gtggtgcacg ctgtgaacat gaccagccag 8340 gtactactgg ggcgaatgga tcgcacagtg tggagagggc caaagtatga ggaagatgtc 8400 aacctaggta gcggaacaag agccgtggga aagggagaag ttcatagcaa tcaggagaaa 8460 atcaagaaga gaatccagaa gcttaaagaa gaattcgcca caacgtggca caaagaccct 8520 gaacacccat accgcacttg gacataccac ggaagctatg aggtgaaggc tactggctca 8580 gccagctctc tcgtcaacgg agtggtgaag ctcatgagta aaccttggga cgccattgcc 8640 aacgtcacca ccatggccat gactgacacc accccttttg gacagcaaag agttttcaag 8700 gagaaagtig acacgaaagc tcctgagcca ccagctggag tcaaggaagt gctcaacgag 8760 accaccaact ggctgtgggc ccacttgtca cgggaaaaaa gaccccgctt gtgcaccaag 8820 gaagaattta taaagaaagt caatagcaac geggetettg gageagtgtt tgetgaacag 8880 aatcaatgga gcacggcgcg tgaggctgtg gacgacccgc ggttttggga gatggtcaat 8940 gaagagagg aaaaccatct gcgaggagag tgtcacacat gtatctacaa catgatggga 9000 aaaagagaga agaagcctgg agagtttgga aaagctaaag ggagcagggc catttggttc 9060 atgtggcttg gagcacggta tctagagttt gaagctttgg ggttcctgaa tgaagaccac 9120 tggctgagcc gagagaattc aggaggtgga gtagaaggct caggcgtcca aaagttggga 9180 tacatcctcc gtgacatagc aggaaagcaa ggagggaaaa tgtacgctga tgacaccgcc 9240 gggtgggaca ctagaattac tagaactgat ttagaaaatg aagctaaggt gctggagctc 9300 ctagatggtg aacaccgcat gctcgcccgg gccataattg aactgactta caggcacaaa 9360 gtggtcaagg tcatgagacc tgcagcagaa ggaaagaccg tgatggacgt gatatcaaga 9420 gaagaccaaa gggggagtgg acaggtggtc acttatgctc tcaacacttt cacgaacatc 9480




gctgtccagc	tcgttaggct	gatggaggct	gagggggtca	ttgggccaca	acacttggaa	9540
cagctgccta	ggaaaaacaa	gatagctgtc	aggacttggc	tctttgagaa	tggagaggag	9600
agagtgacca	ggatggcgat	cagcggagac	gactgtgtcg	tcaagccgct	ggacgacaga	9660
ttcgccacgg	ccctccattt	cctcaacgca	atgtcaaagg	ttagaaaaga	catccaggaa	9720
tggaagcctt	cgcacggctg	gcacgattgg	cagcaagttc	ccttctgctc	taaccacttt	9780
caggagattg	tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	9840
ctgataggca	gggctcgcat	ctctccagga	gctggatgga	atgtgaagga	cacagcttgc	9900
ctggcaaaag	catatgcaca	gatgtggcta	ctcctatact	tccatcgtag	ggacctgcgt	9960
ctcatggcaa	atgcgatttg	ctcagcagtg	ccagtggatt	gggtgcccac	aggcaggaca	10020
tcctggtcaa	tacactcgaa	aggagagtgg	atgaccacgg	aagacatgct	gcaggtctgg	10080
aacagagtct	ggattgaaga	aaatgaatgg	atgatggata	agactcccgt	cacaagctgg	10140
acagacgttc	cgtatgtggg	aaagcgtgag	gacatctggt	gtggcagcct	catcggaacg	10200
cgttccagag	caacctgggc	tgagaacatc	tatgcggcga	taaaccaggt	tagagctgtc	10260
attgggaaag	aaaattatgt	tgactacatg	acctcactca	ggagatacga	agacgtcttg	10320
atccaggaag	acagggtcat	ctagtgtgac	ttaaggtaga	aatgtaaata	atgtgaatga	10380
gaaaatgcat	gtatatggag	tcaggccagc	aaaagctgcc	accggatact	gggtagacgg	10440
tgctgcctgc	gtctcagtcc	caggaggact	gggttaacaa	atctgacaac	agaaagtgag	10500
aaagccctca	gaaccgtctc	ggaagtaggt	ccctgctcac	tggaagttga	aagaccaacg	10560
tcaggccacg	aatttgtgcc	actccgctgg	ggagtgcggc	ctgcgcagcc	ccaggaggac	10620
tgggttacca	aagccgttga	ggcccccacg	gcccaagcct	cgtctaggat	gcaatagacg	10680
aggtgtaagg	actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	10740
ccctcgaagc	tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	10800
caaacagcat	attgacac					10818

<210> 10



<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
<223>	synthetic oligodeoxyribonucleotide T	
	, and a second s	
<400>	10	
ccagtgtt	gt ggcctgcagg gcgaatt	27
	5 55 × 5 × 50 Separati	21
<210>	11	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	oligonucleotide TR, which is complementary to oligonucleotide T	
	of the SEQ. ID. No. 10	
<400>	11	
gatgaatt	cg ccctgcaggc cacaaca	27
		۵.
<210>	12	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J35, complementary to nt 10259-10276 of the JEV genome	
	promote of the service of the servic	
<400>	12	
agcaacct	gg gctgagaa	18
_		10
<210>	13	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J40, complementary to nt 215-232 of the JEV genome	
	,, to all bas of the Jul Benome	
<100×	19	





aaacgtac	tg gtcctctg		18
<210> <211> <212> <213>	14 18 DNA Artificial Sequence		
<220> <223>	primer J39, which is complement genome	tary to nt 164-181 of the JEV	
<400>	14		
cccactag	tg ggaatacg		18
<210> <211> <212> <213>	15 10968 DNA Japanese encephalitis virus		
<400> agaagttt:	15 at ctgtgtgaac ttcttggctt agtatcg	gttg agaagaatcg agagattagt	60
	aa cagtttttta gaacggaaga taaccat		
			120
gtaaaaac	cg ggctatcaat atgctgaaac gcggcct	tacc ccgcgtattc ccactagtgg	180
gagtgaag	ag ggtagtaatg agcttgttgg acggcag	gagg accagtacgt ttcgtgctgg	240
ctcttatc	ac gttcttcaag tttacagcat tagcccc	cgac caaggcgctt ttaggccgat	300
ggaaagca	gt <sub>.</sub> ggaaaagagt gtggcaatga aacatct	ttac tagtttcaaa cgagaacttg	360
gaacactc	at tgacgccgtg aacaagcggg gcagaaa	agca aaacaaaaga ggaggaaatg	420
aaggctca	at catgtggctc gcgagtttgg cagttgt	tcat agcitgigta ggagccatga	480
agttgtca	aa tttccaaggg aagcttttga tgaccat	ttaa caacacggac attgcagacg	540
	at tectacetea aaaggagaga acagatg		600
gctacatg	tg tgaggacact atcacgtacg aatgtco	ctaa gcttaccatg ggcaatgatc	. 660
cagaggat	gt ggattgctgg tgtgacaacc aagaagt	tcta cgtccaatat ggacggtgca	720
cgcggacca	ag gcattccaag cgaagcagga ggtccgt	tgtc ggtccaaaca catggggaga	780



gttcactagt	gaataaaaaa	gaggcttggc	tggattcaac	gaaagccaca	cgatatctca	840
tgaaaactga	gaactggatc	ataaggaatc	ctggctatgc	tttcctggcg	gcggtacttg	900
gctggatgct	tggcagtaac	aatggtcaac	gcgtggtgtt	taccatcctc	ctgctgttgg	960
tcgctccggc	ttacagtttt	aattgtctgg	gaatgggcaa	ccgtgacttc	atagaaggag	1020
ccagtggagc	cacttgggtg	gacttagtgc	tagaaggaga	tagctgcttg	acaatcatgg	1080
caaacgacaa	accaacattg	gacgtccgca	tgattaacat	cgaagccagc	caacttgctg	1140
aggt cagaag	ctattgctat	catgcttcag	tcactgacat	ctcgacggtg	gctcggtgcc	1200
ccacgactgg	agaagcccac	aacgagaagc	gagctgatag	tagctatgtg	tgcaaacaag	1260
gtttcactga	tcgtgggtgg	ggcaacggat	gtggactttt	cgggaaggga	agcattgaca	1320
catgtgcaaa	attctcctgc	accagtaagg	cgattgggag	aacaatccag	ccagaaaaca	1380
tcaaatacga	agttggcatt	tttgtgcatg	gaaccaccac	ctcggaaaac	catgggaatt	1440
attcagcgca	agtaggggcg	tcccaggcgg	caaagtttac	agtaacaccc	aatgctcctt	1500
cgataaccct	caaacttggt	gactacggag	aagtcacact	ggactgtgaa	ccaaggagtg	1560
gactgaacac	tgaagcgttt	tacgtcatga	ccgtggggtc	aaagtcattt	ctggtccata	1620
gggaatggtt	tcatgacctc	gctctccct	ggacgtcccc	ttcgagcaca	gcgtggagaa	1680
acagagaact	cctcatggaa	tttgaagagg	cgcacgccac	aaaacagtcc	gttgttgctc	1740
ttgggtcaca	ggaaggaggc	ctccatcagg	cgctggcagg	agccatcgtg	gtggagtact	1800
caagctcagt	gaagttaaca	tcaggccacc	tgaaatgtag	gctgaaaatg	gacaaactgg	1860
ctctgaaagg	cacaacctat	ggcatgtgta	cagaaaaatt	ctcgttcgcg	aaaaatccgg	1920
cggacactgg	ccacggaaca	gttgtcattg	aactctccta	ttctgggagt	gatggcccct	1980
gcaaaattcc	gattgtctcc	gttgcgagcc	tcaatgacat	gaccccgtt	gggcggctgg	2040
tgacagtgaa	cccttcgtc	gcgacttcca	gtgccaactc	aaaggtgctg	gtcgagatgg	2100
aaccccctt	cggagactcc	tacatcgtag	ttggaagggg	agacaagcag	atcaaccacc	2160
attggcataa	agctggaagc	acgctgggca	aggcttttc	aacaactttg	aagggagctc	2220
aaagactggc	agcgttgggc	gacacagcct	gggactttgg	ctctattgga	ggggtcttca	2280



actccatagg aaaggccgtt caccaagtgt ttggtggcgc tttcagaaca ctctttgggg 2340 gaatgtcttg gatcacacaa gggttaatgg gtgccctact actctggatg ggcatcaacg 2400 cacgagatcg atcaattgct ttggccttct tggccacagg aggtgtgctc gtgttcttag 2460 2520 gcggaagtgg catcttcgtg cacaacgacg tggaagcctg ggtggatagg tataaatatt 2580 tgccagaaac gcccagatcc ctagcgaaga tcgtccacaa agcgcacaag gaaggcgtgt 2640 gcggagtcag atctgtcact agactggagc accaaatgtg ggaagccgtg cgggacgaat 2700 tgaacgtcct gctcaaagag aatgcagtgg acctcagtgt ggttgtgaac aagcccgtgg 2760 ggagatatcg ctcagcccca aaacgcctgt ccatgacgca agagaagttt gaaatgggct 2820 ggaaagcatg gggaaaaagc attctctttg ccccggaatt ggctaactcc acatttgttg 2880 tagatggacc tgagacaaag gaatgtcctg atgagcacag agcctggaac agcatgcaaa 2940 tcgaagactt cggctttggt atcacatcaa cccgtgtgtg gctgaagatt agagaggaaa 3000 gcactgacga gtgtgatgga gcgatcatag gcacagctgt caaaggacat gtggcagttc 3060 atagtgactt gtcgtactgg attgagagtc gctacaacga cacatggaaa cttgagaggg 3120 cagtettigg agaggicaaa tettgeacti ggecagagae acacacteti tggggagatg 3180 gtgttgagga aagtgaactc atcatcccgc ataccatagc cggaccaaaa agcaagcaca 3240 atcggaggga agggtacaaa acacaaaacc agggaccttg ggacgaaaac ggcatagtct 3300 tggactttga ttattgccca gggacaaaag tcaccatcac agaggattgt ggcaagagag 3360 gcccttcggt cagaaccact actgacagtg gaaagttgat tactgactgg tgctgtcgca 3420 gttgctccct tccgccccta cgattccgga cagaaaatgg ctgctggtac ggaatggaaa 3480 tcagaccigi taggcaigai gaaacaacac tcgtcagaic acaggiigai gciitcaaig 3540 gtgaaatggt tgaccctttt cagctgggcc ttctggtgat gtttctggcc acccaggagg 3600 tccttcgcaa gaggtggacg gccagattga ccattcctgc ggttttgggg gccctgcttg 3660 tgctgatgct tggggggcatc acttacactg atttggcgag gtatgtggtg ctagtcgctg 3720



ctgctttcgc agaggccaat aatggaggag acgtcctgca ccttgctttg attgccgttt 3780 ttaagatcca accagctttt ctagtgatga acatgcttag cacgagatgg acgaaccaag 3840 aaaacgtggt cctggtccta ggggctgcct tctttcaatt ggcctcagta gatctgcaaa 3900 tcggagtcca cggaatcctg aatgccgccg ctatagcatg gatgattgtt cgagcgatca 3960 ccttccccac aacctcctcc gtcaccatgc cagtcttagc gcttctaact ccgggaatga 4020 gggctctata cctagacact tacagaatca tccttctcgt catagggatt tgctcctgc 4080 tgcaagagag gaaaaagacc atggcaaaaa agaaaggagc tgtactcttg ggcttagcgc 4140 tcacatccac tggatggttc tcgcccacca ccatagctgc tggacttatg gtctgcaacc 4200 caaacaagaa gagagggtgg ccagctactg agtttctgtc ggcagtcgga ttgatgtttg 4260 ccatcgtagg tggtttggcc gagttggata ttgaatccat gtcaataccc ttcatgctgg 4320 caggicttat ggcagigtcc tacgiagtgi caggaaaagc aacagatatg iggcicgaac 4380 gggccgccga catcagctgg gagatggatg ctgcaatcac aggaagcagt cggaggctgg 4440 atgtgaaact ggatgatgac ggagattttc acttgattga tgatcccggc gttccatgga 4500 aagtitgggt citgcgcatg tcttgcattg gcttagccgc cctcacgcct tgggccattg 4560 ttcccgccgc tttcggttac tggctcactt taaaaacaac aaaaagaggg ggcgtgtttt 4620 gggacacgcc atccccgaaa ccttgcttaa aaggagacac cactacagga gtctaccgaa 4680 tcatggctag agggattctt ggcacctacc aggctggcgt cggagtcatg tacgagaatg 4740 ttttccacac actatggcac acaactagag gggcagccat tatgagtgga gaaggaaaat 4800 tgacgccata ctggggtagc gtgaaagaag accgcatagc ttacggaggc ccatggagat 4860 ttgatcgaaa atggaatgga acagatgacg tgcaagtgat cgtggtagaa ccggggaagg 4920 ctgcggtaaa catccagaca aaaccaggag tgtttcggac ccccttcggg gaggttgggg 4980 ctgttagcct ggattacccg cgaggaacat ccggctcacc cattctggat tccaatggag 5040 acatcatagg cctatacggc aatggagttg agcttggcga tggctcatac gtcagcgcca 5100 tcgtgcaggg tgaccgtcag gaggaaccag tcccagaagc ttacactcca aacatgttaa 5160 gaaagagaca gatgactgtg ttagatttgc accetggttc agggaaaacc aggaaaattc 5220



tgccacaaat aattaaggat gcaatccagc agcgcctaag aacagctgtg ttggcaccga 5280 cgcgggtggt agcagcagaa atggcagaag ctttgagagg gctcccagta cgataccaaa 5340 cttcagcagt gcagagagag caccaaggga atgaaatagt ggatgtgatg tgccacgcca 5400 ctctgaccca cagattgatg tcaccgaaca gagtgcccaa ctacaatcta tttgtcatgg 5460 atgaagetea titeacegae eeageeagea tageegeaeg aggatacate getaceaagg 5520 tggaattagg agaggcagca gccatcttta tgacagcgac cccgcctgga accacggatc 5580 cttttcccga ctcaaatgcc ccaatccatg atttacaaga tgagatacca gacagggcat 5640 ggagcagtgg atacgaatgg atcacagaat atgcgggtaa aaccgtgtgg tttgtggcga 5700 gcgtaaaaat ggggaatgag attgcaatgt gcctccaaag agcgggaaaa aaggtcatcc 5760 aactcaaccg caagtcctat gacacagaat acccaaaatg taagaatgga gactgggatt 5820 tigicattac caccgacatc tctgaaatgg gggctaactt cggtgcgagc agggtcatcg 5880 actgcagaaa gagcgtgaaa cccaccatct tagaagaggg agaaggcaga gtcatcctcg 5940 gaaacccatc tcccataacc agtgctagcg cagctcaacg gaggggcaga gtaggcagaa 6000 accccaacca agttggagat gaataccatt atggaggggc taccagtgaa gatgacagta 6060 acctagecea ttggacagag geaaagatea tgttagacaa catacacatg ceeaatggge 6120 tggtggccca gctctatgga ccagagaggg aaaaggcttt cacaatggat ggcgaatacc 6180 gtctcagggg tgaagaaaag aaaaacttct tagagctgct taggacggct gaccttccgg 6240 tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga aagtggtgtt 6300 ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag atagtcaccc 6360 ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta tacgcagatc 6420 accaagccct caagtggttc aaagactttg cagcaggaaa gagatcggcc gttagcttca 6480 tagaggtgct cggtcgcatg cctgagcatt tcatgggaaa gacgcgggaa gctttagaca 6540 ccatgtactt ggtcgcaacg gctgagaaag gtgggaaggc acaccgaatg gctctcgaag 6600 agttgccgga tgcactggaa accatcacac ttattgttgc catcactgta atgacaggag 6660



gattcttcct	actaatgatg	cagcgaaagg	gtatagggaa	gatgggtctt	ggagctctag	6720
tgctcacgct	agctaccttc	ttcctgtggg	cggcagaggt	tcctggaacc	aaaatagcag	6780
ggaccctgct	gatcgccctg	ctgctgatgg	tggttctcat	cccagaaccg	gaaaaacaga	6840
ggtcacagac	agacaaccaa	ctagcggtgt	ttctcatctg	cgtcttgacc	gtggttggag	6900
tggtggcagc	aaacgagtac	gggatgctag	aaaaaaccaa	agcagatctc	aagagcatgt	6960
ttggcggaaa	gacacaggca	tcaggactga	ctggattgcc	aagcatggca	ctggacctgc	7020
gtccagccac	agcctgggca	ctgtatgggg	ggagcacagt	tgtgctaacc	cctcttctga	7080
agcacctgat	cacgtcggaa	tatgtcacca	catcgctagc	ctcaattaac	tcacaagctg	7140
gctcattatt	cgtcttgcca	cgaggcgtgc	ctttcaccga	tctagacctg	accgttggcc	7200
tcgtcttcct	tggctgctgg	ggtcaaatca	ccctcacaac	gtttttgaca	gccatggttc	7260
tggcgacact	tcactatggg	tacatgctcc	ctggatggca	agcagaagca	ctcagggctg	7320
cccagagaag	gacggcggct	ggaataatga	agaatgccgt	tgttgacgga	atggtcgcca	7380
ctgatgtgcc	tgaactggaa	aggactactc	ctctgatgca	aaagaaagtc	ggacaggtgc	7440
tcctcatagg	ggtgagcgtg	gcagcgtttc	tcgtcaaccc	taatgtcacc	actgtgagag	<b>7</b> 500
aagcaggggt	gttggtgacg	gcggctacgc	tcaccttgtg	ggataatgga	gccagtgccg	7560
tttggaattc	caccacagcc	acgggactct	gccatgtcat	gcgaggtagc	tacctggctg	7620
gaggctctat	tgcttggact	cttatcaaga	acgctgacaa	gccctccttg	aaaaggggaa	7680
ggcctggggg	caggacgcta	ggggagcagt	ggaaggaaaa	actaaatgcc	atgagcagag	7740
aagagtttt	taaataccgg	agagaggcca	taatcgaggt	ggaccgcact	gaagcacgca	7800
gggctagacg	tgaaaataac	atagtgggag	gacatccggt	ttcgcgaggc	tcagcaaaac	7860
tccgttggct	cgtggagaaa	ggattcgtct	cgccaatagg	aaaagtcatt	gatctagggt	7920
gtgggcgtgg	aggatggagc	tactacgcag	caaccctgaa	gaaggtccag	gaagtcagag	7980
gatacacgaa	aggtggggcg	ggacatgaag	agccgatgct	catgcagagc	tacggctgga	8040
acctggtctc	cttgaagagt	ggagtggatg	tgttctacaa	accttcagag	cctagtgaca	8100
ccctgttctg	tgacataggg	gaatcctccc	caagtccaga	agtggaagaa	caacgcacac	8160



tacgcgtcct agagatgaca tccgattggt tgcatcgagg acccagagag ttctgcataa 8220 aagttctctg cccttacatg cccaaggtca tagaaaaaat ggaagttctg cagcgccgct 8280 teggaggtgg getagtacgt etececetgt eeggaaacte caateacgag atgtattggg 8340 ttagtggagc cgctggcaat gtggtgcacg ctgtgaacat gaccagccag gtactactgg 8400 ggcgaatgga tcgcacagtg tggagagggc caaagtatga ggaagatgtc aacctaggta 8460 8520 gcggaacaag agccgtggga aagggagaag ttcatagcaa tcaggagaaa atcaagaaga gaatccagaa gcttaaagaa gaattcgcca caacgtggca caaagaccct gaacacccat 8580 accgcacttg gacataccac ggaagctatg aggtgaaggc tactggctca gccagctctc 8640 tcgtcaacgg agtggtgaag ctcatgagta aaccttggga cgccattgcc aacgtcacca 8700 ccatggccat gactgacacc acccttttg gacagcaaag agttttcaag gagaaagttg 8760 acacgaaagc teetgageca ecagetggag teaaggaagt geteaacgag accaccaact 8820 8880 ggctgtgggc ccacttgtca cgggaaaaaa gaccccgctt gtgcaccaag gaagaattta taaagaaagt caatagcaac gcggctcttg gagcagtgtt tgctgaacag aatcaatgga 8940 9000 gcacggcgcg tgaggctgtg gacgacccgc ggttttggga gatggtcaat gaagagaggg aaaaccatct gcgaggagag tgtcacacat gtatctacaa catgatggga aaaagagaga 9060 agaagcctgg agagtttgga aaagctaaag ggagcagggc catttggttc atgtggcttg 9120 gagcacggta tctagagttt gaagctttgg ggttcctgaa tgaagaccac tggctgagcc 9180 gagagaattc aggaggtgga gtagaaggct caggcgtcca aaagttggga tacatcctcc 9240 gtgacatagc aggaaagcaa ggagggaaaa tgtacgctga tgacaccgcc gggtgggaca 9300 ctagaattac tagaactgat ttagaaaatg aagctaaggt gctggagctc ctagatggtg 9360 aacaccgcat gctcgcccgg gccataattg aactgactta caggcacaaa gtggtcaagg 9420 tcatgagacc tgcagcagaa ggaaagaccg tgatggacgt gatatcaaga gaagaccaaa 9480 gggggagtgg acaggtggtc acttatgctc tcaacacttt cacgaacatc gctgtccagc 9540 tcgttaggct gatggaggct gagggggtca ttgggccaca acacttggaa cagctgccta 9600





ggaaaaacaa	gatagctgtc	aggacttggc	tctttgagaa	tggagaggag	agagtgacca	9660
ggatggcgat	cagcggagac	gactgtgtcg	tcaagccgct	ggacgacaga	ttcgccacgg	9720
ccctccattt	cctcaacgca	atgtcaaagg	ttagaaaaga	catccaggaa	tggaagcctt	9780
cgcacggctg	gcacgattgg	cagcaagttc	ccttctgctc	taaccacttt	caggagattg	9840
tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	ctgataggca	9900
gggctcgcat	ctctccagga	gctggatgga	atgtgaagga	cacagcttgc	ctggcaaaag	9960
catatgcaca	gatgtggcta	ctcctatact	tccatcgtag	ggacctgcgt	ctcatggcaa	10020
atgcgatttg	ctcagcagtg	ccagtggatt	gggtgcccac	aggcaggaca	tcctggtcaa	10080
tacactcgaa	aggagagtgg	atgaccacgg	aagacatgct	gcaggtctgg	aacagagtct	10140
ggattgaaga	aaatgaatgg	atgatggata	agactcccgt	cacaagctgg	acagacgttc	10200
cgtatgtggg	aaagcgtgag	gacatctggt	gtggcagcct	catcggaacg	cgttccagag	10260
caacctgggc	tgagaacatc	tatgcggcga	taaaccaggt	tagagctgtc	attgggaaag	10320
aaaattatgt	tgactacatg	acctcactca	ggagatacga	agacgtcttg	atccaggaag	10380
acagggtcat	ctagtgtgac	ttaaggtaga	aatgtaaata	atgtgaatga	gaaaatgcat	10440
gtatatggag	tcaggccagc	aaaagctgcc	accggatact	gggtagacgg	tgctgcctgc	10500
gtctcagtcc	caggaggact	gggttaacaa	atctgacaac	agaaagtgag	aaagccctca	10560
gaaccgtctc	ggaagtaggt	ccctgctcac	tggaagttga	aagaccaacg	tcaggccacg	10620
aatttgtgcc	actccgctgg	ggagtgcggc	ctgcgcagcc	ccaggaggac	tgggttacca	10680
aagccgttga	ggcccccacg	gcccaagcct	cgtctaggat	gcaatagacg	aggtgtaagg	10740
actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	ccctcgaagc	10800
tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	caaacagcat	10860
attgacacct	gggaatagac	tgggagatct	tctgctctat	ctcaacatca	gctactaggc	10920
acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	caggatct		10968

<210> 16 <211> 18





<212> DNA

<213> Artificial Sequence

<220>

<223> primer J41

<400> 16

tccgtggaat gaacaatg 18

<210> 17 <211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> primer J43

<400> 17

acagataaac ttctctatag tgtcccctaa 30

<210> 18

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> primer J42

<400> 18

gagaagttta tctgtgtg 18

<210> 19

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> primer J40

<400> 19

aaacgtactg gtcctctg

18




<210>	20	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
	primer J90	
	P. 1861 900	
<400>	20	
		00
itgaggee	cc cacggcccaa	20
<210>	21	
<211>		
	41	
	DNA	
<213>	Artificial Sequence	
<b>*000</b>		
<220>		
<223>	primer J45	
<400>	21	
agtactag	tc ggtccgcggc cgctcgagat cctgtgttct t .	41
<210>	22	
	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J31	
<400>	22	
ggctgtgg	gc ccacttgt	18
<210>	23	
<211>	24	
<212>	DNA	
<213>	Artificial Sequence	
	17 <b>*</b> 117777*	
<220>		
<223>	primer J47	



<400>	23	
ccaaagct	tc aaactcaaga tacc	24
<210>	24	
<211>	43	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J46	
.100		
<400>	24	
agtactag	tc ggtccgcggc cgctctagag atcctgtgtt ctt	43
<210>	25	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
-10	7 TITOTAL SEQUENCE	
<220>		
<223>	primer J81	
<400>	25	
tcttgccc	gc ctgatgaa	18
<210>	26	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	primer J80	
<400>	26	
	ac ttctctatag tgagtcgtat	30
<b>J</b>	-000	-
<210>	27	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220 <u>&gt;</u>		





<223>	primer J42	
<400>	27	
	tta tctgtgtg	18
		10
<210>	28	
<211>	18	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J82	
<400>	28	
	ggta agcttagg	18
0		16
<210>	29	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J48	
•		
<400>	29	
actgago	tca cgcgtcctcg agatgac	27
<210>	30	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J3	
<400>	30	
gatttaa	atta acacctcctc tacagcttcg	30
<210>	31	
<211>	20	
<212>	DNA	



20

30

18



<213>	Artificial Sequence
<220>	
	primer J72
<400>	31
gaaggtac	cc cattgtatgg
<210>	32
<211>	30
<212>	
	Artificial Sequence
<220>	
	primer J73
~2252	primer 373
<400>	32
ttctcctt	ta cccatggttg tggcaagctt
<210>	33
<211>	18
<212>	DNA
<213>	Artificial Sequence
<220>	
	primer J74
<400>	33
atgggtaa	ag gagaagaa
<210>	34
<211>	30
	DNA
<213>	Artificial Sequence

<400> 34
aagatgcatt cattaaccgt cgactgcaga

primer J75


<220> <223>



<210> <211> <212> <213>	35 30 DNA Artificial Sequence	
<220> <223>	primer J76	
<400>	35	
tttggcgt	ct tccatggttg tggcaagctt	30
<210>	36	
<211>	18	
<212> <213>	DNA	
<b>\413</b> /	Artificial Sequence	
<220>		
<223>	primer J77	
<400>	36	
atggaaga	cg ccaaaaac	18
<210>	37	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer J78	
<400>	37	
cttaagat	gc attcattaca cggcgatctt	30
<210>	38	
<211>	20	
<212>	DNA	
<213>	Artificial Sequence	
<000°		
<220> <223>	primer J89	
~04JF	brimer 203	
<100°	20	
<400>	38	



<pre> 210&gt; 39</pre>	tgctttgg	cc ttcttggcca	20
<pre> &lt;11&gt; 30 &lt;12- DNA &lt;213- Artificial Sequence &lt;220- &lt;223- primer J91  &lt;400- 39     accegeatat tetggatec gtggttecag     30  &lt;10&gt; 40 &lt;211- 18 &lt;212- DNA &lt;213- Artificial Sequence &lt;220- &lt;223- primer J92  &lt;400- 40     acagaatatg cgggtaaa     18  &lt;10- 41 &lt;11- 21 &lt;11- 21 &lt;11- 21 &lt;121- DNA &lt;213- Artificial Sequence &lt;220- &lt;223- primer J92  &lt;400- 41 &lt;211- 21 &lt;212- DNA &lt;213- Artificial Sequence &lt;220- &lt;223- primer J93  &lt;400- 41     agctaacgge cgatetettt c     21  &lt;10- 42 &lt;10- 42 &lt;11- 16847 &lt;11- DNA &lt;113- Artificial Sequence &lt;220- &lt;220- Union Sequence &lt;221- 16847 &lt;121- DNA &lt;213- Artificial Sequence &lt;220- &lt;220- Union Sequence &lt;221- 16847 &lt;212- DNA &lt;213- Artificial Sequence &lt;220- Union Sequence &lt;220- Union Sequence &lt;221- 16847 &lt;212- DNA &lt;213- Artificial Sequence &lt;220- Union Sequence &lt;220</pre>	.07.05		
<pre> 212&gt; DNA 213</pre>			
<pre>&lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J91  &lt;400&gt; 39 acccgcatat tctgtgatcc gtggttccag 30  &lt;210&gt; 40 &lt;211&gt; 18 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa 18  &lt;210&gt; 41 &lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa 28  &lt;210&gt; 41 &lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;220&gt; &lt;221&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;2213&gt; Artificial Sequence</pre> <220> <2213 Artificial Sequence <2213 Artificial Sequence <2213 Artificial Sequence <2213 Artificial Sequence <220> <2213 Artificial Sequence <220> <220> <2213 Artificial Sequence			
<pre>&lt;220&gt; &lt;223&gt; primer J91  &lt;400&gt; 39 acccgcatat tctgtgatcc gtggttccag</pre>			
<pre>&lt;223&gt; primer J91  &lt;400&gt; 39 acccgcatat tctgtgatcc gtggttccag</pre>	<213>	Artificial Sequence	
<pre>&lt;400&gt; 39 acccgcatat tctgtgatcc gtggttccag 30  &lt;210&gt; 40 &lt;211&gt; 18 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa 18  &lt;210&gt; 41 &lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 41 &lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;221&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt;</pre>			
accegeatat tetgtgatec gtggttecag <pre> &lt;210&gt;      40 &lt;211&gt;      18 &lt;212&gt;      DNA &lt;213&gt;      Artificial Sequence </pre> <pre> &lt;220&gt; &lt;223&gt;      primer J92  &lt;400&gt;      40 acagaatatg cgggtaaa       18  </pre> <pre> &lt;210&gt;      41 &lt;211&gt;      21 &lt;212&gt;      DNA &lt;213&gt;      Artificial Sequence </pre> <pre> &lt;220&gt; &lt;223&gt;      primer J93  &lt;400&gt;      41 &lt;211&gt;      21 &lt;212&gt;      DNA &lt;213&gt;      Artificial Sequence </pre> <pre> &lt;220&gt; &lt;220&gt; &lt;223&gt;      primer J93  &lt;400&gt;      41 agctaacggc cgatctcttt c       21 </pre> <pre> <pre> &lt;210&gt;      42 &lt;211&gt;      16847 &lt;212&gt;      DNA </pre> <pre> &lt;130       Artificial Sequence </pre> <pre> &lt;220&gt; </pre> <pre> </pre> <pre> &lt;131       Artificial Sequence </pre> <pre> &lt;220&gt; </pre> <pre> &lt;213       Artificial Sequence </pre> <pre> &lt;2210       Artificial Sequence </pre></pre>	<223>	primer J91	
accegcatat tetgtgatec gtggttecag  210	<100>	20	
<pre> &lt;210&gt; 40 &lt;211&gt; 18 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa</pre>			
<pre> &lt;211&gt; 18 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence </pre> <pre> &lt;220&gt; &lt;223&gt; primer J92  </pre> <pre> &lt;400&gt; 40 acagaatatg cgggtaaa</pre>	accegeata	at tetgigatee giggiteeag	30
<pre> &lt;212&gt; DNA &lt;213&gt; Artificial Sequence  &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa</pre>			
<pre>&lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa</pre>		18	
<pre>&lt;220&gt; &lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa</pre>	<212>	DNA	
<pre>&lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa</pre>	<213>	Artificial Sequence	
<pre>&lt;223&gt; primer J92  &lt;400&gt; 40 acagaatatg cgggtaaa</pre>			
<pre>&lt;400&gt; 40 acagaatatg cgggtaaa</pre>			
2210	<223>	primer J92	
2210			
2210	<400>	40	
<pre> &lt;210&gt; 41 &lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence  &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c  21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; </pre>			10
<pre>&lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt;</pre>	avagaata	-6 -666 rana	18
<pre>&lt;211&gt; 21 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt;</pre>			
<pre>&lt;212&gt; DNA &lt;213&gt; Artificial Sequence  &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt;</pre>	<210>	41	
<pre>&lt;212&gt; DNA &lt;213&gt; Artificial Sequence  &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt;</pre>	<211>	21	
<pre>&lt;213&gt; Artificial Sequence &lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c 21  &lt;210&gt; 42 &lt;211&gt; 16847 &lt;212&gt; DNA &lt;213&gt; Artificial Sequence &lt;220&gt;</pre>			
<pre>&lt;220&gt; &lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c</pre>			
<pre>&lt;223&gt; primer J93  &lt;400&gt; 41 agctaacggc cgatctcttt c</pre>			
<pre>&lt;400&gt; 41 agctaacggc cgatctcttt c</pre>	<220>	•	
agctaacggc cgatctcttt c 21  <210> 42 <211> 16847 <212> DNA <213> Artificial Sequence  <220>	<223>	primer J93	
agctaacggc cgatctcttt c 21  <210> 42 <211> 16847 <212> DNA <213> Artificial Sequence  <220>			
agctaacggc cgatctcttt c 21  <210> 42 <211> 16847 <212> DNA <213> Artificial Sequence  <220>	41005	4-	
<pre>&lt;210&gt;  42 &lt;211&gt;  16847 &lt;212&gt;  DNA &lt;213&gt;  Artificial Sequence &lt;220&gt;</pre>			
<211> 16847 <212> DNA <213> Artificial Sequence <220>	agctaacgg	gc cgatctcttt c	21
<211> 16847 <212> DNA <213> Artificial Sequence <220>	<210>	42	
<212> DNA <213> Artificial Sequence <220>			
<213> Artificial Sequence <220>			
<220>			
	<b>~213&gt;</b>	Artificial Sequence	
	<220>		
<223> sequence for pBAC/SV vector	<223>	sequence for pBAC/SV vector	



					2	<400> 42
60	accatcacaa	caattgcact	aacagccgac	tattgaatca	tagtacacac	attgacggcg
120	gtgcaactgc	tccgtttgtc	accccagag	gtagacgtag	agtagtaaac	tggagaagcc
180	gaccatgcta	cactccaaat	cacagcaggt	gaggtagtag	cccgcaattt	aaaaaagctt
240	cctaccacag	gctggaggtt	aactaatcga	ctggccagta	attttcgcat	atgccagagc
300	caccagtatc	gttttccgag	ctcgtagaat	agcgcaccgg	ggacataggc	cgacgatctt
360	tacgccagta	catgatgaaa	acccggaccg	agtccagaag	ccccatgcgt	attgtgtctg
420	attaaggatc	gcatgagaag	acaagaactt	aagattacaa	aaaagcgtgc	aactggcgga
. 480	cacaacgatg	gctctgcttt	aaacaccatc	ccggatgctg	acttgatacg	tccggaccgt
540	aacgctcccg	cgtgtatatc	tcatgcagga	gaatattccg	catgcgtgcc	ttacctgcaa
600	ggcttcgaca	gtactggatt	tgcggaccct	atgaaaggcg	tcatcaggct	gaactatcta
660	accaactggg	tgcgtacaac	gttcgtaccc	gctatggcag	catgttctcg	ccacccagtt
720	ctgagtgaag	cagcacaaag	tcggactttg	gcgcgtaaca	agtccttgaa	ccgacgagaa
780	tcgcgggttt	gaagcccggg	agaaggagt t	ataatgagga	aaaattgtcg	gtaggacagg
840	agctggcatc	cagcttgcag	aacacagagc	ctttatccag	aggatcgaca	atttctccgt
900	gatacagtgg	ttgccgctgt	agtcgtacac	aatggaaagc	gttccacttg	ttccatcggt
960	acgggagaaa	tcccgggatc	tcaccatcag	gtgaagaaaa	aggctacgta	tgagttgcga
1020	gttactgaca	gctatgcaaa	agggcttctt	cacaatagcg	cgcggttaca	ccgtgggata
1080	accatatgcg	catcccggcc	tgtgcacgta	tcgttccctg	agaacgggta	cagtaaaagg
1140	aaacttctgg	cgatgcacaa	tatcacctga	gccacggata	tggtataatg	atcagatgac
1200	aacaccatgc	caggaacacc	gtaggactaa	gtcattaacg	ccagcgaatt	ttgggctcaa
1260	gagcgcaagg	atgggctaag	ggttcagcaa	atagcacaag	tctgccgatc	aaaattacct
1320	tatggctgct	caagcttacg	ctagagaacg	atgctgggta	taacgagaaa	atgatcttga
1380	acgcagacct	cccacctgga	cgttttatcg	aaagtacatt	tcgcactaag	tgtgggcgtt



gcgtaaaagt cccagcctct tttagcgctt ttcccatgtc gtccgtatgg acgacctctt 1440 tgcccatgtc gctgaggcag aaattgaaac tggcattgca accaaagaag gaggaaaaac 1500 tgctgcaggt ctcggaggaa ttagtcatgg aggccaaggc tgcttttgag gatgctcagg 1560 aggaagccag agcggagaag ctccgagaag cacttccacc attagtggca gacaaaggca 1620 tcgaggcagc cgcagaagtt gtctgcgaag tggaggggct ccaggcggac atcggagcag 1680 cattagtiga aaccccgcgc ggtcacgtaa ggataatacc tcaagcaaat gaccgtatga 1740 teggacagta tategttgte tegecaaact etgtgetgaa gaatgecaaa etegeaceag 1800 cgcacccgct agcagatcag gttaagatca taacacactc cggaagatca ggaaggtacg 1860 cggtcgaacc atacgacgct aaagtactga tgccagcagg aggtgccgta ccatggccag 1920 aatteetage aetgagtgag agegeeacgt tagtgtacaa egaaagagag tttgtgaace 1980 gcaaactata ccacattgcc atgcatggcc ccgccaagaa tacagaagag gagcagtaca 2040 aggttacaaa ggcagagctt gcagaaacag agtacgtgtt tgacgtggac aagaagcgtt 2100 gcgttaagaa ggaagaagcc tcaggtctgg tcctctcggg agaactgacc aaccctccct 2160 atcatgagct agctctggag ggactgaaga cccgacctgc ggtcccgtac aaggtcgaaa 2220 caataggagt gataggcaca ccggggtcgg gcaagtcagc tattatcaag tcaactgtca 2280 cggcacgaga tcttgttacc agcggaaaga aagaaaattg tcgcgaaatt gaggccgacg 2340 tgctaagact gaggggtatg cagattacgt cgaagacagt agattcggtt atgctcaacg 2400 gatgccacaa agccgtagaa gtgctgtacg ttgacgaagc gttcgcgtgc cacgcaggag 2460 cactactige etigatiget ategicagge eccgeaagaa ggtagiacta igeggagace 2520 ccatgcaatg cggattcttc aacatgatgc aactaaaggt acatttcaat caccctgaaa 2580 aagacatatg caccaagaca ttctacaagt atatctcccg gcgttgcaca cagccagtta 2640 cagctattgt atcgacactg cattacgatg gaaagatgaa aaccacgaac ccgtgcaaga 2700 agaacattga aatcgatatt acaggggcca caaagccgaa gccaggggat atcatcctga 2760 catgittccg cgggtgggtt aagcaattgc aaatcgacta tcccggacat gaagtaatga 2820 cageegegge eteacaaggg etaaceagaa aaggagtgta tgeegteegg caaaaagtea 2880



atgaaaaccc actgtacgcg atcacatcag agcatgtgaa cgtgttgctc acccgcactg 2940 aggacagget agtgtggaaa accttgcagg gcgacccatg gattaagcag cccactaaca 3000 tacctaaagg aaactttcag gctactatag aggactggga agctgaacac aagggaataa 3060 ttgctgcaat aaacagcccc actccccgtg ccaatccgtt cagctgcaag accaacgttt 3120 gctgggcgaa agcattggaa ccgatactag ccacggccgg tatcgtactt accggttgcc 3180 agtggagcga actgttccca cagtttgcgg atgacaaacc acattcggcc atttacgcct 3240 tagacgtaat tigcattaag titticggca tggacttgac aagcggactg tittctaaac 3300 agagcatece actaacgtae catecegeeg atteagegag geeggtaget cattgggaea 3360 acageceagg aaccegeaag tatgggtacg atcaegecat tgeegeegaa eteteeegta 3420 gatttccggt gttccagcta gctgggaagg gcacacaact tgatttgcag acggggagaa 3480 ccagagttat ctctgcacag cataacctgg tcccggtgaa ccgcaatctt cctcacgcct 3540 tagtccccga gtacaaggag aagcaacccg gcccggtcaa aaaattcttg aaccagttca 3600 aacaccactc agtacttgtg gtatcagagg aaaaaattga agctccccgt aagagaatcg 3660 aatggatcgc cccgattggc atagccggtg cagataagaa ctacaacctg gctttcgggt 3720 ttccgccgca ggcacggtac gacctggtgt tcatcaacat tggaactaaa tacagaaacc 3780 accactttca gcagtgcgaa gaccatgcgg cgaccttaaa aaccctttcg cgttcggccc 3840 tgaattgcct taacctagga ggcaccctcg tggtgaagtc ctatggctac gccgaccgca 3900 acagtgagga cgtagtcacc gctcttgcca gaaagtttgt cagggtgtct gcagcgagac 3960 cagattgtgt ctcaagcaat acagaaatgt acctgatttt ccgacaacta gacaacagcc 4020 gtacacggca attcaccccg caccatctga attgcgtgat ttcgtccgtg tatgagggta 4080 caagagatgg agttggagcc gcgccgtcat accgcaccaa aagggagaat attgctgact 4140 gtcaagagga agcagttgtc aacgcagcca atccgctggg tagaccaggc gaaggagtct 4200 geegtgeeat etataaaegt tggeegaeca gttttaeega tteageeaeg gagaeaggea 4260 ccgcaagaat gactgtgtgc ctaggaaaga aagtgatcca cgcggtcggc cctgatttcc 4320




	ggaagcaccc	agaagcagaa	gccttgaaat	tgctacaaaa	cgcctaccat	gcagtggcag	4380
	acttagtaaa	tgaacataac	atcaagtctg	tcgccattcc	actgctatct	acaggcattt	4440
	acgcagccgg	aaaagaccgc	cttgaagtat	cacttaactg	cttgacaacc	gcgctagaca	4500
	gaactgacgc	ggacgtaacc	atctattgcc	tggataagaa	gtggaaggaa	agaatcgacg	4560
	cggcactcca	acttaaggag	tctgtaacag	agctgaagga	tgaagatatg	gagatcgacg	4620
	atgagttagt	atggattcat	ccagacagtt	gcttgaaggg	aagaaaggga	ttcagtacta	4680
	caaaaggaaa	attgtattcg	tacttcgaag	gcaccaaatt	ccatcaagca	gcaaaagaca	4740
	tggcggagat	aaaggtcctg	ttccctaatg	accaggaaag	taatgaacaa	ctgtgtgcct	4800
	acatattggg	tgagaccatg	gaagcaatcc	gcgaaaagtg	cccggtcgac	cataacccgt	4860
	cgtctagccc	gcccaaaacg	ttgccgtgcc	tttgcatgta	tgccatgacg	ccagaaaggg	4920
	tccacagact	tagaagcaat	aacgt caaag	aagttacagt	atgctcctcc	acccccttc	4980
	ctaagcacaa	aattaagaat	gttcagaagg	ttcagtgcac	gaaagtagtc	ctgtttaatc	5040
	cgcacactcc	cgcattcgtt	cccgcccgta	agtacataga	agtgccagaa	cagcctaccg	5100
	ctcctcctgc	acaggccgag	gaggcccccg	aagttgtagc	gacaccgtca	ccatctacag	5160
	ctgataacac	ctcgcttgat	gtcacagaca	tctcactgga	tatggatgac	agtagcgaag	5220
	gctcactttt	ttcgagcttt	agcggatcgg	acaactctat	tactagtatg	gacagttggt	5280
	cgtcaggacc	tagttcacta	gagatagtag	accgaaggca	ggtggtggtg	gctgacgttc	5340
;	atgccgtcca	agagcctgcc	cctattccac	cgccaaggct	aaagaagatg	gcccgcctgg	5400
•	cagcggcaag	aaaagagccc	actccaccgg	caagcaatag	ctctgagtcc	ctccacctct	5460
•	cttttggtgg	ggtatccatg	tccctcggat	caattttcga	cggagagacg	gcccgccagg	5520
•	cagcggtaca	acccctggca	acaggcccca	cggatgtgcc	tatgtctttc	ggatcgtttt	5580
9	ccgacggaga	gattgatgag	ctgagccgca	gagtaactga	gtccgaaccc	gtcctgtttg	5640
٤	gatcatttga	accgggcgaa	gtgaactcaa	ttatatcgtc	ccgatcagcc	gtatcttttc	5700
•	cactacgcaa	gcagagacgt	agacgcagga	gcaggaggac	tgaatactga	ctaaccgggg	5760
ŧ	taggtgggta	catattttcg	acggacacag	gccctgggca	cttgcaaaag	aagtccgttc	5820



tgcagaacca gcttacagaa	ccgaccttgg	agcgcaatgt	cctggaaaga	atteatgeee	5880
cggtgctcga cacgtcgaaa	gaggaacaac	icaaacicag	gtaccagatg	atgcccaccg	5940
aagccaacaa aagtaggtac	cagtctcgta	aagtagaaaa	tcagaaagcc	ataaccactg	6000
agcgactact gtcaggacta	cgactgtata	actctgccac	agatcagcca	gaatgctata	6060
agatcaccta tccgaaacca	ttgtactcca	gtagcgtacc	ggcgaactac	tccgatccac	6120
agttcgctgt agctgtctgt	aacaactatc	tgcatgagaa	ctatccgaca	gtagcatctt	6180
atcagattac tgacgagtac	gatgcttact	tggatatggt	agacgggaca	gtcgcctgcc	6240
tggatactgc aaccttctgc	cccgctaagc	ttagaagtta	cccgaaaaaa	catgagtata	6300
gagccccgaa tatccgcagt	gcggttccat	cagcgatgca	gaacacgcta	caaaatgtgc	6360
tcattgccgc aactaaaaga	aattgcaacg	tcacgcagat	gcgtgaactg	ccaacactgg	6420
actcagcgac attcaatgtc	gaatgctttc	gaaaatatgc	atgtaatgac	gagtattggg	6480
aggagttcgc tcggaagcca	attaggatta	ccactgagtt	tgtcaccgca	tatgtagcta	6540
gactgaaagg ccctaaggcc	gccgcactat	ttgcaaagac	gtataatttg	gtcccattgc	6600
aagaagtgcc tatggataga	ttcgtcatgg	acatgaaaag	agacgtgaaa	gttacaccag	6660
gcacgaaaca cacagaagaa	agaccgaaag	tacaagtgat	acaagccgca	gaacccctgg	6720
cgactgctta cttatgcggg	attcaccggg	aattagtgcg	taggcttacg	gccgtcttgc	6780
ttccaaacat tcacacgctt	tttgacatgt	cggcggagga	ttttgatgca	atcatagcag	6840
aacacttcaa gcaaggcgac	ccggtactgg	agacggatat	cgcatcattc	gacaaaagcc	6900
aagacgacgc tatggcgtta	accggtctga	tgatcttgga	ggacctgggt	gtggatcaac	6960
cactactcga cttgatcgag	tgcgcctttg	gagaaatatc	atccacccat	ctacctacgg	7020
gtactcgttt taaattcggg	gcgatgatga	aatccggaat	gttcctcaca	ctttttgtca	7080
acacagtttt gaatgtcgtt	atcgccagca	gagtactaga	agagcggctt	aaaacgtcca	7140
gatgtgcagc gttcattggc	gacgacaaca	tcatacatgg	agtagtatct	gacaaagaaa	7200
tggctgagag gtgcgccacc	tggctcaaca	tggaggttaa	gatcatcgac	gcagtcatcg	7260



gtgagagacc	accttacttc	tgcggcggat	ttatcttgca	agattcggtt	acttccacag	7320
cgtgccgcgt	ggcggatccc	ctgaaaaggc	tgtttaagtt	gggtaaaccg	ctcccagccg	7380
acgacgagca	agacgaagac	agaagacgcg	ctctgctaga	tgaaacaaag	gcgtggttta	7440
gagtaggtat	aacaggcact	ttagcagtgg	ccgtgacgac	ccggtatgag	gtagacaata	7500
ttacacctgt	cctactggca	ttgagaactt	ttgcccagag	caaaagagca	ttccaagcca	7560
tcagagggga	aataaagcat	ctctacggtg	gtcctaaata	gtcagcatag	tacatttcat	7620
ctgactaata	ccacaacacc	accacctcta	gacgcgtaga	tctcacgtga	gcatgcagga	7680
ttacacctgt	cctactggca	ttgagaactt	ttgcccagag	caaaagagca	ttccaagcca	7740
tcagagggga	aataaagcat	ctctacggtg	gtcctaaata	gtcagcatag	tacatttcat	7800
ctgactaata	ctacaacacc	accacctcta	gctagagctt	accatgaccg	agtacaagcc	7860
cacggtgcgc	ctcgccaccc	gcgacgacgt	ccccgggcc	gtacgcaccc	tcgccgccgc	7920
gttcgccgac	taccccgcca	cgcgccacac	cgtcgacccg	gaccgccaca	tcgagcgggt	7980
caccgagctg	caagaactct	tcctcacgcg	cgtcgggctc	gacatcggca	aggtgtgggt	8040
cgcggacgac	ggcgccgcgg	tggcggtctg	gaccacgccg	gagagcgtcg	aagcgggggc	8100
ggtgttcgcc	gagatcggcc	cgcgcatggc	cgagttgagc	ggttcccggc	tggccgcgca	8160
gcaacagatg	gaaggcctcc	tggcgccgca	ccggcccaag	gagcccgcgt	ggttcctggc	8220
caccgtcggc	gtctcgcccg	accaccaggg	caagggtctg	ggcagcgccg	tcgtgctccc	8280
cggagtggag	gcggccgagc	gcgccggggt	gcccgccttc	ctggagacct	ccgcgccccg	8340
caacctcccc	ttctacgagc	ggctcggctt	caccgtcacc	gccgacgtcg	agtgcccgaa	8400
ggaccgcgcg	acctggtgca	tgacccgcaa	gcccggtgcc	tgacgcccgc	cccacgaccc	8460
gcagcgcccg	accgaaagga	gcgcacgacc	ccatgatcgc	tagaccatgg	ggtaccgagc	8520
tcgaattcgc	ctcgtcgcta	ttaattatag	gacttatgat	ttttgcttgc	agcatgatgc	8580
tgactagcac	acgaagatga	cgggcccaat	gatccgacca	gcaaaactcg	atgtacttcc	8640
gaggaactga	tgtgcataat	gcatcaggct	ggtacattag	atccccgctt	accgcgggca	8700
atatagcaac	actaaaaact	cgatgtactt	ccgaggaagc	gcagtgcata	atgctgcgca	8760




gtgttgccac	ataaccacta	tattaaccat	ttatctagcg	gacgccaaaa	actcaatgta	8820
tttctgagga	agcgtggtgc	ataatgccac	gcagcgtctg	cataactttt	attatttctt	8880
ttattaatca	acaaaatttt	gtttttaaca	tttcaaaaaa	aaaaaaaaaa	aaaaaaaaaa	8940
aaaaaaaaaa	agggaattcc	tcgattaatt	aagcggccgc	tcgaggggaa	ttaattcttg	9000
aagacgaaag	ggccaggtgg	cacttttcgg	ggaaatgtgc	gcggaacccc	tatttgttta	9060
tttttctaaa	tacattcaaa	tatgtatccg	ctcatgagac	aataaccctg	ataaatgctt	9120
caataatccc	tcgtccacgt	ggcatctcga	gacctttatt	ccaaggcgtc	gaaccactga	9180
cgactaccct	gtactcaggg	cttaagccat	ccaacgaact	caccactgtt	gctacccccc	9240
tcattatgct	agtcctacta	agggcatggc	tagcctcttt	tcggccttcg	ctgagaggga	9300
tttgttccct	aggcctaatt	attatttta	attgcccaat	acgtatacga	gtgccttttc	9360
taattctcgt	atactatagt	gagtcgtatt	atctagccgc	ccgggccgtc	gaccaattct	9420
catgtttgac	agcttatcat	cgaatttctg	ccattcatcc	gcttattatc	acttattcag	9480
gcgtagcaac	caggcgttta	agggcaccaa	taactgcctt	aaaaaaatta	cgcccgccc	9540
tgccactcat	cgcagtactg	ttgtaattca	ttaagcattc	tgccgacatg	gaagccatca	9600
caaacggcat	gatgaacctg	aatcgccagc	ggcatcagca	ccttgtcgcc	ttgcgtataa	9660
tatttgccca	tggtgaaaac	gggggcgaag	aagttgtcca	tattggccac	gtttaaatca	9720
aaactggtga	aactcaccca	gggattggct	gagacgaaaa	acatattctc	aataaaccct	9780
ttagggaaat	aggccaggt t	ttcaccgtaa	cacgccacat	cttgcgaata	tatgtgtaga	9840
aactgccgga	aatcgtcgtg	gtattcactc	cagagcgatg	aaaacgtttc	agtttgctca	9900
tggaaaacgg	tgtaacaagg	gtgaacacta	tcccatatca	ccagctcacc	gtctttcatt	9960
gccatacgga	attccggatg	agcattcatc	aggcgggcaa	gaatgtgaat	aaaggccgga	10020
taaaacttgt	gcttattttt	ctttacggtc	tttaaaaagg	ccgtaatatc	cagctgaacg	10080
gtctggttat	aggtacattg	agcaactgac	tgaaatgcct	caaaatgttc	tttacgatgc	10140
cattgggata	tatcaacggt	ggtatatcca	gtgattttt	tctccatttt	agcttcctta	10200



gctcctgaaa	atctcgataa	ctcaaaaaaat	acgcccggta	gtgatcttat	ttcattatgg	10260
tgaaagttgg	aacctcttac	gtgccgatca	acgtctcatt	ttcgccaaaa	gttggcccag	10320
ggcttcccgg	tatcaacagg	gacaccagga	tttatttatt	ctgcgaagtg	atcttccgtc	10380
acaggtattt	attcgcgata	agctcatgga	gcggcgtaac	cgtcgcacag	gaaggacaga	10440
gaaagcgcgg	atctgggaag	tgacggacag	aacggtcagg	acctggattg	gggaggcggt	10500
tgccgccgct	gctgctgacg	gtgtgacgtt	ctctgttccg	gtcacaccac	atacgttccg	10560
ccattcctat	gcgatgcaca	tgctgtatgc	cggtataccg	ctgaaagttc	tgcaaagcct	10620
gatgggacat	aagtccatca	gttcaacgga	agtctacacg	aaggttttg	cgctggatgt	10680
ggctgcccgg	caccgggtgc	agtttgcgat	gccggagtct	gatgcggttg	cgatgctgaa	10740
acaattatcc	tgagaataaa	tgccttggcc	tttatatgga	aatgtggaac	tgagtggata	10800
tgctgttttt	gtctgttaaa	cagagaagct	ggctgttatc	cactgagaag	cgaacgaaac	10860
agt cgggaaa	atctcccatt	atcgtagaga	tccgcattat	taatctcagg	agcctgtgta	10920
gcgtttatag	gaagtagtgt	tctgtcatga	tgcctgcaag	cggtaacgaa	aacgatttga	10980
atatgccttc	aggaacaata	gaaatcttcg	tgcggtgtta	cgttgaagtg	gagcggatta	11040
tgtcagcaat	ggacagaaca	acctaatgaa	cacagaacca	tgatgtggtc	tgtcctttta	11100
cagccagtag	tgctcgccgc	agtcgagcga	cagggcgaag	ccctcgagtg	agcgaggaag	11160
caccagggaa	cagcacttat	atattctgct	tacacacgat	gcctgaaaaa	acttcccttg	11220
gggttatcca	cttatccacg	gggatatttt	tataattatt	ttttttatag	tttttagatc	11280
ttctttttta	gagcgccttg	taggccttta	tccatgctgg	ttctagagaa	ggtgttgtga	11340
caaattgccc	tttcagtgtg	acaaatcacc	ctcaaatgac	agtcctgtct	gtgacaaatt	11400
gcccttaacc	ctgtgacaaa	ttgccctcag	aagaagctgt	tttttcacaa	agttatccct	11460
gcttattgac	tcttttttat	ttagtgtgac	aatctaaaaa	cttgtcacac	ttcacatgga	11520
tctgtcatgg	cggaaacagc	ggttatcaat	cacaagaaac	gtaaaaatag	cccgcgaatc	11580
gtccagtcaa	acgacctcac	tgaggcggca	tatagtctct	cccgggatca	aaaacgtatg	11640
ctgtatctgt	tcgttgacca	gatcagaaaa	tctgatggca	ccctacagga	acatgacggt	11700








gtgatgtgtt	tggtacgcga	ttgcgacgtg	ctgaagacgt	atttccaccg	gtgatcgggg	13200
ttgctgccca	taaaggtggc	gtttacaaaa	cctcagtttc	tgttcatctt	gctcaggatc	13260
tggctctgaa	ggggctacgt	gttttgctcg	tggaaggtaa	cgacccccag	ggaacagcct	13320
caatgtatca	cggatgggta	ccagatcttc	atattcatgc	agaagacact	ctcctgcctt	13380
tctatcttgg	ggaaaaggac	gatgtcactt	atgcaataaa	gcccacttgc	tggccggggc	13440
ttgacattat	tccttcctgt	ctggctctgc	accgtattga	aactgagtta	atgggcaaat	13500
ttgatgaagg	taaactgccc	accgatccac	acctgatgct	ccgactggcc	attgaaactg	13560
ttgctcatga	ctatgatgtc	atagttattg	acagcgcgcc	taacctgggt	atcggcacga	13620
ttaatgtcgt	atgtgctgct	gatgtgctga	ttgttcccac	gcctgctgag	ttgtttgact	13680
acacctccgc	actgcagttt	ttcgatatgc	ttcgtgatct	gctcaagaac	gttgatctta	13740
aagggttcga	gcctgatgta	cgtattttgc	ttaccaaata	cagcaatagt	aatggctctc	13800
agtccccgtg	gatggaggag	caaattcggg	atgcctgggg	aagcatggtt	ctaaaaaatg	13860
ttgtacgtga	aacggatgaa	gttggtaaag	gtcagatccg	gatgagaact	gtttttgaac	13920
aggccattga	tcaacgctct	tcaactggtg	cctggagaaa	tgctctttct	atttgggaac	13980
ctgtctgcaa	tgaaattttc	gatcgtctga	ttaaaccacg	ctgggagatt	agataatgaa	14040
gcgtgcgcct	gttattccaa	aacatacgct	caatactcaa	ccggttgaag	atacttcgtt	14100
atcgacacca	gctgccccga	tggtggattc	gttaattgcg	cgcgtaggag	taatggctcg	14160
cggtaatgcc	attactttgc	ctgtatgtgg	tcgggatgtg	aagtttactc	ttgaagtgct	14220
ccggggtgat	agtgttgaga	agacctctcg	ggtatggtca	ggtaatgaac	gtgaccagga	14280
gctgcttact	gaggacgcac	tggatgatct	catcccttct	tttctactga	ctggtcaaca	14340
gacaccggcg	ttcggtcgaa	gagtatctgg	tgtcatagaa	attgccgatg	ggagtcgccg	14400
tcgtaaagct	gctgcactta	ccgaaagtga	ttatcgtgtt	ctggttggcg	agctggatga	14460
tgagcagatg	gctgcattat	ccagattggg	taacgattat	cgcccaacaa	gtgcttatga	14520
acgtggtcag	cgttatgcaa	gccgattgca	gaatgaattt	gctggaaata	tttctgcgct	14580
ggctgatgcg	gaaaatattt	cacgtaagat	tattacccgc	tgtatcaaca	ccgccaaatt	14640



gcctaaatca	gttgttgctc	ttttttctca	ccccggtgaa	ctatctgccc	ggtcaggtga	14700
tgcacttcaa	aaagccttta	cagataaaga	ggaattactt	aagcagcagg	catctaacct	14760
tcatgagcag	aaaaaagctg	gggtgatatt	tgaagctgaa	gaagttatca	ctcttttaac	14820
ttctgtgctt	aaaacgtcat	ctgcatcaag	aactagttta	agctcacgac	atcagtttgc	14880
tcctggagcg	acagtattgt	ataagggcga	taaaatggtg	cttaacctgg	acaggtctcg	14940
tgttccaact	gagtgtatag	agaaaattga	ggccattctt	aaggaacttg	aaaagccagc	15000
accctgatgc	gaccacgttt	tagtctacgt	ttatctgtct	ttacttaatg	tcctttgtta	15060
caggccagaa	agcataactg	gcctgaatat	tctctctggg	cccactgttc	cacttgtatc	15120
gtcggtctga	taatcagact	gggaccacgg	tcccactcgt	atcgtcggtc	tgattattag	15180
tctgggacca	cggtcccact	cgtatcgtcg	gtctgattat	tagtctggga	ccacggtccc	15240
actcgtatcg	tcggtctgat	aatcagactg	ggaccacggt	cccactcgta	tcgtcggtct	15300
gattattagt	ctgggaccat	ggtcccactc	gtatcgtcgg	tctgattatt	agtctgggac	15360
cacggtccca	ctcgtatcgt	cggtctgatt	attagtctgg	aaccacggtc	ccactcgtat	15420
cgtcggtctg	attattagtc	tgggaccacg	gtcccactcg	tatcgtcggt	ctgattatta	15480
gtctgggacc	acgatcccac	tcgtgttgtc	ggtctgatta	tcggtctggg	accacggtcc	15540
cacttgtatt	gtcgatcaga	ctatcagcgt	gagactacga	ttccatcaat	gcctgtcaag	15600
ggcaagtatt	gacatgtcgt	cgtaacctgt	agaacggagt	aacctcggtg	tgcggttgta	15660
tgcctgctgt	ggattgctgc	tgtgtcctgc	ttatccacaa	cattttgcgc	acggttatgt	15720
ggacaaaata	cctggttacc	caggccgtgc	cggcacgtta	accgggctgc	atccgatgca	15780
agtgtgtcgc	tgtcgacgag	ctcgcgagct	cggacatgag	gttgccccgt	attcagtgtc	15840
gctgatttgt	attgtctgaa	gttgttttta	cgttaagttg	atgcagatca	attaatacga	15900
tacctgcgtc	ataattgatt	atttgacgtg	gtttgatggc	ctccacgcac	gttgtgatat	15960
gtagatgata :	atcattatca	ctttacgggt	cctttccggt	gatccgacag	gttacggggc	16020
ggcgacctcg	cgggttttcg	ctatttatga	aaattttccg	gtttaaggcg	tttccgttct	16080





tcttcgtcat	aacttaatgt	ttttatttaa	aataccctct	gaaaagaaag	gaaacgacag	16140
gtgctgaaag	cgagcttttt	ggcctctgtc	gtttcctttc	tctgtttttg	tccgtggaat	16200
gaacaatgga	agtccgagct	catcgctaat	aacttcgtat	agcatacatt	atacgaagtt	16260
atattcgatg	cggccgctga	ggtctgcctc	gtgaagaagg	tgttgctgac	tcataccagg	16320
gctgaatcgc	cccatcatcc	agccagaaag	tgagggagcc	acggttgatg	agagctttgt	16380
tgtaggtgga	ccagttggtg	attttgaact	tttgctttgc	cacggaacgg	tctgcgttgt	16440
cgggaagatg	cgtgatctga	tccttcaact	cagcaaaagt	tcgatttatt	caacaaagcc	16500
acgtgtctca	aaatctctga	tgttacattg	cacaagataa	aaatatatca	tcatgaacaa	16560
taaaactgtc	tgcttacata	aacagtaata	caaggggtgt	tatgagccat	attcaacggg	16620
aaacgtcttg	ctcgacgatg	ataagctgtc	aaacatgaga	attgggtcgt	caatatgcta	16680
aaacgcggca	taccccgcgt	attcccacta	gttaattaac	ctgcaggggg	ctgttagagg	16740
tcttccctag	tccaactata	gcgtatggac	atattgtcgt	tagaacgcgg	ctacaattaa	16800
tacataacct	tatgtatcat	acacatacga	tttaggggac	actatag	,	16847

<210> 43

<211> 18563

<212> DNA

<213> . Artificial Sequence

<220>

<223> sequence for pBACsp6/JVFL/XhoI

<400> 43

agaagtttat ctgtgtgaac ttcttggctt agtatcgttg agaagaatcg agagattagt 60 gcagtttaaa cagttttta gaacggaaga taaccatgac taaaaaaacca ggagggcccg 120 gtaaaaaccg ggctatcaat atgctgaaac gcggcctacc ccgcgtattc ccactagtgg 180 gagtgaagag ggtagtaatg agcttgttgg acggcagagg accagtacgt ttcgtgctgg 240 ctcttatcac gttcttcaag tttacagcat tagccccgac caaggcgctt ttaggccgat 300 ggaaagcagt ggaaaagagt gtggcaatga aacatcttac tagtttcaaa cgagaacttg 360



gaacactcat	tgacgccgtg	aacaagcggg	gcagaaagca	aaacaaaaga	ggaggaaatg	420
				agcttgtgta		480
agttgtcaaa	tttccaaggg	aagcttttga	tgaccattaa	caacacggac	attgcagacg	540
tcatcgtgat	tcctacctca	aaaggagaga	acagatgctg	ggtccgggca	atcgatgtcg	600
gctacatgtg	tgaggacact	atcacgtacg	aatgtcctaa	gcttaccatg	ggcaatgatc	660
cagaggatgt	ggattgctgg	tgtgacaacc	aagaagtcta	cgtccaatat	ggacggtgca	720
cgcggaccag	gcattccaag	cgaagcagga	ggtccgtgtc	ggtccaaaca	catggggaga	780
gttcactagt	gaataaaaaa	gaggcttggc	tggattcaac	gaaagccaca	cgatatctca	840
tgaaaactga	gaactggatc	ataaggaatc	ctggctatgc	tttcctggcg	gcggtacttg	900
gctggatgct	tggcagtaac	aatggtcaac	gcgtggtgtt	taccatcctc	ctgctgttgg	960
tcgctccggc	ttacagtttt	aattgtctgg	gaatgggcaa	ccgtgacttc	atagaaggag	1020
ccagtggagc	cacttgggtg	gacttagtgc	tagaaggaga	tagctgcttg	acaatcatgg	1080
caaacgacaa	accaacattg	gacgtccgca	tgattaacat	cgaagccagc	caacttgctg	1140
aggtcagaag	ctactgctat	catgcttcag	tcactgacat	ctcgacggtg	gctcggtgcc	1200
ccacgactgg	agaagcccac	aacgagaagc	gagctgatag	tagctatgtg	tgcaaacaag	1260
gtttcactga	tcgtgggtgg	ggcaacggat	gtggactttt	cgggaaggga	agcattgaca	1320
catgtgcaaa	attctcctgc	accagtaagg	cgattgggag	aacaatccag	ccagaaaaca	1380
tcaaatacga	agttggcatt	tttgtgcatg	gaaccaccac	ctcggaaaac	catgggaatt	1440
attcagcgca	agtaggggcg	tcccaggcgg	caaagtttac	agtaacaccc	aatgctcctt	1500
cgataaccct	caaacttggt	gactacggag	aagtcacact	ggactgtgaa	ccaaggagtg	1560
gactgaacac	tgaagcgttt	tacgtcatga	ccgtggggtc	aaagtcattt	ctggtccata	1620
gggaatggtt	tcatgacctc	gctctcccct	ggacgtcccc	ttcgagcaca	gcgtggagaa	1680
acagagaact	cctcatggaa	tttgaagagg	cgcacgccac	aaaacagtcc	gttgttgctc	1740
				agccatcgtg		1800
caagctcagt	gaagttaaca	tcaggccacc	tgaaatgtag	gctgaaaatg	gacaaactgg	1860



ctctgaaagg	cacaacctat	ggcatgtgta	cagaaaaatt	ctcgttcgcg	aaaaatccgg	1920
cggacactgg	ccacggaaca	gttgtcattg	aactctccta	ttctgggagt	gatggcccct	1980
gcaaaattcc	gattgtctcc	gttgcgagcc	tcaatgacat	gacccccgtt	gggcggctgg	2040
tgacagtgaa	cccttcgtc	gcgacttcca	gtgccaactc	aaaggtgctg	gtcgagatgg	2100
aaccccctt	cggagactcc	tacatcgtag	ttggaagggg	agacaagcag	atcaaccacc	2160
attggcataa	agctggaagc	acgctgggca	aggcttttc	aacaactttg	aagggagctc	2220
aaagactggc	agcgttgggc	gacacagcct	gggactttgg	ctctattgga	ggggtcttca	2280
actccatagg	aaaggccgtt	caccaagtgt	ttggtggcgc	tttcagaaca	ctctttgggg	2340
gaatgtcttg	gatcacacaa	gggttaatgg	gtgccctact	actctggatg	ggcatcaacg	2400
cacgagatcg	atcaattgct	ttggccttct	tggccacagg	aggtgtgctc	gtgttcttag	2460
cgaccaatgt	gcatgctgac	actggatgtg	ccattgacat	cgcaagaaaa	gagatgagat	2520
gcggaagtgg	catcttcgtg	cacaacgacg	tggaagcctg	ggtggatagg	tataaatatt	2580
tgccagaaac	gcccagatcc	ctagcgaaga	tcgtccacaa	agcgcacaag	gaaggcgtgt	2640
gcggagtcag	atctgtcact	agactggagc	accaaatgtg	ggaagccgtg	cgggacgaat	2700
tgaacgtcct	gctcaaagag	aatgcagtgg	acctcagtgt	ggttgtgaac	aagcccgtgg	2760
ggagatatcg	ctcagcccca	aaacgcctgt	ccatgacgca	agagaagttt	gaaatgggct	2820
ggaaagcatg	gggaaaaagc	attctctttg	ccccggaatt	ggctaactcc	acatttgttg	2880
tagatggacc	tgagacaaag	gaatgtcctg	atgagcacag	agcctggaac	agcatgcaaa	2940
tcgaagactt	cggctttggt	atcacatcaa	cccgtgtgtg	gctgaagatt	agagaggaaa	3000
gcactgacga	gtgtgatgga	gcgatcatag	gcacagctgt	caaaggacat	gtggcagttc	3060
atagtgactt	gtcgtactgg	attgagagtc	gctacaacga	cacatggaaa	cttgagaggg	3120
cagtctttgg	agaggtcaaa	tcttgcactt	ggccagagac	acacactctt	tggggagatg	3180
gtgttgagga	aagtgaactc	atcatcccgc	ataccatagc	cggaccaaaa	agcaagcaca	3240
atcggaggga	agggtacaaa	acacaaaacc	agggaccttg	ggacgaaaac	ggcatagtct	3300



tggactttga t	tattgccca	gggacaaaag	tcaccatcac	agaggattgt	ggcaagagag	3360
gcccttcggt c	agaaccact	actgacagtg	gaaagttgat	tactgactgg	tgctgtcgca	3420
gttgctccct to	ccgccccta	cgattccgga	cagaaaatgg	ctgctggtac	ggaatggaaa	3480
tcagacctgt ta	aggcatgat	gaaacaacac	tcgtcagatc	acaggttgat	gctttcaatg	3540
gtgaaatggt t	gaccctttt	cagctgggcc	ttctggtgat	gtttctggcc	acccaggagg	3600
tccttcgcaa ga	aggtggacg	gccagattga	ccattcctgc	ggttttgggg	gccctgcttg	3660
tgctgatgct tg	ggggcatc	acttacactg	atttggcgag	gtatgtggtg	ctagtcgctg	3720
ctgctttcgc ag	gaggccaat	aatggaggag	acgtcctgca	ccttgctttg	attgccgttt	3780
ttaagatcca ad	cagctttt	ctagtgatga	acatgcttag	cacgagatgg	acgaaccaag	3840
aaaacgtggt co	tggtccta	ggggctgcct	tctttcaatt	ggcctcagta	gatctgcaaa	3900
teggagteca eg	gaatcctg	aatgccgccg	ctatagcatg	gatgattgtt	cgagcgatca	3960
ccttccccac aa	ectcctcc	gtcaccatgc	cagtcttagc	gcttctaact	ccgggaatga	4020
gggctctata co	tagacact	tacagaatca	tccttctcgt	catagggatt	tgctccctgc	4080
tgcaagagag ga	aaaagacc	atggcaaaaa	agaaaggagc	tgtactcttg	ggcttagcgc	4140
tcacatccac tg	gatggttc	tcgcccacca	ccatagctgc	tggactaatg	gtctgcaacc	4200
caaacaagaa ga	gagggtgg	ccagctactg	agtttctgtc	ggcagtcgga	ttgatgtttg	4260
ccatcgtagg tg	gtttggcc	gagttggata	ttgaatccat	gtcaataccc	ttcatgctgg	4320
caggictiat gg	cagtgtcc	tacgtagtgt	caggaaaagc	aacagatatg	tggctcgaac	4380
gggccgccga ca	tcagctgg	gagatggatg	ctgcaatcac	aggaagcagt	cggaggctgg	4440
atgtgaaact gg	atgatgac	ggagattttc	acttgattga	tgatcccggc	gttccatgga	4500
aagtttgggt ct	tgcgcatg	tcttgcattg	gcttagccgc	cctcacgcct	tgggccattg	4560
ttcccgccgc tt	tcggttac	tggctcactt	taaaaacaac	aaaaagaggg	ggcgtgtttt	4620
gggacacgcc ato	cccgaaa	ccttgcttaa	aaggagacac	cactacagga	gtctaccgaa	4680
tcatggctag agg	ggattett į	ggcacctacc	aggctggcgt	cggagtcatg	tacgagaatg	4740
ttttccacac aci	tatggcac a	acaactagag	gggcagccat	tatgagtgga	gaaggaaaat	4800





tgacgccata	ctggggtagc	gtgaaagaag	accgcatagc	ttacggaggc	ccatggagat	4860
ttgatcgaaa	atggaatgga	acagatgacg	tgcaagtgat	cgtggtagaa	ccggggaagg	4920
ctgcggtaaa	catccagaca	aaaccaggag	tgtttcggac	ccccttcggg	gaggttgggg	4980
ctgttagcct	ggattacccg	cgaggaacat	ccggctcacc	cattctggat	tccaatggag	5040
acatcatagg	cctatacggc	aatggagttg	agcttggcga	tggctcatac	gtcagcgcca	5100
tcgtgcaggg	tgaccgtcag	gaggaaccag	tcccagaagc	ttacactcca	aacatgttaa	5160
gaaagagaca	gatgactgtg	ttagatttgc	accctggttc	agggaaaacc	aggaaaattc	5220
tgccacaaat	aattaaggat	gcaatccagc	agcgcctaag	aacagctgtg	ttggcaccga	5280
cgcgggtggt	agcagcagaa	atggcagaag	ctttgagagg	gctcccagta	cgataccaaa	5340
cttcagcagt	gcagagagag	caccaaggga	atgaaatagt	ggatgtgatg	tgccacgcca	5400
ctctgaccca	cagattgatg	tcaccgaaca	gagtgcccaa	ctacaatctg	tttgtcatgg	5460
atgaagctca	tttcaccgac	ccagccagca	tagccgcacg	aggatacatc	gctaccaagg	5520
tggaattagg	agaggcagca	gccatcttta	tgacagcgac	cccgcctgga	accacggatc	5580
cttttcccga	ctcaaatgcc	ccaatccatg	atttacaaga	tgagatacca	gacagggcat	5640
ggagcagtgg	atacgaatgg	atcacagaat	atgcgggtaa	aaccgtgtgg	tttgtggcga	5700
gcgtaaaaat	ggggaatgag	attgcaatgt	gcctccaaag	agcgggaaaa	aaggtcatcc	5760
aactcaaccg	caagtcctat	gacacagaat	acccaaaatg	taagaatgga	gactgggatt	5820
ttgtcattac	caccgacatc	tctgaaatgg	gggctaactt	cggtgcgagc	agggtcatcg	5880
actgcagaaa	gagcgtgaaa	cccaccatct	tagaagaggg	agaaggcaga	gtcatcctcg	5940
gaaacccatc	tcccataacc	agtgctagcg	cagctcaacg	gaggggcaga	gtaggcagaa	6000
accccaacca	agttggagat	gaataccatt	atggaggggc	taccagtgaa	gatgacagta	6060
acctagccca	ttggacagag	gcaaagatca	tgttagacaa	catacacatg	cccaatgggc	6120
tggtggccca į	gctctatgga	ccagagaggg	aaaaggcttt	cacaatggat	ggcgaatacc	6180
gtctcagggg	tgaagaaaag	aaaaacttct	tagagetget	taggacggct	gaccttccgg	6240



tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga aagtggtgtt 6300 ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag atagtcaccc 6360 ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta tacgcagatc 6420 accaagccct caagtggttc aaagactttg cagcaggaaa gagatcggcc gttagcttca 6480 tagaggtgct cggtcgcatg cctgagcatt tcatgggaaa gacgcgggaa gctttagaca 6540 ccatgtactt ggtcgcaacg gctgagaaag gtgggaaggc acaccgaatg gctctcgaag 6600 agttgccgga tgcactggaa accatcacac ttattgttgc catcactgta atgacaggag 6660 gattetteet actaatgatg cagegaaagg gtatagggaa gatgggtett ggagetetag 6720 tgctcacgct agctaccttc ttcctgtggg cggcagaggt tcctggaacc aaaatagcag 6780 ggaccctgct gatcgccctg ctgctgatgg tggttctcat cccagaaccg gaaaaacaga 6840 ggtcacagac agacaaccaa ctagcggtgt ttctcatctg cgtcttgacc gtggttggag 6900 tggtggcagc aaacgagtac gggatgctag aaaaaaccaa agcagatctc aagagcatgt 6960 ttggcggaaa gacacaggca tcaggactga ctggattgcc aagcatggca ctggacctgc 7020 gtccagccac agcctgggca ctgtatgggg ggagcacagt tgtgctaacc cctcttctga 7080 agcacctgat cacgtcggaa tatgtcacca catcgctagc ctcaattaac tcacaagctg 7140 gctcattatt cgtcttgcca cgaggcgtgc ctttcaccga tctagacctg accgttggcc 7200 tegicticet tggetgetgg ggicaaatea eesteacaae gittitgaea gecatggite 7260 tggcgacact tcactatggg tacatgctcc ctggatggca agcagaagca ctcagggctg 7320 cccagagaag gacggcggct ggaataatga agaatgccgt tgttgacgga atggtcgcca 7380 ctgatgtgcc tgaactggaa aggactactc ctctgatgca aaagaaagtc ggacaggtgc 7440 tecteatagg ggtgagegtg geagegttte tegteaacce taatgteacc actgtgagag 7500 aagcaggggt gttggtgacg gcggctacgc tcaccttgtg ggataatgga gccagtgccg 7560 tttggaattc caccacagcc acgggactct gccatgtcat gcgaggtagc tacctggctg 7620 gaggetetat tgettggaet ettateaaga aegetgaeaa geeeteettg aaaaggggaa 7680 ggcctggggg caggacgcta gggaggagcagt ggaaggaaaa actaaatgcc atgagcagag 7740







gagagaattc	aggaggtgga	gtagaaggct	caggcgtcca	aaagttggga	tacatcctcc	9240
gtgacatagc	aggaaagcaa	ggagggaaaa	tgtacgctga	tgacaccgcc	gggtgggaca	9300
ctagaattac	tagaactgat	ttagaaaatg	aagctaaggt	gctggagctc	ctagatggtg	9360
aacaccgcat	gctcgcccgg	gccataattg	aactgactta	caggcacaaa	gtggtcaagg	9420
tcatgagacc	tgcagcagaa	ggaaagaccg	tgatggacgt	gatatcaaga	gaagaccaaa	9480
gggggagtgg	acaggtggtc	acttatgctc	tcaacacttt	cacgaacatc	gctgtccagc	9540
tcgttaggct	gatggaggct	gagggggtca	ttgggccaca	acacttggaa	cagctgccta	9600
ggaaaaacaa	gatagctgtc	aggacttggc	tctttgagaa	tggagaggag	agagtgacca	9660
ggatggcgat	cagcggagac	gactgtgtcg	tcaagccgct	ggacgacaga	ttcgccacgg	9720
				catccaggaa		9780
				taaccacttt		9840
tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	ctgataggca	9900
				cacagcttgc		9960
				ggacctgcgt		10020
				aggcaggaca		10080
				gcaggtctgg		10140
				cacaagctgg		10200
				categgaacg		10260
				tagagctgtc		10320
				agacgtcttg		10380
acagggtcat						10440
gtatatggag						10500
gtctcagtcc						10560
gaaccgtctc g						10620
aatttgtgcc a						10680
					-000 + + 4004	10000



aagccgttga	ggcccccacg	gcccaagcct	cgtctaggat	gcaatagacg	aggtgtaagg	10740
actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	ccctcgaagc	10800
tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	caaacagcat	10860
attgacacct	gggaatagac	tgggagatct	tctgctctat	ctcaacatca	gctactaggc	10920
acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	caggateteg	agcggccgcg	10980
gaccgactag	cctctttcg	gccttcgctg	agagggattt	gttccctagg	cctaattatt	11040
atttttaatt	gcccaatacg	tatacgagtg	ccttttctaa	ttctcgtata	ctatagtgag	11100
tcgtattatc	tagccgcccg	ggccgtcgac	caattctcat	gtttgacagc	ttatcatcga	11160
atttctgcca	ttcatccgct	tattatcact	tattcaggcg	tagcaaccag	gcgtttaagg	11220
gcaccaataa	ctgccttaaa	aaaattacgc	cccgccctgc	cactcatcgc	agtactgttg	11280
taattcatta	agcattctgc	cgacatggaa	gccatcacaa	acggcatgat	gaacctgaat	11340
cgccagcggc	atcagcacct	tgtcgccttg	cgtataatat	ttgcccatgg	tgaaaacggg	11400
ggcgaagaag	ttgtccatat	tggccacgtt	taaatcaaaa	ctggtgaaac	tcacccaggg	11460
attggctgag	acgaaaaaca	tattctcaat	aaacccttta	gggaaatagg	ccaggttttc	11520
accgtaacac	gccacatctt	gcgaatatat	gtgtagaaac	tgccggaaat	cgtcgtggta	11580
ttcactccag	agcgatgaaa	acgtttcagt	ttgctcatgg	aaaacggtgt	aacaagggtg	11640
aacactatcc	catatcacca	gctcaccgtc	tttcattgcc	atacggaatt	ccggatgagc	11700
attcatcagg	cgggcaagaa	tgtgaataaa	ggccggataa	aacttgtgct	tatttttctt	11760
tacggtcttt	aaaaaggccg	taatatccag	ctgaacggtc	tggttatagg	tacattgagc	11820
aactgactga	aatgcctcaa	aatgttcttt	acgatgccat	tgggatatat	caacggtggt	11880
atatccagtg	attttttct	ccattttagc	ttccttagct	cctgaaaatc	tcgataactc	11940
aaaaaatacg	cccggtagtg	atcttatttc	attatggtga	aagttggaac	ctcttacgtg	12000
ccgatcaacg	tctcattttc	gccaaaagtt	ggcccagggc	ttcccggtat	caacagggac	12060
accaggattt	atttattctg	cgaagtgatc	ttccgtcaca	ggtatttatt	cgcgataagc	12120



tcatggagcg	gcgtaaccgt	cgcacaggaa	ggacagagaa	agcgcggatc	tgggaagtga	12180
cggacagaac	ggtcaggacc	tggattgggg	aggcggttgc	cgccgctgct	gctgacggtg	12240
tgacgttctc	tgttccggtc	acaccacata	cgttccgcca	ttcctatgcg	atgcacatgc	12300
tgtatgccgg	tataccgctg	aaagttctgc	aaagcctgat	gggacataag	tccatcagtt	12360
caacggaagt	ctacacgaag	gtttttgcgc	tggatgtggc	tgcccggcac	cgggtgcagt	12420
ttgcgatgcc	ggagtctgat	gcggttgcga	tgctgaaaca	attatcctga	gaataaatgc	12480
cttggccttt	atatggaaat	gtggaactga	gtggatatgc	tgtttttgtc	tgttaaacag	12540
agaagctggc	tgttatccac	tgagaagcga	acgaaacagt	cgggaaaatc	tcccattatc	12600
gtagagatcc	gcattattaa	tctcaggagc	ctgtgtagcg	tttataggaa	gtagtgttct	12660
gtcatgatgc	ctgcaagcgg	taacgaaaac	gatttgaata	tgccttcagg	aacaatagaa	12720
atcttcgtgc	ggtgttacgt	tgaagtggag	cggattatgt	cagcaatgga	cagaacaacc	12780
taatgaacac	agaaccatga	tgtggtctgt	ccttttacag	ccagtagtgc	tcgccgcagt	12840
cgagcgacag	ggcgaagccc	tcgagtgagc	gaggaagcac	cagggaacag	cacttatata	12900
ttctgcttac	acacgatgcc	tgaaaaaact	tcccttgggg	ttatccactt	atccacgggg	12960
atattttat	aattatttt	tttatagttt	ttagatette	ttttttagag	cgccttgtag	13020
gcctttatcc	atgctggttc	tagagaaggt	gttgtgacaa	attgcccttt	cagtgtgaca	13080
aatcaccctc	aaatgacagt	cctgtctgtg	acaaattgcc	cttaaccctg	tgacaaattg	13140
ccctcagaag	aagctgtttt	ttcacaaagt	tatccctgct	tattgactct	tttttattta	13200
gtgtgacaat	ctaaaaactt	gtcacacttc	acatggatct	gtcatggcgg	aaacagcggt	13260
tatcaatcac	aagaaacgta	aaaatagccc	gcgaatcgtc	cagtcaaacg	acctcactga	13320
ggcggcatat	agtctctccc	gggatcaaaa	acgtatgctg	tatctgttcg	ttgaccagat	13380
cagaaaatct	gatggcaccc	tacaggaaca	tgacggtatc	tgcgagatcc	atgttgctaa	13440
atatgctgaa	atattcggat	tgacctctgc	ggaagccagt	aaggatatac	ggcaggcatt	13500
gaagagtttc	gcggggaagg	aagtggtttt	ttatcgccct	gaagaggatg	ccggcgatga	13560
aaaaggctat	gaatctttc	cttggtttat	caaacgtgcg	cacagtccat	ccagagggct	13620



ttacagtgta	catatcaacc	catatctcat	tcccttcttt	atcgggttac	agaaccggtt	13680
tacgcagttt	cggcttagtg	aaacaaaaga	aatcaccaat	ccgtatgcca	tgcgtttata	13740
cgaatccctg	tgtcagtatc	gtaagccgga	tggctcaggc	atcgtctctc	tgaaaatcga	13800
ctggatcata	gagcgttacc	agctgcctca	aagttaccag	cgtatgcctg	acttccgccg	13860
ccgcttcctg	caggtctgtg	ttaatgagat	caacagcaga	actccaatgc	gcctctcata	13920
cattgagaaa	aagaaaggcc	gccagacgac	tcatatcgta	ttttccttcc	gcgatatcac	13980
ttccatgacg	acaggatagt	ctgagggtta	tctgtcacag	atttgagggt	ggttcgtcac	14040
atttgttctg	acctactgag	ggtaatttgt	cacagttttg	ctgtttcctt	cagcctgcat	14100
ggattttctc	atactttttg	aactgtaatt	tttaaggaag	ccaaatttga	gggcagtttg	14160
tcacagttga	tttccttctc	tttcccttcg	tcatgtgacc	tgatatcggg	ggttagttcg	14220
tcatcattga	tgagggttga	ttatcacagt	ttattactct	gaattggcta	tccgcgtgtg	14280
tacctctacc	tggagttttt	cccacggtgg	atatttcttc	ttgcgctgag	cgtaagagct	14340
atctgacaga	acagttcttc	tttgcttcct	cgccagttcg	ctcgctatgc	tcggttacac	14400
ggctgcggcg	agcgctagtg	ataataagtg	actgaggtat	gtgctcttct	tatctccttt	14460
tgtagtgttg	ctcttatttt	aaacaacttt	gcggttttt	gatgactttg	cgattttgtt	14520
gttgctttgc	agtaaattgc	aagatttaat	aaaaaaacgc	aaagcaatga	ttaaaggatg	14580
ttcagaatga	aactcatgga	aacacttaac	cagtgcataa	acgctggtca	tgaaatgacg	14640
aaggctatcg	ccattgcaca	gtttaatgat	gacagcccgg	aagcgaggaa	aataacccgg	14700
cgctggagaa	taggtgaagc	agcggattta	gttggggttt	cttctcaggc	tatcagagat	14760
gccgagaaag	cagggcgact	accgcacccg	gatatggaaa	ttcgaggacg	ggttgagcaa	14820
cgtgttggtt	atacaattga	acaaattaat	catatgcgtg	atgtgtttgg	tacgcgattg	14880
cgacgtgctg	aagacgtatt	tccaccggtg	atcggggttg	ctgcccataa	aggtggcgtt	14940
tacaaaacct	cagtttctgt	tcatcttgct	caggatctgg	ctctgaaggg	gctacgtgtt	15000
ttgctcgtgg	aaggtaacga	ccccaggga	acagcctcaa	tgtatcacgg	atgggtacca	15060



gatcttcata ttcatgcaga agac	actete etgeetttet	atcttgggga	aaaggacgat	15120
gtcacttatg caataaagcc cact	tgctgg ccggggcttg	acattattcc	ttcctgtctg	15180
gctctgcacc gtattgaaac tgag	ttaatg ggcaaatttg	atgaaggtaa	actgcccacc	15240
gatccacacc tgatgctccg actg	gccatt gaaactgttg	ctcatgacta	tgatgtcata	15300
gttattgaca gcgcgcctaa cctg	ggtatc ggcacgatta	atgtcgtatg	tgctgctgat	15360
gtgctgattg ttcccacgcc tgct	gagtig titgactaca	cctccgcact	gcagtttttc	15420
gatatgcttc gtgatctgct caag	aacgtt gatcttaaag	ggttcgagcc	tgatgtacgt	15480
attttgctta ccaaatacag caat	agtaat ggctctcagt	cccgtggat	ggaggagcaa	15540
attcgggatg cctggggaag catg	gttcta aaaaatgttg	tacgtgaaac	ggatgaagtt	15600
ggtaaaggtc agatccggat gaga	actgtt tttgaacagg	ccattgatca	acgctcttca	15660
actggtgcct ggagaaatgc tctt	tctatt tgggaacctg	tctgcaatga	aattttcgat	15720
cgtctgatta aaccacgctg ggag	attaga taatgaagcg	tgcgcctgtt	attccaaaac	15780
atacgctcaa tactcaaccg gttg	aagata cttcgttatc	gacaccagct	gccccgatgg	15840
tggattcgtt aattgcgcgc gtag	gagtaa tggctcgcgg	taatgccatt	actttgcctg	15900
tatgtggtcg ggatgtgaag ttta	ctcttg aagtgctccg	gggtgatagt	gttgagaaga	15960
cctctcgggt atggtcaggt aatg	aacgtg accaggagct	gcttactgag	gacgcactgg	16020
atgateteat ecettettt etae	tgactg gtcaacagac	accggcgttc	ggtcgaagag	16080
tatctggtgt catagaaatt gccg	atggga gtcgccgtcg	taaagctgct	gcacttaccg	16140
aaagtgatta tcgtgttctg gttg	gcgagc tggatgatga	gcagatggct	gcattatcca	16200
gattgggtaa cgattatcgc ccaa	caagtg cttatgaacg	tggtcagcgt	tatgcaagcc	16260
gattgcagaa tgaatttgct ggaa	atattt ctgcgctggc	tgatgcggaa	aatatttcac	16320
gtaagattat tacccgctgt atca	acaccg ccaaattgcc	taaatcagtt	gttgctcttt	16380
tttctcaccc cggtgaacta tctg	cccggt caggtgatgc	acttcaaaaa	gcctttacag	16440
ataaagagga attacttaag cagc	aggcat ctaaccttca	tgagcagaaa	aaagctgggg	16500
tgatatttga agctgaagaa gtta	tcactc ttttaacttc	tgtgcttaaa	acgtcatctg	16560



catcaagaac	tagtttaagc	tcacgacatc	agtttgctcc	tggagcgaca	gtattgtata	16620
agggcgataa	aatggtgctt	aacctggaca	ggtctcgtgt	tccaactgag	tgtatagaga	16680
aaattgaggc	cattcttaag	gaacttgaaa	agccagcacc	ctgatgcgac	cacgttttag	16740
tctacgttta	tctgtcttta	cttaatgtcc	tttgttacag	gccagaaagc	ataactggcc	16800
tgaatattct	ctctgggccc	actgttccac	ttgtatcgtc	ggtctgataa	tcagactggg	16860
accacggtcc	cactcgtatc	gtcggtctga	ttattagtct	gggaccacgg	tcccactcgt	16920
atcgtcggtc	tgattattag	tctgggacca	cggtcccact	cgtatcgtcg	gtctgataat	16980
cagactggga	ccacggtccc	actcgtatcg	tcggtctgat	tattagtctg	ggaccatggt	17040
cccactcgta	tcgtcggtct	gattattagt	ctgggaccac	ggtcccactc	gtatcgtcgg	17100
tctgattatt	agtctggaac	cacggtccca	ctcgtatcgt	cggtctgatt	attagtctgg	17160
gaccacggtc	ccactcgtat	cgtcggtctg	attattagtc	tgggaccacg	atcccactcg	17220
tgttgtcggt	ctgattatcg	gtctgggacc	acggtcccac	ttgtattgtc	gatcagacta	17280
tcagcgtgag	actacgattc	catcaatgcc	tgtcaagggc	aagtattgac	atgtcgtcgt	17340
aacctgtaga	acggagtaac	ctcggtgtgc	ggttgtatgc	ctgctgtgga	ttgctgctgt	17400
gtcctgctta	tccacaacat	tttgcgcacg	gttatgtgga	caaaatacct	ggttacccag	17460
gccgtgccgg	cacgttaacc	gggctgcatc	cgatgcaagt	gtgtcgctgt	cgacgagctc	17520
gcgagctcgg	acatgaggtt	gcccgtatt	cagtgtcgct	gatttgtatt	gtctgaagtt	17580
gtttttacgt	taagttgatg	cagatcaatt	aatacgatac	ctgcgtcata	attgattatt	17640
tgacgtggtt	tgatggcctc	cacgcacgtt	gtgatatgta	gatgataatc	attatcactt	17700
tacgggtcct	ttccggtgat	ccgacaggtt	acggggcggc	gacctcgcgg	gttttcgcta	17760
tttatgaaaa	ttttccggtt	taaggcgttt	ccgttcttct	tcgtcataac	ttaatgtttt	17820
tatttaaaat	accctctgaa	aagaaaggaa	acgacaggtg	ctgaaagcga	gctttttggc	17880
ctctgtcgtt	tcctttctct	gtttttgtcc	gtggaatgaa	caatggaagt	ccgagctcat	17940
cgctaataac	ttcgtatagc	atacattata	cgaagttata	ttcgatgcgg	cgctgaggtc	18000



tgcctcgtga agaaggtgtt	gctgactcat	accaggcctg	aatcgcccca	tcatccagcc	18060
agaaagtgag ggagccacgg	ttgatgagag	ctttgttgta	ggtggaccag	ttggtgattt	18120
tgaacttttg ctttgccacg	gaacggtctg	cgttgtcggg	aagatgcgtg	atctgatcct	18180
tcaactcagc aaaagttcga	tttattcaac	aaagccacgt	gtctcaaaat	ctctgatgtt	18240
acattgcaca agataaaaat	atatcatcat	gaacaataaa	actgtctgct	tacataaaca	18300
gtaatacaag gggtgttatg	agccatattc	aacgggaaac	gtcttgctcg	acgatgataa	18360
gctgtcaaac atgagaattg	ggtcgtcaat	atgctaaaac	gcggcatacc	ccgcgtattc	18420
ccactagtta attaacctgc	agggggctgt	tagaggtctt	ccctagtcca	actatagcgt	18480
atggacatat tgtcgttaga	acgcggctac	aattaataca	taaccttatg	tatcatacac	18540
atacgattta ggggacacta	tag				18563

<210> 44

<211> 18563

<212> DNA

<213> Artificial Sequence

<220>

<223> sequence for pBACsp6/JVFLx/XhoI

<400> 44

agaagtttat ctgtgtgaac ttcttggctt agtatcgttg agaagaatcg agagattagt 60 gcagtttaaa cagttttta gaacggaaga taaccatgac taaaaaaacca ggagggcccg 120 gtaaaaaccg ggctatcaat atgctgaaac gcggcctacc ccgcgtattc ccactagtgg 180 gagtgaagag ggtagtaatg agcttgttgg acggcagagg accagtacgt ttcgtgctgg 240 ctcttatcac gttcttcaag tttacagcat tagccccgac caaggcgctt ttaggccgat 300 ggaaagcagt ggaaaagagt gtggcaatga aacatcttac tagtttcaaa cgagaacttg 360 gaacactcat tgacgccgtg aacaagcggg gcagaaagca aaacaaaaga ggaggaaatg 420 aaggeteaat catgtggete gegagtttgg eagttgteat agettgtgta ggageeatga 480 agtigicaaa titccaaggg aagctittga tgaccattaa caacacggac attgcagacg 540



tcatcgtgat tcctacctca aaaggagaga acagatgctg ggtccgggca atcgatgtcg 600 gctacatgtg tgaggacact atcacgtacg aatgtcctaa gcttaccatg ggcaatgatc 660 cagaggatgt ggattgctgg tgtgacaacc aagaagtcta cgtccaatat ggacggtgca 720 cgcggaccag gcattccaag cgaagcagga ggtccgtgtc ggtccaaaca catggggaga 780 gttcactagt gaataaaaaa gaggcttggc tggattcaac gaaagccaca cgatatctca 840 tgaaaactga gaactggatc ataaggaatc ctggctatgc tttcctggcg gcggtacttg 900 gctggatgct tggcagtaac aatggtcaac gcgtggtgtt taccatcctc ctgctgttgg 960 tcgctccggc ttacagtttt aattgtctgg gaatgggcaa ccgtgacttc atagaaggag 1020 ccagtggagc cacttgggtg gacttagtgc tagaaggaga tagctgcttg acaatcatgg 1080 caaacgacaa accaacattg gacgtccgca tgattaacat cgaagccagc caacttgctg 1140 aggicagaag ciacigciai caigciicag icacigacai cicgacggig gcicggigcc 1200 ccacgactgg agaagcccac aacgagaagc gagctgatag tagctatgtg tgcaaacaag 1260 gittcactga tcgtgggtgg ggcaacggat gtggactitt cgggaaggga agcattgaca 1320 catgigcaaa attciccigc accagtaagg cgatigggag aacaatccag ccagaaaaca 1380 tcaaatacga agttggcatt tttgtgcatg gaaccaccac ctcggaaaac catgggaatt 1440 attcagcgca agtaggggcg tcccaggcgg caaagtttac agtaacaccc aatgctcctt 1500 cgataaccct caaacttggt gactacggag aagtcacact ggactgtgaa ccaaggagtg 1560 gactgaacac tgaagcgttt tacgtcatga ccgtggggtc aaagtcattt ctggtccata 1620 gggaatggtt tcatgacctc gctctcccct ggacgtcccc ttcgagcaca gcgtggagaa 1680 acagagaact cctcatggaa tttgaagagg cgcacgccac aaaacagtcc gttgttgctc 1740 ttgggtcaca ggaaggaggc ctccatcagg cgctggcagg agccatcgtg gtggagtact 1800 caagctcagt gaagttaaca tcaggccacc tgaaatgtag gctgaaaatg gacaaactgg 1860 ctctgaaagg cacaacctat ggcatgtgta cagaaaaatt ctcgttcgcg aaaaatccgg 1920 cggacactgg ccacggaaca gttgtcattg aactctccta ttctgggagt gatggcccct 1980 gcaaaattcc gattgtctcc gttgcgagcc tcaatgacat gacccccgtt gggcggctgg 2040



tgacagtgaa ccccttcgtc gcgacttcca gtgccaactc aaaggtgctg gtcgagatgg 2100 aacccccctt cggagactcc tacatcgtag ttggaagggg agacaagcag atcaaccacc 2160 attggcataa agctggaagc acgctgggca aggctttttc aacaactttg aagggagctc 2220 aaagactggc agcgttgggc gacacagcct gggactttgg ctctattgga ggggtcttca 2280 actccatagg aaaggccgtt caccaagtgt ttggtggcgc tttcagaaca ctctttgggg 2340 gaatgtcttg gatcacacaa gggttaatgg gtgccctact actctggatg ggcatcaacg 2400 cacgagateg atcaattget ttggeettet tggecacagg aggtgtgete gtgttettag 2460 2520 gcggaagtgg catcitcgtg cacaacgacg tggaagcctg ggtggatagg tataaatatt 2580 tgccagaaac gcccagatcc ctagcgaaga tcgtccacaa agcgcacaag gaaggcgtgt 2640 gcggagtcag atctgtcact agactggagc accaaatgtg ggaagccgtg cgggacgaat 2700 tgaacgtcct gctcaaagag aatgcagtgg acctcagtgt ggttgtgaac aagcccgtgg 2760 ggagatatcg ctcagcccca aaacgcctgt ccatgacgca agagaagttt gaaatgggct 2820 ggaaagcatg gggaaaaagc attctctttg ccccggaatt ggctaactcc acatttgttg 2880 tagatggacc tgagacaaag gaatgtcctg atgagcacag agcctggaac agcatgcaaa 2940 tcgaagactt cggctttggt atcacatcaa cccgtgtgtg gctgaagatt agagaggaaa 3000 gcactgacga gtgtgatgga gcgatcatag gcacagctgt caaaggacat gtggcagttc 3060 atagtgactt gtcgtactgg attgagagtc gctacaacga cacatggaaa cttgagaggg 3120 cagtctttgg agaggtcaaa tcttgcactt ggccagagac acacactctt tggggagatg 3180 gtgttgagga aagtgaactc atcatcccgc ataccatagc cggaccaaaa agcaagcaca 3240 atcggaggga agggtacaaa acacaaaacc agggaccttg ggacgaaaac ggcatagtct 3300 tggactttga ttattgccca gggacaaaag tcaccatcac agaggattgt ggcaagagag 3360 gcccttcggt cagaaccact actgacagtg gaaagttgat tactgactgg tgctgtcgca 3420 gttgctccct tccgccccta cgattccgga cagaaaatgg ctgctggtac ggaatggaaa 3480



tcagacctgt taggcatgat gaaacaacac tcgtcagatc acaggttgat gctttcaatg	3540
gtgaaatggt tgaccctttt cagctgggcc ttctggtgat gtttctggcc acccaggagg	3600
tccttcgcaa gaggtggacg gccagattga ccattcctgc ggttttgggg gccctgcttg	3660
tgctgatgct tggggggcatc acttacactg atttggcgag gtatgtggtg ctagtcgctg	3720
ctgctttcgc agaggccaat aatggaggag acgtcctgca ccttgctttg attgccgttt	3780
ttaagatcca accagctttt ctagtgatga acatgcttag cacgagatgg acgaaccaag	3840
aaaacgtggt cctggtccta ggggctgcct tctttcaatt ggcctcagta gatctgcaaa	3900
tcggagtcca cggaatcctg aatgccgccg ctatagcatg gatgattgtt cgagcgatca	3960
ccttccccac aacctcctcc gtcaccatgc cagtcttagc gcttctaact ccgggaatga	4020
gggctctata cctagacact tacagaatca tccttctcgt catagggatt tgctccctgc	4080
tgcaagagag gaaaaagacc atggcaaaaa agaaaggagc tgtactcttg ggcttagcgc	4140
tcacatccac tggatggttc tcgcccacca ccatagctgc tggactaatg gtctgcaacc	4200
caaacaagaa gagagggtgg ccagctactg agtttctgtc ggcagtcgga ttgatgtttg	4260
ccatcgtagg tggtttggcc gagttggata ttgaatccat gtcaataccc ttcatgctgg	4320
caggicitat ggcagigic tacgiagigi caggaaaagc aacagataig iggcicgaac	4380
gggccgccga catcagctgg gagatggatg ctgcaatcac aggaagcagt cggaggctgg	4440
atgtgaaact ggatgatgac ggagattttc acttgattga tgatcccggc gttccatgga	4500
aagtitgggt citgcgcatg tcttgcattg gcttagccgc cctcacgcct tgggccattg	4560
ttcccgccgc tttcggttac tggctcactt taaaaacaac aaaaagaggg ggcgtgtttt	4620
gggacacgcc atccccgaaa ccttgcttaa aaggagacac cactacagga gtctaccgaa	4680
tcatggctag agggatictt ggcacctacc aggctggcgt cggagtcatg tacgagaatg	4740
ttttccacac actatggcac acaactagag gggcagccat tatgagtgga gaaggaaaat	4800
tgacgccata ctggggtagc gtgaaagaag accgcatagc ttacggaggc ccatggagat	4860
ttgatcgaaa atggaatgga acagatgacg tgcaagtgat cgtggtagaa ccggggaagg	4920
ctgcggtaaa catccagaca aaaccaggag tgtttcggac ccccttcggg gaggttgggg	4980



ctgttagcct ggattacccg cgaggaacat ccggctcacc cattctggat tccaatggag 5040 acatcatagg cctatacggc aatggagttg agcttggcga tggctcatac gtcagcgcca 5100 tcgtgcaggg tgaccgtcag gaggaaccag tcccagaagc ttacactcca aacatgttaa 5160 gaaagagaca gatgactgtg ttagatttgc accetggttc agggaaaacc aggaaaattc 5220 tgccacaaat aattaaggat gcaatccagc agcgcctaag aacagctgtg ttggcaccga 5280 cgcgggtggt agcagcagaa atggcagaag ctttgagagg gctcccagta cgataccaaa 5340 cttcagcagt gcagagagag caccaaggga atgaaatagt ggatgtgatg tgccacgcca 5400 ctctgaccca cagattgatg tcaccgaaca gagtgcccaa ctacaatctg tttgtcatgg 5460 atgaagetea ttteacegae ceageeagea tageegeaeg aggatacate getaceaagg 5520 tggaattagg agaggcagca gccatcttta tgacagcgac cccgcctgga accacggatc 5580 cttttcccga ctcaaatgcc ccaatccatg atttacaaga tgagatacca gacagggcat 5640 ggagcagtgg atacgaatgg atcacagaat atgcgggtaa aaccgtgtgg tttgtggcga 5700 gcgtaaaaat ggggaatgag attgcaatgt gcctccaaag agcgggaaaa aaggtcatcc 5760 aactcaaccg caagtcctat gacacagaat acccaaaatg taagaatgga gactgggatt 5820 ttgtcattac caccgacate tetgaaatgg gggetaaett eggtgegage agggteateg 5880 actgcagaaa gagcgtgaaa cccaccatct tagaagaggg agaaggcaga gtcatcctcg 5940 gaaacccatc teccataacc agtgetageg cageteaacg gaggggeaga gtaggeagaa 6000 accccaacca agttggagat gaataccatt atggaggggc taccagtgaa gatgacagta 6060 acctagecea tiggacagag geaaagatea tgttagacaa catacacatg eccaatggge 6120 tggtggccca gctctatgga ccagagaggg aaaaggcttt cacaatggat ggcgaatacc 6180 gtctcagggg tgaagaaaag aaaaacttct tagagctgct taggacggct gaccttccgg 6240 tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga aagtggtgtt 6300 ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag atagtcaccc 6360 ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta tacgcagatc 6420



accaagccct	caagtggttc	aaagactttg	cagcaggaaa	gagatcggcc	gttagcttca	6480
tagaggtgct	cggtcgcatg	cctgagcatt	tcatgggaaa	gacgcgggaa	gctttagaca	6540
ccatgtactt	ggtcgcaacg	gctgagaaag	gtgggaaggc	acaccgaatg	gctctcgaag	6600
agttgccgga	tgcactggaa	accatcacac	ttattgttgc	catcactgta	atgacaggag	6660
gattcttcct	actaatgatg	cagcgaaagg	gtatagggaa	gatgggtctt	ggagctctag	6720
tgctcacgct	agctaccttc	ttcctgtggg	cggcagaggt	tcctggaacc	aaaatagcag	6780
ggaccctgct	gatcgccctg	ctgctgatgg	tggttctcat	cccagaaccg	gaaaaacaga	6840
ggtcacagac	agacaaccaa	ctagcggtgt	ttctcatctg	cgtcttgacc	gtggttggag	6900
tggtggcagc	aaacgagtac	gggatgctag	aaaaaaccaa	agcagatete	aagagcatgt	6960
ttggcggaaa	gacacaggca	tcaggactga	ctggattgcc	aagcatggca	ctggacctgc	7020
gtccagccac	agcctgggca	ctgtatgggg	ggagcacagt	tgtgctaacc	cctcttctga	7080
agcacctgat	cacgtcggaa	tatgtcacca	catcgctagc	ctcaattaac	tcacaagctg	7140
gctcattatt	cgtcttgcca	cgaggcgtgc	ctttcaccga	tctagacctg	accgttggcc	7200
tcgtcttcct	tggctgctgg	ggtcaaatca	ccctcacaac	gtttttgaca	gccatggttc	7260
tggcgacact	tcactatggg	tacatgctcc	ctggatggca	agcagaagca	ctcagggctg	7320
cccagagaag	gacggcggct	ggaataatga	agaatgccgt	tgttgacgga	atggtcgcca	7380
ctgatgtgcc	tgaactggaa	aggactactc	ctctgatgca	aaagaaagtc	ggacaggtgc	7440
tcctcatagg	ggtgagcgtg	gcagcgtttc	tcgtcaaccc	taatgtcacc	actgtgagag	7500
aagcaggggt	gttggtgacg	gcggctacgc	tcaccttgtg	ggataatgga	gccagtgccg	7560
tttggaattc	caccacagcc	acgggactct	gccatgtcat	gcgaggtagc	tacctggctg	7620
gaggctctat	tgcttggact	cttatcaaga	acgctgacaa	gccctccttg	aaaaggggaa	7680
ggcctggggg	caggacgcta	ggggagcagt	ggaaggaaaa	actaaatgcc	atgagcagag	7740
aagagtttt	taaataccgg	agagaggcca	taatcgaggt	ggaccgcact	gaagcacgca	7800
gggctagacg	tgaaaataac	atagtgggag	gacatccggt	ttcgcgaggc	tcagcaaaac	7860
tccgttggct	cgtggagaaa	ggattcgtct	cgccaatagg	aaaagtcatt	gatctagggt	7920



gtgggcgtgg aggatggagc tactacgcag caaccctgaa gaaggtccag gaagtcagag 7980 gatacacgaa aggtggggcg ggacatgaag agccgatgct catgcagagc tacggctgga 8040 acciggicic citgaagagi ggagiggaig igitciacaa acciicagag cciagigaca 8100 ccctgttctg tgacataggg gaatcctccc caagtccaga agtggaagaa caacgcacac 8160 tacgcgtcct agagatgaca tccgattggt tgcatcgagg acccagagag ttctgcataa 8220 aagttetetg ceettacatg ceeaaggtea tagaaaaaat ggaagttetg cagegeeget 8280 teggaggtgg getagtacgt etececetgt eeegaaacte caateacgag atgtattggg 8340 ttagtggagc cgctggcaat gtggtgcacg ctgtgaacat gaccagccag gtactactgg 8400 ggcgaatgga tcgcacagtg tggagagggc caaagtatga ggaagatgtc aacctaggta 8460 gcggaacaag agccgtggga aagggagaag ttcatagcaa tcaggagaaa atcaagaaga 8520 gaatccagaa gcttaaagaa gaattcgcca caacgtggca caaagaccct gaacacccat 8580 accgcacttg gacataccac ggaagctatg aggtgaaggc tactggctca gccagctctc 8640 tcgtcaacgg agtggtgaag ctcatgagta aaccttggga cgccattgcc aacgtcacca 8700 ccatggccat gactgacacc accettitg gacagcaaag agttttcaag gagaaagttg 8760 acacgaaagc teetgageca ecagetggag teaaggaagt geteaacgag accaccaact 8820 ggctgtgggc ccacttgtca cgggaaaaaa gaccccgctt gtgcaccaag gaagaattta 8880 taaagaaagt caatagcaac gcggctcttg gagcagtgtt tgctgaacag aatcaatgga 8940 gcacggcgcg tgaggctgtg gacgacccgc ggttttggga gatggtcaat gaagagagg 9000 aaaaccatct gcgaggagag tgtcacacat gtatctacaa catgatggga aaaagagaga 9060 agaagcctgg agagtttgga aaagctaaag ggagcagggc catttggttc atgtggcttg 9120 gagcacggta tettgagttt gaagetttgg ggtteetgaa tgaagaceae tggetgagee 9180 gagagaattc aggaggtgga gtagaaggct caggcgtcca aaagttggga tacatcctcc 9240 gtgacatagc aggaaagcaa ggagggaaaa tgtacgctga tgacaccgcc gggtgggaca 9300 ctagaattac tagaactgat ttagaaaatg aagctaaggt gctggagctc ctagatggtg 9360



aacaccgcat	gctcgcccgg	gccataattg	aactgactta	caggcacaaa	gtggtcaagg	9420
tcatgagacc	tgcagcagaa	ggaaagaccg	tgatggacgt	gatatcaaga	gaagaccaaa	9480
gggggagtgg	acaggtggtc	acttatgctc	tcaacacttt	cacgaacatc	gctgtccagc	9540
tcgttaggct	gatggaggct	gagggggtca	ttgggccaca	acacttggaa	cagctgccta	9600
ggaaaaacaa	gatagctgtc	aggacttggc	tctttgagaa	tggagaggag	agagtgacca	9660
ggatggcgat	cagcggagac	gactgtgtcg	tcaagccgct	ggacgacaga	ttcgccacgg	9720
ccctccattt	cctcaacgca	atgtcaaagg	ttagaaaaga	catccaggaa	tggaagcctt	9780
cgcacggctg	gcacgattgg	cagcaagttc	ccttctgctc	taaccacttt	caggagattg	9840
tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	ctgataggca	9900
gggctcgcat	ctctccagga	gctggatgga	atgtgaagga	cacagcttgc	ctggcaaaag	9960
catatgcaca	gatgtggcta	ctcctatact	tccatcgtag	ggacctgcgt	ctcatggcaa	10020
atgcgatttg	ctcagcagtg	ccagtggatt	gggtgcccac	aggcaggaca	tcctggtcaa	10080
tacactcgaa	aggagagtgg	atgaccacgg	aagacatgct	gcaggtctgg	aacagagtct	10140
ggattgaaga	aaatgaatgg	atgatggata	agactcccgt	cacaagctgg	acagacgttc	10200
cgtatgtggg	aaagcgtgag	gacatctggt	gtggcagcct	catcggaacg	cgttccagag	10260
caacctgggc	tgagaacatc	tatgcggcga	taaaccaggt	tagagctgtc	attgggaaag	10320
aaaattatgt	tgactacatg	acctcactca	ggagatacga	agacgtcttg	atccaggaag	10380
acagggtcat	ctagtgtgac	ttaaggtaga	aatgtaaata	atgtgaatga	gaaaatgcat	10440
gtatatggag	tcaggccagc	aaaagctgcc	accggatact	gggtagacgg	tgctgcctgc	10500
gtctcagtcc	caggaggact	gggttaacaa	atctgacaac	agaaagtgag	aaagccctca	10560
gaaccgtctc	ggaagtaggt	ccctgctcac	tggaagttga	aagaccaacg	tcaggccacg	10620
aatttgtgcc	actccgctgg	ggagtgcggc	ctgcgcagcc	ccaggaggac	tgggttacca	10680
aagccgttga	ggcccccacg	gcccaagcct	cgtctaggat	gcaatagacg	aggtgtaagg	10740
actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	ccctcgaagc	10800
tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	caaacagcat	10860



attgacacct	gggaatagac	tgggagatct	tctgctctat	ctcaacatca	gctactaggc	10920
acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	caggateteg	agcggccgcg	10980
gaccgactag	cctcttttcg	gccttcgctg	agagggattt	gttccctagg	cctaattatt	11040
atttttaatt	gcccaatacg	tatacgagtg	ccttttctaa	ttctcgtata	ctatagtgag	11100
tcgtattatc	tagccgcccg	ggccgtcgac	caattctcat	gtttgacagc	ttatcatcga	11160
atttctgcca	ttcatccgct	tattatcact	tattcaggcg	tagcaaccag	gcgtttaagg	11220
gcaccaataa	ctgccttaaa	aaaattacgc	cccgccctgc	cactcatcgc	agtactgttg	11280
taattcatta	agcattctgc	cgacatggaa	gccatcacaa	acggcatgat	gaacctgaat	11340
cgccagcggc	atcagcacct	tgtcgccttg	cgtataatat	ttgcccatgg	tgaaaacggg	11400
ggcgaagaag	ttgtccatat	tggccacgtt	taaatcaaaa	ctggtgaaac	tcacccaggg	11460
attggctgag	acgaaaaaca	tattctcaat	aaacccttta	gggaaatagg	ccaggttttc	11520
accgtaacac	gccacatctt	gcgaatatat	gtgtagaaac	tgccggaaat	cgtcgtggta	11580
ttcactccag	agcgatgaaa	acgtttcagt	ttgctcatgg	aaaacggtgt	aacaagggtg	11640
aacactatcc	catatcacca	gctcaccgtc	tttcattgcc	atacggaatt	ccggatgagc	11700
attcatcagg	cgggcaagaa	tgtgaataaa	ggccggataa	aacttgtgct	tatttttctt	11760
tacggtcttt	aaaaaggccg	taatatccag	ctgaacggtc	tggttatagg	tacattgagc	11820
aactgactga	aatgcctcaa	aatgttcttt	acgatgccat	t'gggatatat	caacggtggt	11880
atatccagtg	attttttct	ccattttagc	ttccttagct	cctgaaaatc	tcgataactc	11940
aaaaaatacg	cccggtagtg	atcttatttc	attatggtga	aagttggaac	ctcttacgtg	12000
ccgatcaacg	tctcattttc	gccaaaagtt	ggcccagggc	ttcccggtat	caacagggac	12060
accaggattt	atttattctg	cgaagtgatc	ttccgtcaca	ggtatttatt	cgcgataagc	12120
tcatggagcg	gcgtaaccgt	cgcacaggaa	ggacagagaa	agcgcggatc	tgggaagtga	12180
cggacagaac	ggtcaggacc	tggattgggg	aggcggttgc	cgccgctgct	gctgacggtg	12240
tgacgttctc	tgttccggtc	acaccacata	cgttccgcca	ttcctatgcg	atgcacatgc	12300



tgtatgccgg	tataccgctg	aaagttctgo	aaagcctgat	gggacataag	tccatcagtt	12360
caacggaagt	ctacacgaag	gtttttgcgc	tggatgtgg	tgcccggcac	cgggtgcagt	12420
ttgcgatgc	ggagtctgat	gcggttgcga	tgctgaaaca	attatcctga	gaataaatgc	12480
cttggccttt	atatggaaat	gtggaactga	gtggatatgo	tgtttttgtc	tgttaaacag	12540
agaagctggo	tgttatccac	tgagaagcga	acgaaacagt	cgggaaaatc	tcccattatc	12600
gtagagatco	gcattattaa	tctcaggagc	ctgtgtagcg	tttataggaa	gtagtgttct	12660
gtcatgatgo	ctgcaagcgg	taacgaaaac	gatttgaata	tgccttcagg	aacaatagaa	12720
atcttcgtgc	ggtgttacgt	tgaagtggag	cggattatgt	cagcaatgga	cagaacaacc	12780
taatgaacac	agaaccatga	tgtggtctgt	ccttttacag	ccagtagtgc	tcgccgcagt	12840
cgagcgacag	ggcgaagccc	tcgagtgagc	gaggaagcac	cagggaacag	cacttatata	12900
ttctgcttac	acacgatgcc	tgaaaaaact	tcccttgggg	ttatccactt	atccacgggg	12960
atattttat	aattatttt	tttatagttt	ttagatcttc	ttttttagag	cgccttgtag	13020
gcctttatcc	atgctggttc	tagagaaggt	gttgtgacaa	attgcccttt	cagtgtgaca	13080
aatcaccctc	aaatgacagt	cctgtctgtg	acaaattgcc	cttaaccctg	tgacaaattg	13140
ccctcagaag	aagctgtttt	ttcacaaagt	tatccctgct	tattgactct	tttttattta	13200
gtgtgacaat	ctaaaaactt	gtcacacttc	acatggatct	gtcatggcgg	aaacagcggt	13260
tatcaatcac	aagaaacgta	aaaatagccc	gcgaatcgtc	cagtcaaacg	acctcactga	13320
ggcggcatat	agtctctccc	gggatcaaaa	acgtatgctg	tatctgttcg	ttgaccagat	13380
cagaaaatct	gatggcaccc	tacaggaaca	tgacggtatc	tgcgagatcc	atgttgctaa	13440
atatgctgaa	atattcggat	tgacctctgc	ggaagccagt	aaggatatac	ggcaggcatt	13500
gaagagtttc	gcggggaagg	aagtggtttt	ttatcgccct	gaagaggatg	ccggcgatga	13560
aaaaggctat	gaatctttc	cttggtttat	caaacgtgcg	cacagtccat	ccagagggct	13620
ttacagtgta	catatcaacc	catatctcat	tcccttcttt	atcgggttac	agaaccggt t	13680
tacgcagttt	cggcttagtg	aaacaaaaga	aatcaccaat	ccgtatgcca	tgcgtttata	13740
cgaatccctg	tgtcagtatc	gtaagccgga	tggctcaggc	atcgtctctc	tgaaaatcga	13800



ctggatcata	gagcgttacc	agctgcctca	aagttaccag	cgtatgcctg	acttccgccg	13860
ccgcttcctg	caggtctgtg	ttaatgagat	caacagcaga	actccaatgc	gcctctcata	13920
cattgagaaa	aagaaaggcc	gccagacgac	tcatatcgta	ttttccttcc	gcgatatcac	13980
ttccatgacg	acaggatagt	ctgagggtta	tctgtcacag	atttgagggt	ggttcgtcac	14040
atttgttctg	acctactgag	ggtaatttgt	cacagttttg	ctgtttcctt	cagcctgcat	14100
ggattttctc	atacttttg	aactgtaatt	tttaaggaag	ccaaatttga	gggcagtttg	14160
tcacagttga	tttccttctc	tttcccttcg	tcatgtgacc	tgatatcggg	ggttagttcg	14220
tcatcattga	tgagggttga	ttatcacagt	ttattactct	gaattggcta	tccgcgtgtg	14280
tacctctacc	tggagtttt	cccacggtgg	atatttcttc	ttgcgctgag	cgtaagagct	14340
atctgacaga	acagttcttc	tttgcttcct	cgccagttcg	ctcgctatgc	tcggttacac	14400
ggctgcggcg	agcgctagtg	ataataagtg	actgaggtat	gtgctcttct	tatctccttt	14460
tgtagtgttg	ctcttatttt	aaacaacttt	gcggttttt	gatgactttg	cgattttgtt	14520
gttgctttgc	agtaaattgc	aagatttaat	aaaaaaacgc	aaagcaatga	ttaaaggatg	14580
ttcagaatga	aactcatgga	aacacttaac	cagtgcataa	acgctggtca	tgaaatgacg	14640
aaggctatcg	ccattgcaca	gtttaatgat	gacagcccgg	aagcgaggaa	aataacccgg	14700
cgctggagaa	taggtgaagc	agcggattta	gttggggttt	cttctcaggc	tatcagagat	14760
gccgagaaag	cagggcgact	accgcacccg	gatatggaaa	ttcgaggacg	ggttgagcaa	14820
cgtgttggtt	atacaattga	acaaattaat	catatgcgtg	atgtgtttgg	tacgcgattg	14880
cgacgtgctg	aagacgtatt	tccaccggtg	atcggggttg	ctgcccataa	aggtggcgtt	14940
tacaaaacct	cagtttctgt	tcatcttgct	caggatctgg	ctctgaaggg	gctacgtgtt	15000
ttgctcgtgg	aaggtaacga	ccccaggga	acagcctcaa	tgtatcacgg	atgggtacca	15060
gatcttcata	ttcatgcaga	agacactctc	ctgcctttct	atcttgggga	aaaggacgat	15120
gtcacttatg	caataaagcc	cacttgctgg	ccggggcttg	acattattcc	ttcctgtctg	15180
gctctgcacc į	gtattgaaac	tgagttaatg	ggcaaatttg	atgaaggtaa	actgcccacc	15240



gatccacacc tgatgctccg actggccatt gaaactgttg ctcatgacta tgatgtcata 15300 gttattgaca gcgcgcctaa cctgggtatc ggcacgatta atgtcgtatg tgctgctgat 15360 gtgctgattg ttcccacgcc tgctgagttg tttgactaca cctccgcact gcagtttttc 15420 gatatgcttc gtgatctgct caagaacgtt gatcttaaag ggttcgagcc tgatgtacgt 15480 attitigetta ecaaatacag caatagtaat ggeteteagt eeeegtggat ggaggagcaa 15540 attcgggatg cctggggaag catggttcta aaaaatgttg tacgtgaaac ggatgaagtt 15600 ggtaaaggtc agatccggat gagaactgtt tttgaacagg ccattgatca acgctcttca 15660 actggtgcct ggagaaatgc tetttetatt tgggaacctg tetgcaatga aattttegat 15720 cgtctgatta aaccacgctg ggagattaga taatgaagcg tgcgcctgtt attccaaaac 15780 atacgctcaa tactcaaccg gttgaagata cttcgttatc gacaccagct gccccgatgg 15840 tggattcgtt aattgcgcgc gtaggagtaa tggctcgcgg taatgccatt actttgcctg 15900 tatgtggtcg ggatgtgaag tttactcttg aagtgctccg gggtgatagt gttgagaaga 15960 cctctcgggt atggtcaggt aatgaacgtg accaggagct gcttactgag gacgcactgg 16020 atgateteat ecettettt etaetgaetg gteaacagae aceggegtte ggtegaagag 16080 tatctggtgt catagaaatt gccgatggga gtcgccgtcg taaagctgct gcacttaccg 16140 aaagtgatta tegtgttetg gttggegage tggatgatga geagatgget geattateea 16200 gattgggtaa cgattatcgc ccaacaagtg cttatgaacg tggtcagcgt tatgcaagcc 16260 gattgcagaa tgaatttgct ggaaatattt ctgcgctggc tgatgcggaa aatatttcac 16320 gtaagattat tacccgctgt atcaacaccg ccaaattgcc taaatcagtt gttgctcttt 16380 tttctcaccc cggtgaacta tctgcccggt caggtgatgc acttcaaaaa gcctttacag 16440 ataaagagga attacttaag cagcaggcat ctaaccttca tgagcagaaa aaagctgggg 16500 tgatatttga agctgaagaa gttatcactc ttttaacttc tgtgcttaaa acgtcatctg 16560 catcaagaac tagtttaagc tcacgacatc agtttgctcc tggagcgaca gtattgtata 16620 agggcgataa aatggtgctt aacctggaca ggtctcgtgt tccaactgag tgtatagaga 16680 aaattgaggc cattettaag gaacttgaaa agccagcacc ctgatgcgac cacgttttag 16740



tctacgttta	tctgtcttta	cttaatgtcc	tttgttacag	gccagaaagc	ataactggcc	16800
tgaatattct	ctctgggccc	actgttccac	ttgtatcgtc	ggtctgataa	tcagactggg	16860
accacggtco	cactcgtatc	gtcggtctga	ttattagtct	gggaccacgg	tcccactcgt	16920
atcgtcggtc	tgattattag	tctgggacca	cggtcccact	cgtatcgtcg	gtctgataat	16980
cagactggga	ccacggtccc	actcgtatcg	tcggtctgat	tattagtctg	ggaccatggt	17040
cccactcgta	tcgtcggtct	gattattagt	ctgggaccac	ggtcccactc	gtatcgtcgg	17100
tctgattatt	agtctggaac	cacggtccca	ctcgtatcgt	cggtctgatt	attagtctgg	17160
gaccacggtc	ccactcgtat	cgtcggtctg	attattagtc	tgggaccacg	atcccactcg	17220
tgttgtcggt	ctgattatcg	gtctgggacc	acggtcccac	ttgtattgtc	gatcagacta	17280
tcagcgtgag	actacgattc	catcaatgcc	tgtcaagggc	aagtattgac	atgtcgtcgt	17340
aacctgtaga	acggagtaac	ctcggtgtgc	ggttgtatgc	ctgctgtgga	ttgctgctgt	17400
gtcctgctta	tccacaacat	tttgcgcacg	gttatgtgga	caaaatacct	ggttacccag	17460
gccgtgccgg	cacgttaacc	gggctgcatc	cgatgcaagt	gtgtcgctgt	cgacgagctc	17520
gcgagctcgg	acatgaggtt	gcccgtatt	cagtgtcgct	gatttgtatt	gtctgaagtt	17580
gtttttacgt	taagttgatg	cagatcaatt	aatacgatac	ctgcgtcata	attgattatt	17640
tgacgtggtt	tgatggcctc	cacgcacgtt	gtgatatgta	gatgataatc	attatcactt	17700
tacgggtcct	ttccggtgat	ccgacaggtt	acggggcggc	gacctcgcgg	gttttcgcta	17760
tttatgaaaa	ttttccggtt	taaggcgttt	ccgttcttct	tcgtcataac	ttaatgtttt	17820
tatttaaaat	accctctgaa	aagaaaggaa	acgacaggtg	ctgaaagcga	gctttttggc	17880
ctctgtcgtt	tcctttctct	gtttttgtcc	gtggaatgaa	caatggaagt	ccgagctcat	17940
cgctaataac	ttcgtatagc	atacattata	cgaagttata	ttcgatgcgg	cgctgaggtc	18000
tgcctcgtga	agaaggtgtt	gctgactcat	accaggcctg	aatcgcccca	tcatccagcc	18060
agaaagtgag	ggagccacgg	ttgatgagag	ctttgttgta	ggtggaccag	ttggtgattt	18120
tgaacttttg	ctttgccacg	gaacggtctg	cgttgtcggg	aagatgcgtg	atctgatcct	18180





tcaactcagc	aaaagttcga	tttattcaac	aaagccacgt	gtctcaaaat	ctctgatgtt	18240
acattgcaca	agataaaaat	atatcatcat	gaacaataaa	actgtctgct	tacataaaca	18300
gtaatacaag	gggtgttatg	agccatattc	aacgggaaac	gtcttgctcg	acgatgataa	18360
gctgtcaaac	atgagaattg	ggtcgtcaat	atgctaaaac	gcggcatacc	ccgcgtattc	18420
ccactagtta	attaacctgc	agggggctgt	tagaggtctt	ccctagtcca	actatagcgt	18480
atggacatat	tgtcgttaga	acgcggctac	aattaataca	taaccttatg	tatcatacac	18540
atacgattta	ggggacacta	tag				18563

<210> 45

<211> 18565

<212> DNA

<213> Artificial Sequence

<220>


<223> sequence for pBACsp6/JVFLx/XbaI

## <400> 45

agaagtttat ctgtgtgaac ttcttggctt agtatcgttg agaagaatcg agagattagt 60 gcagtttaaa cagttttta gaacggaaga taaccatgac taaaaaaacca ggagggcccg 120 gtaaaaaaccg ggctatcaat atgctgaaac gcggcctacc ccgcgtattc ccactagtgg 180 gagtgaagag ggtagtaatg agcttgttgg acggcagagg accagtacgt ttcgtgctgg 240 ctcttatcac gttcttcaag tttacagcat tagccccgac caaggcgctt ttaggccgat 300 ggaaagcagt ggaaaagagt gtggcaatga aacatcttac tagtttcaaa cgagaacttg 360 gaacactcat tgacgccgtg aacaagcggg gcagaaagca aaacaaaaga ggaggaaatg 420 aaggeteaat catgtggete gegagtttgg eagttgteat agettgtgta ggageeatga 480 agtigicaaa tiiccaaggg aagciittga tgaccattaa caacacggac attgcagacg 540 tcatcgtgat tcctacctca aaaggagaga acagatgctg ggtccgggca atcgatgtcg 600 gctacatgtg tgaggacact atcacgtacg aatgtcctaa gcttaccatg ggcaatgatc 660 cagaggatgt ggattgctgg tgtgacaacc aagaagtcta cgtccaatat ggacggtgca 720




cgcggaccag	gcattccaag	cgaagcagga	ggtccgtgtc	ggtccaaaca	catggggaga	780
gttcactagt	gaat aaaaaa	gaggcttggc	tggattcaac	gaaagccaca	cgatatctca	840
tgaaaactga	gaactggatc	ataaggaatc	ctggctatgc	tttcctggcg	gcggtacttg	900
gctggatgct	tggcagtaac	aatggtcaac	gcgtggtgtt	taccatcctc	ctgctgttgg	960
tcgctccggc	ttacagtttt	aattgtctgg	gaatgggcaa	ccgtgacttc	atagaaggag	1020
ccagtggagc	cacttgggtg	gacttagtgc	tagaaggaga	tagctgcttg	acaatcatgg	1080
caaacgacaa	accaacattg	gacgtccgca	tgattaacat	cgaagccagc	caacttgctg	1140
aggtcagaag	ctactgctat	catgcttcag	tcactgacat	ctcgacggtg	gctcggtgcc	1200
ccacgactgg	agaagcccac	aacgagaagc	gagctgatag	tagctatgtg	tgcaaacaag	1260
gtttcactga	tcgtgggtgg	ggcaacggat	gtggactttt	cgggaaggga	agcattgaca	1320
catgtgcaaa	attctcctgc	accagtaagg	cgattgggag	aacaatccag	ccagaaaaca	1380
tcaaatacga	agttggcatt	tttgtgcatg	gaaccaccac	ctcggaaaac	catgggaatt	1440
attcagcgca	agtaggggcg	tcccaggcgg	caaagtttac	agtaacaccc	aatgctcctt	1500
cgataaccct	caaacttggt	gactacggag	aagtcacact	ggactgtgaa	ccaaggagtg	1560
gactgaacac	tgaagcgttt	tacgtcatga	ccgtggggtc	aaagtcattt	ctggtccata	1620
gggaatggtt	tcatgacctc	gctctcccct	ggacgtcccc	ttcgagcaca	gcgtggagaa	1680
acagagaact	cctcatggaa	tttgaagagg	cgcacgccac	aaaacagtcc	gttgttgctc	1740
ttgggtcaca	ggaaggaggc	ctccatcagg	cgctggcagg	agccatcgtg	gtggagtact	1800
caagctcagt	gaagttaaca	tcaggccacc	tgaaatgtag	gctgaaaatg	gacaaactgg	1860
ctctgaaagg	cacaacctat	ggcatgtgta	cagaaaaatt	ctcgttcgcg	aaaaatccgg	1920
cggacactgg	ccacggaaca	gttgtcattg	aactctccta	ttctgggagt	gatggcccct	1980
gcaaaattcc	gattgtctcc	gttgcgagcc	tcaatgacat	gacccccgtt	gggcggctgg	2040
tgacagtgaa	cccttcgtc	gcgacttcca	gtgccaactc	aaaggtgctg	gtcgagatgg	2100
aaccccctt	cggagactcc	tacatcgtag	ttggaagggg	agacaagcag	atcaaccacc	2160
attggcataa	agctggaagc	acgctgggca	aggcttttc	aacaactttg	aagggagctc	2220



aaagact	ggc agcgttggg	c gacacagcct	gggactttgg	ctctattgga	ggggtcttca	2280
actccat	agg aaaggccgt	t caccaagtgt	ttggtggcgc	tttcagaaca	ctctttgggg	2340
gaatgto	ttg gatcacaca	a gggttaatgg	gtgccctact	actctggatg	ggcatcaacg	2400
cacgaga	tcg atcaattgc	t ttggccttct	tggccacagg	aggtgtgctc	gtgttcttag	2460
cgaccaa	tgt gcatgctga	c actggatgtg	ccattgacat	cgcaagaaaa	gagatgagat	2520
gcggaag	tgg catcttcgt	g cacaacgacg	tggaagcctg	ggtggatagg	tataaatatt	2580
tgccaga	aac gcccagatc	c ctagcgaaga	tcgtccacaa	agcgcacaag	gaaggcgtgt	2640
gcggagt	cag atctgtcac	t agactggagc	accaaatgtg	ggaagccgtg	cgggacgaat	2700
tgaacgt	cct gctcaaaga	g aatgcagtgg	acctcagtgt	ggttgtgaac	aagcccgtgg	2760
ggagata	tcg ctcagcccc	a aaacgcctgt	ccatgacgca	agagaagttt	gaaatgggct	2820
ggaaagc	atg gggaaaaag	c attctctttg	ccccggaatt	ggctaactcc	acatttgttg	2880
tagatgg	acc tgagacaaa	g gaatgtcctg	atgagcacag	agcctggaac	agcatgcaaa	2940
tcgaaga	ctt cggctttgg	t atcacatcaa	cccgtgtgtg	gctgaagatt	agagaggaaa	3000
gcactga	cga gtgtgatgg	a gcgatcatag	gcacagctgt	caaaggacat	gtggcagttc	3060
	ctt gtcgtactg					3120
cagtctt	tgg agaggtcaaa	a tcttgcactt	ggccagagac	acacactctt	tggggagatg	3180
gtgttga	gga aagtgaacto	atcatcccgc	ataccatagc	cggaccaaaa	agcaagcaca	3240
atcggag	gga agggtacaaa	a acacaaaacc	agggaccttg	ggacgaaaac	ggcatagtct	3300
tggactt	iga ttattgccca	n gggacaaaag	tcaccatcac	agaggattgt	ggcaagagag	3360
gcccttcg	ggt cagaaccact	actgacagtg	gaaagttgat	tactgactgg	tgctgtcgca	3420
gttgctc	ect teegeeecta	cgattccgga	cagaaaatgg	ctgctggtac	ggaatggaaa	3480
tcagacct	gt taggcatgat	gaaacaacac	tcgtcagatc	acaggttgat	gctttcaatg	3540
gtgaaatg	gt tgaccctttt	cagctgggcc	ttctggtgat	gtttctggcc	acccaggagg	3600
tccttcgc	aa gaggtggacg	gccagattga	ccattcctgc	ggttttgggg	gccctgcttg	3660



tgctgatgct tgggggcatc acttacactg atttggcgag gtatgtggtg ctagtcgctg 3720 ctgctttcgc agaggccaat aatggaggag acgtcctgca ccttgctttg attgccgttt 3780 ttaagatcca accagctttt ctagtgatga acatgcttag cacgagatgg acgaaccaag 3840 aaaacgtggt cctggtccta ggggctgcct tctttcaatt ggcctcagta gatctgcaaa 3900 teggagteca eggaateetg aatgeegeeg etatageatg gatgattgtt egagegatea 3960 ccttccccac aacctcctcc gtcaccatgc cagtcttagc gcttctaact ccgggaatga 4020 gggctctata cctagacact tacagaatca tccttctcgt catagggatt tgctcctgc 4080 tgcaagagag gaaaaagacc atggcaaaaa agaaaggagc tgtactcttg ggcttagcgc 4140 tcacatccac tggatggttc tcgcccacca ccatagctgc tggactaatg gtctgcaacc 4200 caaacaagaa gagagggtgg ccagctactg agtttctgtc ggcagtcgga ttgatgtttg 4260 ccatcgtagg tggtttggcc gagttggata ttgaatccat gtcaataccc ttcatgctgg 4320 caggicttat ggcagigice tacgiagigi caggaaaagc aacagatatg iggcicgaac 4380 gggccgccga catcagctgg gagatggatg ctgcaatcac aggaagcagt cggaggctgg 4440 atgtgaaact ggatgatgac ggagattttc acttgattga tgatcccggc gttccatgga 4500 aagtttgggt cttgcgcatg tcttgcattg gcttagccgc cctcacgcct tgggccattg 4560 ttcccgccgc tttcggttac tggctcactt taaaaacaac aaaaagaggg ggcgtgtttt 4620 gggacacgcc atccccgaaa ccttgcttaa aaggagacac cactacagga gtctaccgaa 4680 tcatggctag agggattctt ggcacctacc aggctggcgt cggagtcatg tacgagaatg 4740 ttttccacac actatggcac acaactagag gggcagccat tatgagtgga gaaggaaaat 4800 tgacgccata ctggggtagc gtgaaagaag accgcatagc ttacggaggc ccatggagat 4860 ttgatcgaaa atggaatgga acagatgacg tgcaagtgat cgtggtagaa ccggggaagg 4920 ctgcggtaaa catccagaca aaaccaggag tgtttcggac ccccttcggg gaggttgggg 4980 ctgttagcct ggattacccg cgaggaacat ccggctcacc cattctggat tccaatggag 5040 acatcatagg cctatacggc aatggagttg agcttggcga tggctcatac gtcagcgcca 5100 tegtgeaggg tgacegteag gaggaaceag teccagaage ttacacteca aacatgttaa 5160



gaaagagaca gatgactgtg ttagatttgc accetggttc agggaaaacc aggaaaattc 5220 tgccacaaat aattaaggat gcaatccagc agcgcctaag aacagctgtg ttggcaccga 5280 cgcgggtggt agcagcagaa atggcagaag ctttgagagg gctcccagta cgataccaaa 5340 cttcagcagt gcagagagag caccaaggga atgaaatagt ggatgtgatg tgccacgcca 5400 ctctgaccca cagattgatg tcaccgaaca gagtgcccaa ctacaatctg tttgtcatgg 5460 atgaagetea titeacegae ceageeagea tageegeaeg aggatacate getaceaagg 5520 tggaattagg agaggcagca gccatcttta tgacagcgac cccgcctgga accacggatc 5580 cttttcccga ctcaaatgcc ccaatccatg atttacaaga tgagatacca gacagggcat 5640 ggagcagtgg atacgaatgg atcacagaat atgcgggtaa aaccgtgtgg tttgtggcga 5700 gcgtaaaaat ggggaatgag attgcaatgt gcctccaaag agcgggaaaa aaggtcatcc 5760 aactcaaccg caagtcctat gacacagaat acccaaaatg taagaatgga gactgggatt 5820 tigtcattac caccgacate tetgaaatgg gggetaaett eggtgegage agggteateg 5880 actgcagaaa gagcgtgaaa cccaccatct tagaagaggg agaaggcaga gtcatcctcg 5940 gaaacccatc teccataacc agtgetageg cageteaacg gaggggeaga gtaggeagaa 6000 accccaacca agttggagat gaataccatt atggaggggc taccagtgaa gatgacagta 6060 acctagecea tiggacagag geaaagatea tgitagacaa catacacatg eecaatggge 6120 tggtggccca gctctatgga ccagagaggg aaaaggcttt cacaatggat ggcgaatacc 6180 gtctcagggg tgaagaaaag aaaaacttct tagagctgct taggacggct gaccttccgg 6240 tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga aagtggtgtt 6300 ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag atagtcaccc 6360 ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta tacgcagatc 6420 accaagccct caagtggttc aaagactttg cagcaggaaa gagatcggcc gttagcttca 6480 tagaggtgct cggtcgcatg cctgagcatt tcatgggaaa gacgcgggaa gctttagaca 6540 ccatgtactt ggtcgcaacg gctgagaaag gtgggaaggc acaccgaatg gctctcgaag 6600



agttgccgga	tgcactggaa	accatcacac	ttattgttgc	catcactgta	atgacaggag	6660
gattcttcct	actaatgatg	cagcgaaagg	gtatagggaa	gatgggtctt	ggagctctag	6720
tgctcacgct	agctaccttc	ttcctgtggg	cggcagaggt	tcctggaacc	aaaatagcag	6780
ggaccctgct	gatcgccctg	ctgctgatgg	tggttctcat	cccagaaccg	gaaaaacaga	6840
ggtcacagac	agacaaccaa	ctagcggtgt	ttctcatctg	cgtcttgacc	gtggttggag	6900
tggtggcagc	aaacgagtac	gggatgctag	aaaaaaccaa	agcagatctc	aagagcatgt	6960
ttggcggaaa	gacacaggca	tcaggactga	ctggattgcc	aagcatggca	ctggacctgc	7020
gtccagccac	agcctgggca	ctgtatgggg	ggagcacagt	tgtgctaacc	cctcttctga	7080
agcacctgat	cacgtcggaa	tatgtcacca	catcgctagc	ctcaattaac	tcacaagctg	7140
gctcattatt	cgtcttgcca	cgaggcgtgc	ctttcaccga	tctagacctg	accgttggcc	7200
tcgtcttcct	tggctgctgg	ggtcaaatca	ccctcacaac	gtttttgaca	gccatggttc	7260
tggcgacact	tcactatggg	tacatgctcc	ctggatggca	agcagaagca	ctcagggctg	7320
cccagagaag	gacggcggct	ggaataatga	agaatgccgt	tgttgacgga	atggtcgcca	7380
ctgatgtgcc	tgaactggaa	aggactactc	ctctgatgca	aaagaaagtc	ggacaggtgc	7440
tcctcatagg	ggtgagcgtg	gcagcgtttc	tcgtcaaccc	taatgtcacc	actgtgagag	7500
aagcaggggt	gttggtgacg	gcggctacgc	tcaccttgtg	ggataatgga	gccagtgccg	7560
tttggaattc	caccacagec	acgggactct	gccatgtcat	gcgaggtagc	tacctggctg	7620
gaggctctat	tgcttggact	cttatcaaga	acgctgacaa	gccctccttg	aaaaggggaa	7680
ggcctggggg	caggacgcta	ggggagcagt	ggaaggaaaa	actaaatgcc	atgagcagag	7740
aagagtttt	taaataccgg	agagaggcca	taatcgaggt	ggaccgcact	gaagcacgca	7800
gggctagacg	tgaaaataac	atagtgggag	gacatccggt	ttcgcgaggc	tcagcaaaac	7860
tccgttggct	cgtggagaaa	ggattcgtct	cgccaatagg	aaaagtcatt	gatctagggt	7920
gtgggcgtgg	aggatggagc	tactacgcag	caaccctgaa	gaaggtccag	gaagtcagag	7980
gatacacgaa	aggtggggcg	ggacatgaag	agccgatgct	catgcagagc	tacggctgga	8040
acctggtctc	cttgaagagt	ggagtggatg	tgttctacaa	accttcagag	cctagtgaca	8100




ccctgttctg tgacataggg gaatcctccc caagtccaga agtggaagaa caacgcacac 8160 tacgcgtcct agagatgaca tccgattggt tgcatcgagg acccagagag ttctgcataa 8220 aagttetetg ceettacatg ceeaaggtea tagaaaaaat ggaagttetg cagegeeget 8280 teggaggtgg getagtacgt etececetgt eegaaacte caateacgag atgtattggg 8340 ttagtggagc cgctggcaat gtggtgcacg ctgtgaacat gaccagccag gtactactgg 8400 ggcgaatgga tcgcacagtg tggagagggc caaagtatga ggaagatgtc aacctaggta 8460 gcggaacaag agccgtggga aagggagaag ttcatagcaa tcaggagaaa atcaagaaga 8520 gaatccagaa gcttaaagaa gaattcgcca caacgtggca caaagaccct gaacacccat 8580 accgcacttg gacataccac ggaagctatg aggtgaaggc tactggctca gccagctctc 8640 tcgtcaacgg agtggtgaag ctcatgagta aaccttggga cgccattgcc aacgtcacca 8700 ccatggccat gactgacacc acceptting gacagcaaag agttitcaag gagaaagtig 8760 acacgaaagc tcctgagcca ccagctggag tcaaggaagt gctcaacgag accaccaact 8820 ggctgtgggc ccacttgtca cgggaaaaaa gaccccgctt gtgcaccaag gaagaattta 8880 taaagaaagt caatagcaac gcggctcttg gagcagtgtt tgctgaacag aatcaatgga 8940 gcacggcgcg tgaggctgtg gacgacccgc ggttttggga gatggtcaat gaagagagg 9000 aaaaccatct gcgaggagag tgtcacacat gtatctacaa catgatggga aaaagagaga 9060 agaagccigg agagtiigga aaagciaaag ggagcagggc cattiggtic aigiggciig 9120 gagcacggta tettgagttt gaagetttgg ggtteetgaa tgaagaccae tggetgagee 9180 gagagaattc aggaggtgga gtagaaggct caggcgtcca aaagttggga tacatcctcc 9240 gtgacatagc aggaaagcaa ggagggaaaa tgtacgctga tgacaccgcc gggtgggaca 9300 ctagaattac tagaactgat ttagaaaatg aagctaaggt gctggagctc ctagatggtg 9360 aacaccgcat gctcgcccgg gccataattg aactgactta caggcacaaa gtggtcaagg 9420 tcatgagacc tgcagcagaa ggaaagaccg tgatggacgt gatatcaaga gaagaccaaa 9480 gggggagtgg acaggtggtc acttatgctc tcaacacttt cacgaacatc gctgtccagc 9540



tcgttaggct	gatggaggct	gagggggtca	ttgggccaca	acacttggaa	cagctgccta	9600
ggaaaaaacaa	a gatagctgtc	aggacttggc	tctttgagaa	tggagaggag	agagtgacca	9660
ggatggcgat	cagcggagac	gactgtgtcg	tcaagccgct	ggacgacaga	ttcgccacgg	9720
ccctccattt	cctcaacgca	atgtcaaagg	ttagaaaaga	catccaggaa	tggaagcctt	9780
cgcacggctg	gcacgattgg	cagcaagttc	ccttctgctc	taaccacttt	caggagattg	9840
tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	ctgataggca	9900
gggctcgcat	ctctccagga	gctggatgga	atgtgaagga	cacagcttgc	ctggcaaaag	9960
catatgcaca	gatgtggcta	ctcctatact	tccatcgtag	ggacctgcgt	ctcatggcaa	10020
atgcgatttg	ctcagcagtg	ccagtggatt	gggtgcccac	aggcaggaca	tcctggtcaa	10080
tacactcgaa	aggagagtgg	atgaccacgg	aagacatgct	gcaggtctgg	aacagagtct	10140
ggattgaaga	aaatgaatgg	atgatggata	agactcccgt	cacaagctgg	acagacgttc	10200
cgtatgtggg	aaagcgtgag	gacatctggt	gtggcagcct	catcggaacg	cgttccagag	10260
caacctgggc	tgagaacatc	tatgcggcga	taaaccaggt	tagagctgtc	attgggaaag	10320
aaaattatgt	tgactacatg	acctcactca	ggagatacga	agacgtcttg	atccaggaag	10380
acagggtcat	ctagtgtgac	ttaaggtaga	aatgtaaata	atgtgaatga	gaaaatgcat	10440
gtatatggag	tcaggccagc	aaaagctgcc	accggatact	gggtagacgg	tgctgcctgc	10500
gtctcagtcc	caggaggact	gggttaacaa	atctgacaac	agaaagtgag	aaagccctca	10560
gaaccgtctc	ggaagtaggt	ccctgctcac	tggaagttga	aagaccaacg	tcaggccacg	10620
aatttgtgcc	actccgctgg	ggagtgcggc	ctgcgcagcc	ccaggaggac	tgggttacca	10680
aagccgttga	ggcccccacg	gcccaagcct	cgtctaggat	gcaatagacg	aggtgtaagg	10740
actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	ccctcgaagc	10800
tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	caaacagcat	10860
attgacacct	gggaatagac	tgggagatct	tctgctctat	ctcaacatca	gctactaggc	10920
acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	caggatetet	agageggeeg	10980
cggaccgact	agcctctttt	cggccttcgc	tgagagggat	ttgttcccta	ggcctaatta	11040



ttatttttaa	ttgcccaata	cgtatacgag	tgccttttct	aattctcgta	tactatagtg	11100
agtcgtatta	tctagccgcc	cgggccgtcg	accaattctc	atgtttgaca	gcttatcatc	11160
gaatttctgc	cattcatccg	cttattatca	cttattcagg	cgtagcaacc	aggcgtttaa	11220
gggcaccaat	aactgcctta	aaaaaattac	gcccgccct	gccactcatc	gcagtactgt	11280
tgtaattcat	taagcattct	gccgacatgg	aagccatcac	aaacggcatg	atgaacctga	11340
atcgccagcg	gcatcagcac	cttgtcgcct	tgcgtataat	atttgcccat	ggtgaaaacg	11400
ggggcgaaga	agttgtccat	attggccacg	tttaaatcaa	aactggtgaa	actcacccag	11460
ggattggctg	agacgaaaaa	catattctca	ataaaccctt	tagggaaata	ggccaggttt	11520
tcaccgtaac	acgccacatc	ttgcgaatat	atgtgtagaa	actgccggaa	atcgtcgtgg	11580
tattcactcc	agagcgatga	aaacgtttca	gtttgctcat	ggaaaacggt	gtaacaaggg	11640
tgaacactat	cccatatcac	cagctcaccg	tctttcattg	ccatacggaa	ttccggatga	11700
gcattcatca	ggcgggcaag	aatgtgaata	aaggccggat	aaaacttgtg	cttatttttc	11760
tttacggtct	ttaaaaaaggc	cgtaatatcc	agctgaacgg	tctggttata	ggtacattga	11820
gcaactgact	gaaatgcctc	aaaatgttct	ttacgatgcc	attgggatat	atcaacggtg	11880
gtatatccag	tgatttttt	ctccatttta	gcttccttag	ctcctgaaaa	tctcgataac	11940
tcaaaaaata	cgcccggtag	tgatcttatt	tcattatggt	gaaagttgga	acctcttacg	12000
tgccgatcaa	cgtctcattt	tcgccaaaag	ttggcccagg	gcttcccggt	atcaacaggg	12060
acaccaggat	ttatttattc	tgcgaagtga	tcttccgtca	caggtattta	ttcgcgataa	12120
gctcatggag	cggcgtaacc	gtcgcacagg	aaggacagag	aaagcgcgga	tctgggaagt	12180
gacggacaga	acggtcagga	cctggattgg	ggaggcggtt	gccgccgctg	ctgctgacgg	12240
tgtgacgttc	tctgttccgg	tcacaccaca	tacgttccgc	cattcctatg	cgatgcacat	12300
gctgtatgcc	ggtataccgc	tgaaagttct	gcaaagcctg	atgggacata	agtccatcag	12360
ttcaacggaa	gtctacacga	aggtttttgc	gctggatgtg	gctgcccggc	accgggtgca	12420
gtttgcgatg	ccggagtctg	atgcggttgc	gatgctgaaa	caattatcct	gagaataaat	12480




gccttggcct	ttatatggaa	atgtggaact	gagtggatat	gctgtttttg	tctgttaaac	12540
agagaagctg	gctgttatcc	actgagaagc	gaacgaaaca	gtcgggaaaa	tctcccatta	12600
tcgtagagat	ccgcattatt	aatctcagga	gcctgtgtag	cgtttatagg	aagtagtgtt	12660
ctgtcatgat	gcctgcaagc	ggtaacgaaa	acgatttgaa	tatgccttca	ggaacaatag	12720
aaatcttcgt	gcggtgttac	gttgaagtgg	agcggattat	gtcagcaatg	gacagaacaa	12780
cctaatgaac	acagaaccat	gatgtggtct	gtccttttac	agccagtagt	gctcgccgca	12840
gtcgagcgac	agggcgaagc	cctcgagtga	gcgaggaagc	accagggaac	agcacttata	12900
tattctgctt	acacacgatg	cctgaaaaaa	cttcccttgg	ggttatccac	ttatccacgg	12960
ggatatttt	ataattattt	tttttatagt	ttttagatct	tctttttag	agcgccttgt	13020
aggcctttat	ccatgctggt	tctagagaag	gtgttgtgac	aaattgccct	ttcagtgtga	13080
caaatcaccc	tcaaatgaca	gtcctgtctg	tgacaaattg	cccttaaccc	tgtgacaaat	13140
tgccctcaga	agaagctgtt	ttttcacaaa	gttatccctg	cttattgact	ctttttatt	13200
tagtgtgaca	atctaaaaac	ttgtcacact	tcacatggat	ctgtcatggc	ggaaacagcg	13260
gttatcaatc	acaagaaacg	taaaaatagc	ccgcgaatcg	tccagtcaaa	cgacctcact	13320
gaggcggcat	atagtctctc	ccgggatcaa	aaacgtatgc	tgtatctgtt	cgttgaccag	13380
atcagaaaat	ctgatggcac	cctacaggaa	catgacggta	tctgcgagat	ccatgttgct	13440
aaatatgctg	aaatattcgg	attgacctct	gcggaagcca	gtaaggatat	acggcaggca	13500
ttgaagagtt	tcgcggggaa	ggaagtggtt	ttttatcgcc	ctgaagagga	tgccggcgat	13560
gaaaaaggct	atgaatcttt	tccttggttt	atcaaacgtg	cgcacagtcc	atccagaggg	13620
ctttacagtg	tacatatcaa	cccatatctc	attcccttct	ttatcgggtt	acagaaccgg	13680
tttacgcagt	ttcggcttag	tgaaacaaaa	gaaatcacca	atccgtatgc	catgcgttta	13740
tacgaatccc	tgtgtcagta	tcgtaagccg	gatggctcag	gcatcgtctc	tctgaaaatc	13800
gactggatca	tagagcgtta	ccagctgcct	caaagttacc	agcgtatgcc	tgacttccgc	13860
cgccgcttcc	tgcaggtctg	tgttaatgag	atcaacagca	gaactccaat	gcgcctctca	13920
tacattgaga	aaaagaaagg	ccgccagacg	actcatatcg	tattttcctt	ccgcgatatc	13980




acttccatga	cgacaggata	gtctgagggt	tatctgtcac	agatttgagg	gtggttcgtc	14040
acatttgttc	tgacctactg	agggtaattt	gtcacagttt	tgctgtttcc	ttcagcctgc	14100
atggattttc	tcatactttt	tgaactgtaa	tttttaagga	agccaaattt	gagggcagtt	14160
tgtcacagtt	gatttccttc	tctttccctt	cgtcatgtga	cctgatatcg	ggggttagtt	14220
cgtcatcatt	gatgagggtt	gattatcaca	gtttattact	ctgaattggc	tatccgcgtg	14280
tgtacctcta	cctggagttt	ttcccacggt	ggatatttct	tcttgcgctg	agcgtaagag	14340
ctatctgaca	gaacagttct	tctttgcttc	ctcgccagtt	cgctcgctat	gctcggttac	14400
acggctgcgg	cgagcgctag	tgataataag	tgactgaggt	atgtgctctt	cttatctcct	14460
tttgtagtgt	tgctcttatt	ttaaacaact	ttgcggtttt	ttgatgactt	tgcgattttg	14520
ttgttgcttt	gcagtaaatt	gcaagattta	ataaaaaaac	gcaaagcaat	gattaaagga	14580
tgttcagaat	gaaactcatg	gaaacactta	accagtgcat	aaacgctggt	catgaaatga	14640
cgaaggctat	cgccattgca	cagtttaatg	atgacagccc	ggaagcgagg	aaaataaccc	14700
ggcgctggag	aataggtgaa	gcagcggatt	tagttggggt	ttcttctcag	gctatcagag	14760
atgccgagaa	agcagggcga	ctaccgcacc	cggatatgga	aattcgagga	cgggttgagc	14820
aacgtgttgg	ttatacaatt	gaacaaatta	atcatatgcg	tgatgtgttt	ggtacgcgat	14880
tgcgacgtgc	tgaagacgta	tttccaccgg	tgatcggggt	tgctgcccat	aaaggtggcg	14940
tttacaaaac	ctcagtttct	gttcatcttg	ctcaggatct	ggctctgaag	gggctacgtg	15000
ttttgctcgt	ggaaggtaac	gacccccagg	gaacagcctc	aatgtatcac	ggatgggtac	15060
cagatettea	tattcatgca	gaagacactc	tcctgccttt	ctatcttggg	gaaaaggacg	15120
atgtcactta	tgcaataaag	cccacttgct	ggccggggct	tgacattatt	ccttcctgtc	15180
tggctctgca	ccgtattgaa	actgagttaa	tgggcaaatt	tgatgaaggt	aaactgccca	15240
ccgatccaca	cctgatgctc	cgactggcca	ttgaaactgt	tgctcatgac	tatgatgtca	15300
tagttattga	cagcgcgcct	aacctgggta	tcggcacgat	taatgtcgta	tgtgctgctg	15360
atgtgctgat	tgttcccacg	cctgctgagt	tgtttgacta	cacctccgca	ctgcagtttt	15420



togatatgot togtgatotg ctcaagaacg ttgatottaa agggttogag cotgatgtac 15480 gtattttgct taccaaatac agcaatagta atggctctca gtccccgtgg atggaggagc 15540 aaattcggga tgcctgggga agcatggttc taaaaaatgt tgtacgtgaa acggatgaag 15600 ttggtaaagg tcagatccgg atgagaactg tttttgaaca ggccattgat caacgctctt 15660 caactggtgc ctggagaaat gctctttcta tttgggaacc tgtctgcaat gaaattttcg 15720 atcgtctgat taaaccacgc tgggagatta gataatgaag cgtgcgcctg ttattccaaa 15780 acatacgete aatacteaac eggttgaaga tacttegtta tegacaceag etgeeeegat 15840 ggtggattcg ttaattgcgc gcgtaggagt aatggctcgc ggtaatgcca ttactttgcc 15900 tgtatgtggt cgggatgtga agtttactct tgaagtgctc cggggtgata gtgttgagaa 15960 gacctctcgg gtatggtcag gtaatgaacg tgaccaggag ctgcttactg aggacgcact 16020 ggatgatete atccettett ttetactgae tggteaacag acaceggegt teggtegaag 16080 agtatctggt gtcatagaaa ttgccgatgg gagtcgccgt cgtaaagctg ctgcacttac 16140 cgaaagtgat tatcgtgttc tggttggcga gctggatgat gagcagatgg ctgcattatc 16200 cagattgggt aacgattatc gcccaacaag tgcttatgaa cgtggtcagc gttatgcaag 16260 ccgattgcag aatgaatttg ctggaaatat ttctgcgctg gctgatgcgg aaaatatttc 16320 acgtaagatt attacccgct gtatcaacac cgccaaattg cctaaatcag ttgttgctct 16380 tttttctcac cccggtgaac tatctgcccg gtcaggtgat gcacttcaaa aagcctttac 16440 agataaagag gaattactta agcagcaggc atctaacctt catgagcaga aaaaagctgg 16500 ggtgatattt gaagctgaag aagttatcac tcttttaact tctgtgctta aaacgtcatc 16560 tgcatcaaga actagtttaa gctcacgaca tcagtttgct cctggagcga cagtattgta 16620 taagggcgat aaaatggtgc ttaacctgga caggtctcgt gttccaactg agtgtataga 16680 gaaaattgag gccattctta aggaacttga aaagccagca ccctgatgcg accacgtttt 16740 agtctacgit taicigicit tacttaatgi ccittgitac aggccagaaa gcataacigg 16800 cctgaatatt ctctctgggc ccactgttcc acttgtatcg tcggtctgat aatcagactg 16860 ggaccacggt cccactcgta tcgtcggtct gattattagt ctgggaccac ggtcccactc 16920



gtatcgtcgg	tctgattatt	agtctgggac	cacggtccca	ctcgtatcgt	cggtctgata	16980
atcagactgg	gaccacggtc	ccactcgtat	cgtcggtctg	attattagtc	tgggaccatg	17040
gtcccactcg	tatcgtcggt	ctgattatta	gtctgggacc	acggtcccac	tcgtatcgtc	17100
ggtctgatta	ttagtctgga	accacggtcc	cactcgtatc	gtcggtctga	ttattagtct	17160
gggaccacgg	tcccactcgt	atcgtcggtc	tgattattag	tctgggacca	cgatcccact	17220
cgtgttgtcg	gtctgattat	cggtctggga	ccacggtccc	acttgtattg	tcgatcagac	17280
tatcagcgtg	agactacgat	tccatcaatg	cctgtcaagg	gcaagtattg	acatgtcgtc	17340
gtaacctgta	gaacggagta	acctcggtgt	gcggttgtat	gcctgctgtg	gattgctgct	17400
gtgtcctgct	tatccacaac	attttgcgca	cggttatgtg	gacaaaatac	ctggttaccc	17460
aggccgtgcc	ggcacgttaa	ccgggctgca	tccgatgcaa	gtgtgtcgct	gtcgacgagc	17520
tcgcgagctc	ggacatgagg	ttgccccgta	ttcagtgtcg	ctgatttgta	ttgtctgaag	17580
ttgtttttac	gttaagttga	tgcagatcaa	ttaatacgat	acctgcgtca	taattgatta	17640
tttgacgtgg	tttgatggcc	tccacgcacg	ttgtgatatg	tagatgataa	tcattatcac	17700
tttacgggtc	ctttccggtg	atccgacagg	ttacggggcg	gcgacctcgc	gggttttcgc	17760
tatttatgaa	aattttccgg	tttaaggcgt	ttccgttctt	cttcgtcata	acttaatgtt	17820
	ataccetetg					17880
gcctctgtcg	tttcctttct	ctgtttttgt	ccgtggaatg	aacaatggaa	gtccgagctc	17940
atcgctaata	acttcgtata	gcatacatta	tacgaagtta	tattcgatgc	ggcgctgagg	18000
tctgcctcgt	gaagaaggtg	ttgctgactc	ataccaggcc	tgaatcgccc	catcatccag	18060
ccagaaagtg	agggagccac	ggttgatgag	agctttgttg	taggtggacc	agttggtgat	18120
tttgaacttt	tgctttgcca	cggaacggtc	tgcgttgtcg	ggaagatgcg	tgatctgatc	18180
cttcaactca	gcaaaagttc	gatttattca	acaaagccac	gtgtctcaaa	atctctgatg	18240
ttacattgca	caagataaaa	atatatcatc	atgaacaata	aaactgtctg	cttacataaa	18300
cagtaataca	aggggtgtta	tgagccatat	tcaacgggaa	acgtcttgct	cgacgatgat	18360





aagctgtcaa	acatgagaat	tgggtcgtca	atatgctaaa	acgcggcata	cccgcgtat	18420
tcccactagt	taattaacct	gcagggggct	gttagaggtc	ttccctagtc	caactatagc	18480
gtatggacat	attgtcgtta	gaacgcggct	acaattaata	cataacctta	tgtatcatac	18540
acatacgatt	taggggacac	tatag				18565

<210> 46

<211> 19038

<212> DNA

<213> Artificial Sequence

<220>

<223> sequence for pBACt7/JVFL/XhoI

<400> 46

agaagtttat	ctgtgtgaac	ttcttggctt	agtatcgttg	agaagaat cg	agagattagt	60
gcagtttaaa	cagttttta	gaacggaaga	taaccatgac	taaaaaacca	ggagggcccg	120
gtaaaaaccg	ggctatcaat	atgctgaaac	gcggcctacc	ccgcgtattc	ccactagtgg	180
gagtgaagag	ggtagtaatg	agcttgttgg	acggcagagg	accagtacgt	ttcgtgctgg	240
ctcttatcac	gttcttcaag	tttacagcat	tagccccgac	caaggcgctt	ttaggccgat	300
ggaaagcagt	ggaaaagagt	gtggcaatga	aacatcttac	tagtttcaaa	cgagaacttg	360
gaacactcat	tgacgccgtg	aacaagcggg	gcagaaagca	aaacaaaaga	ggaggaaatg	420
aaggctcaat	catgtggctc	gcgagtttgg	cagttgtcat	agcttgtgta	ggagccatga	480
agttgtcaaa	tttccaaggg	aagcttttga	tgaccattaa	caacacggac	attgcagacg	540
tcatcgtgat	tcctacctca	aaaggagaga	acagatgctg	ggtccgggca	atcgatgtcg	600
gctacatgtg	tgaggacact	atcacgtacg	aatgtcctaa	gcttaccatg	ggcaatgatc	660
cagaggatgt	ggattgctgg	tgtgacaacc	aagaagtcta	cgtccaatat	ggacggtgca	720
cgcggaccag	gcattccaag	cgaagcagga	ggtccgtgtc	ggtccaaaca	catggggaga	780
gttcactagt	gaataaaaaa	gaggcttggc	tggattcaac	gaaagccaca	cgatatctca	840
tgaaaactga	gaactggatc	ataaggaatc	ctggctatgc	tttcctggcg	gcggtacttg	900




tggatgct tggcagtaac aatggtcaac gcgtggtgtt taccatcctc ctgctgttgg 960 gctccggc ttacagtttt aattgtctgg gaatgggcaa ccgtgacttc atagaaggag 1020 agtggagc cacttgggtg gacttagtgc tagaaggaga tagctgcttg acaatcatgg 1080 aacgacaa accaacattg gacgtccgca tgattaacat cgaagccagc caacttgctg 1140 gtcagaag ctactgctat catgcttcag tcactgacat ctcgacggtg gctcggtgcc 1200
agtggagc cacttgggtg gacttagtgc tagaaggaga tagctgcttg acaatcatgg  1080  aacgacaa accaacattg gacgtccgca tgattaacat cgaagccagc caacttgctg  gtcagaag ctactgctat catgcttcag tcactgacat ctcgacggtg gctcggtgcc  1200
aacgacaa accaacattg gacgtccgca tgattaacat cgaagccagc caacttgctg  1140 gtcagaag ctactgctat catgcttcag tcactgacat ctcgacggtg gctcggtgcc  1200
gtcagaag ctactgctat catgcttcag tcactgacat ctcgacggtg gctcggtgcc 1200
3CGSCLAG SASSACCESE SSCASAGSAC ASSACTANT TO THE TOTAL
acgactgg agaagcccac aacgagaagc gagctgatag tagctatgtg tgcaaacaag 1260
ttcactga tcgtgggtgg ggcaacggat gtggactttt cgggaaggga agcattgaca 1320
tgtgcaaa attctcctgc accagtaagg cgattgggag aacaatccag ccagaaaaca 1380
aaatacga agttggcatt tttgtgcatg gaaccaccac ctcggaaaac catgggaatt 1440
tcagcgca agtaggggcg tcccaggcgg caaagtttac agtaacaccc aatgctcctt 1500
ataaccct caaacttggt gactacggag aagtcacact ggactgtgaa ccaaggagtg 1560
ctgaacac tgaagcgttt tacgtcatga ccgtggggtc aaagtcattt ctggtccata 1620
gaatggtt tcatgacctc gctctcccct ggacgtcccc ttcgagcaca gcgtggagaa 1680
agagaact ceteatggaa titgaagagg egeaegeeac aaaacagtee gitgitgete 1740
gggtcaca ggaaggaggc ctccatcagg cgctggcagg agccatcgtg gtggagtact 1800
agctcagt gaagttaaca tcaggccacc tgaaatgtag gctgaaaatg gacaaactgg 1860
ctgaaagg cacaacctat ggcatgtgta cagaaaaatt ctcgttcgcg aaaaatccgg 1920
gacactgg ccacggaaca gttgtcattg aactctccta ttctgggagt gatggcccct 1980
aaaattcc gattgtctcc gttgcgagcc tcaatgacat gacccccgtt gggcggctgg 2040
acagtgaa ccccttcgtc gcgacttcca gtgccaactc aaaggtgctg gtcgagatgg 2100
eccectt eggagactee tacategtag ttggaagggg agacaageag ateaaceace 2160
ggcataa agctggaagc acgctgggca aggctttttc aacaactttg aagggagctc 2220
gactggc agcgttgggc gacacagcct gggactttgg ctctattgga ggggtcttca 2280
ccatagg aaaggccgtt caccaagtgt ttggtggcgc tttcagaaca ctctttgggg 2340
tgtcttg gatcacacaa gggttaatgg gtgccctact actctggatg ggcatcaacg 2400



C	acgagatcg	atcaattgct	ttggccttct	tggccacagg	aggtgtgctc	gtgttcttag	2460
Cį	gaccaatgt	gcatgctgac	actggatgtg	ccattgacat	cgcaagaaaa	gagatgagat	2520
go	ggaagtgg	catcttcgtg	cacaacgacg	tggaagcctg	ggtggatagg	tataaatatt	2580
t٤	ccagaaac	gcccagatcc	ctagcgaaga	tcgtccacaa	agcgcacaag	gaaggcgtgt	2640
go	ggagtcag	atctgtcact	agactggagc	accaaatgtg	ggaagccgtg	cgggacgaat	2700
t٤	gaacgtcct	gctcaaagag	aatgcagtgg	acctcagtgt	ggttgtgaac	aagcccgtgg	2760
gg	gagatatcg	ctcagcccca	aaacgcctgt	ccatgacgca	agagaagttt	gaaatgggct	2820
gg	gaaagcatg	gggaaaaagc	attctctttg	ccccggaatt	ggctaactcc	acatttgttg	2880
ta	ngatggacc	tgagacaaag	gaatgtcctg	atgagcacag	agcctggaac	agcatgcaaa	2940
to	gaagactt	cggctttggt	atcacatcaa	cccgtgtgtg	gctgaagatt	agagaggaaa	3000
go	actgacga	gtgtgatgga	gcgatcatag	gcacagctgt	caaaggacat	gtggcagttc	3060
at	agtgactt	gtcgtactgg	attgagagtc	gctacaacga	cacatggaaa	cttgagaggg	3120
ca	gtctttgg	agaggtcaaa	tcttgcactt	ggccagagac	acacactctt	tggggagatg	3180
gt	gttgagga	aagtgaactc	atcatcccgc	ataccatagc	cggaccaaaa	agcaagcaca	3240
at	cggaggga	agggtacaaa	acacaaaacc	agggaccttg	ggacgaaaac	ggcatagtct	3300
tg	gactttga	ttattgccca	gggacaaaag	tcaccatcac	agaggattgt	ggcaagagag	3360
gc	ccttcggt	cagaaccact	actgacagtg	gaaagttgat	tactgactgg	tgctgtcgca	3420
gt	tgctccct	tccgccccta	cgattccgga	cagaaaatgg	ctgctggtac	ggaatggaaa	3480
to	agacctgt	taggcatgat	gaaacaacac	tcgtcagatc	acaggttgat	gctttcaatg	3540
gt	gaaatggt	tgaccctttt	cagctgggcc	ttctggtgat	gtttctggcc	acccaggagg	3600
tc	cttcgcaa	gaggtggacg	gccagattga	ccattcctgc	ggttttgggg	gccctgcttg	3660
tg	ctgatgct	tgggggcatc	acttacactg	atttggcgag	gtatgtggtg	ctagtcgctg	3720
ct	gctttcgc	agaggccaat	aatggaggag	acgtcctgca	ccttgctttg	attgccgttt	3780
tt	aagatcca	accagctttt	ctagtgatga	acatgcttag	cacgagatgg	acgaaccaag	3840








cttcagcagt gcagagagag caccaaggga atgaaatagt ggatgtgatg tgccacgcca 5400 ctetgaccca cagattgatg tcaccgaaca gagtgcccaa ctacaatctg tttgtcatgg 5460 atgaagetea ttteacegae ecagecagea tagecgeaeg aggatacate getaceaagg 5520 tggaattagg agaggcagca gccatcttta tgacagcgac cccgcctgga accacggatc 5580 cttttcccga ctcaaatgcc ccaatccatg atttacaaga tgagatacca gacagggcat 5640 ggagcagtgg atacgaatgg atcacagaat atgcgggtaa aaccgtgtgg tttgtggcga 5700 gcgtaaaaat ggggaatgag attgcaatgt gcctccaaag agcgggaaaa aaggtcatcc 5760 aactcaaccg caagtcctat gacacagaat acccaaaatg taagaatgga gactgggatt 5820 ttgtcattac caccgacatc tctgaaatgg gggctaactt cggtgcgagc agggtcatcg 5880 actgcagaaa gagcgtgaaa cccaccatct tagaagaggg agaaggcaga gtcatcctcg 5940 gaaacccatc teccataacc agtgetageg cageteaacg gaggggeaga gtaggeagaa 6000 accccaacca agtiggagat gaataccatt atggaggggc taccagtgaa gatgacagta 6060 acctagecea tiggacagag geaaagatea tgttagacaa catacacatg cecaatggge 6120 tggtggccca gctctatgga ccagagaggg aaaaggcttt cacaatggat ggcgaatacc 6180 gtctcagggg tgaagaaaag aaaaacttct tagagctgct taggacggct gaccttccgg 6240 tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga aagtggtgtt 6300 ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag atagtcaccc 6360 ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta tacgcagatc 6420 accaagccct caagtggttc aaagactttg cagcaggaaa gagatcggcc gttagcttca 6480 tagaggtgct cggtcgcatg cctgagcatt tcatgggaaa gacgcgggaa gctttagaca 6540 ccatgtactt ggtcgcaacg gctgagaaag gtgggaaggc acaccgaatg gctctcgaag 6600 agtigccgga igcaciggaa accaicacac tiatigtigc caicacigia aigacaggag 6660 gattetteet actaatgatg cagegaaagg gtatagggaa gatgggtett ggagetetag 6720 tgctcacgct agctaccttc ttcctgtggg cggcagaggt tcctggaacc aaaatagcag 6780



ggaccctgct	gatcgccctg	ctgctgatgg	tggttctcat	cccagaaccg	gaaaaacaga	6840
ggtcacagac	agacaaccaa	ctagcggtgt	ttctcatctg	cgtcttgacc	gtggttggag	6900
tggtggcagc	aaacgagtac	gggatgctag	aaaaaaccaa	agcagatete	aagagcatgt	6960
ttggcggaaa	gacacaggca	tcaggactga	ctggattgcc	aagcatggca	ctggacctgc	7020
gtccagccac	agcctgggca	ctgtatgggg	ggagcacagt	tgtgctaacc	cctcttctga	7080
agcacctgat	cacgtcggaa	tatgtcacca	catcgctagc	ctcaattaac	tcacaagctg	7140
gctcattatt	cgtcttgcca	cgaggcgtgc	ctttcaccga	tctagacctg	accgttggcc	7200
tcgtcttcct	tggctgctgg	ggtcaaatca	ccctcacaac	gtttttgaca	gccatggttc	7260
tggcgacact	tcactatggg	tacatgctcc	ctggatggca	agcagaagca	ctcagggctg	7320
cccagagaag	gacggcggct	ggaataatga	agaatgccgt	tgttgacgga	atggtcgcca	7380
ctgatgtgcc	tgaactggaa	aggactactc	ctctgatgca	aaagaaagtc	ggacaggtgc	7440
tcctcatagg	ggtgagcgtg	gcagcgtttc	tcgtcaaccc	taatgtcacc	actgtgagag	7500
aagcaggggt	gttggtgacg	gcggctacgc	tcaccttgtg	ggataatgga	gccagtgccg	7560
tttggaattc	caccacagcc	acgggactct	gccatgtcat	gcgaggtagc	tacctggctg	7620
gaggctctat	tgcttggact	cttatcaaga	acgctgacaa	gccctccttg	aaaaggggaa	7680
ggcctggggg	caggacgcta	ggggagcagt	ggaaggaaaa	actaaatgcc	atgagcagag	7740
aagagtttt	taaataccgg	agagaggcca	taatcgaggt	ggaccgcact	gaagcacgca	7800
gggctagacg	tgaaaataac	atagtgggag	gacatccggt	ttcgcgaggc	tcagcaaaac	7860
tccgttggct	cgtggagaaa	ggattcgtct	cgccaatagg	aaaagtcatt	gatctagggt	7920
gtgggcgtgg	aggatggagc	tactacgcag	caaccctgaa	gaaggtccag	gaagtcagag	7980
gatacacgaa	aggtggggcg	ggacatgaag	agccgatgct	catgcagagc	tacggctgga	8040
acctggtctc	cttgaagagt	ggagtggatg	tgttctacaa	accttcagag	cctagtgaca	8100
ccctgttctg	tgacataggg	gaatcctccc	caagtccaga	agtggaagaa	caacgcacac	8160
tacgcgtcct	agagat gaca	tccgattggt	tgcatcgagg	acccagagag	ttctgcataa	8220
aagttctctg	cccttacatg	cccaaggtca	tagaaaaaaat	ggaagttctg	cagcgccgct	8280



tcggaggtgg gctagtacgt ctcccctgt cccgaaactc caatcacgag atgtattggg 8340 ttagtggagc cgctggcaat gtggtgcacg ctgtgaacat gaccagccag gtactactgg 8400 ggcgaatgga tcgcacagtg tggagagggc caaagtatga ggaagatgtc aacctaggta 8460 gcggaacaag agccgtggga aagggagaag ttcatagcaa tcaggagaaa atcaagaaga 8520 gaatccagaa gcttaaagaa gaattcgcca caacgtggca caaagaccct gaacacccat 8580 accgcacttg gacataccac ggaagctatg aggtgaaggc tactggctca gccagctctc 8640 tcgtcaacgg agtggtgaag ctcatgagta aaccttggga cgccattgcc aacgtcacca 8700 ccatggccat gactgacacc accccttttg gacagcaaag agttttcaag gagaaagttg 8760 acacgaaagc tcctgagcca ccagctggag tcaaggaagt gctcaacgag accaccaact 8820 ggctgtgggc ccacttgtca cgggaaaaaa gaccccgctt gtgcaccaag gaagaattta 8880 taaagaaagt caatagcaac gcggctcttg gagcagtgtt tgctgaacag aatcaatgga 8940 gcacggcgcg tgaggctgtg gacgacccgc ggttttggga gatggtcaat gaagagggg 9000 aaaaccatct gcgaggagag tgtcacacat gtatctacaa catgatggga aaaagagaga 9060 agaagcctgg agagtttgga aaagctaaag ggagcagggc catttggttc atgtggcttg 9120 gagcacggta tctagagttt gaagctttgg ggttcctgaa tgaagaccac tggctgagcc 9180 gagagaattc aggaggtgga gtagaaggct caggcgtcca aaagttggga tacatcctcc 9240 gtgacatagc aggaaagcaa ggagggaaaa tgtacgctga tgacaccgcc gggtgggaca 9300 ctagaattac tagaactgat ttagaaaatg aagctaaggt gctggagctc ctagatggtg 9360 aacaccgcat gctcgcccgg gccataattg aactgactta caggcacaaa gtggtcaagg 9420 tcatgagacc tgcagcagaa ggaaagaccg tgatggacgt gatatcaaga gaagaccaaa 9480 gggggagtgg acaggtggtc acttatgctc tcaacacttt cacgaacatc gctgtccagc 9540 tegttagget gatggagget gagggggtea ttggggeeaca acaettggaa eagetgeeta 9600 ggaaaaacaa gatagctgtc aggacttggc tctttgagaa tggagaggag agagtgacca 9660 ggatggcgat cagcggagac gactgtgtcg tcaagccgct ggacgacaga ttcgccacgg 9720



ccctccattt	cctcaacgca	atgtcaaagg	ttagaaaaga	catccaggaa	tggaagcctt	9780
cgcacggctg	gcacgattgg	cagcaagttc	ccttctgctc	taaccacttt	caggagattg	9840
tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	ctgataggca	9900
gggctcgcat	ctctccagga	gctggatgga	atgtgaagga	cacagcttgc	ctggcaaaag	9960
catatgcaca	gatgtggcta	ctcctatact	tccatcgtag	ggacctgcgt	ctcatggcaa	10020
atgcgatttg	ctcagcagtg	ccagtggatt	gggtgcccac	aggcaggaca	tcctggtcaa	10080
tacactcgaa	aggagagtgg	atgaccacgg	aagacatgct	gcaggtctgg	aacagagtct	10140
ggattgaaga	aaatgaatgg	atgatggata	agactcccgt	cacaagctgg	acagacgttc	10200
cgtatgtggg	aaagcgt gag	gacatctggt	gtggcagcct	catcggaacg	cgttccagag	10260
caacctgggc	tgagaacatc	tatgcggcga	taaaccaggt	tagagctgtc	attgggaaag	10320
aaaattatgt	tgactacatg	acctcactca	ggagatacga	agacgtcttg	atccaggaag	10380
acagggtcat	ctagtgtgac	ttaaggtaga	aatgtaaata	atgtgaatga	gaaaatgcat	10440
gtatatggag	tcaggccagc	aaaagctgcc	accggatact	gggtagacgg	tgctgcctgc	10500
gtctcagtcc	caggaggact	gggttaacaa	atctgacaac	agaaagtgag	aaagccctca	10560
gaaccgtctc	ggaagtaggt	ccctgctcac	tggaagttga	aagaccaacg	tcaggccacg	10620
aatttgtgcc	actccgctgg	ggagtgcggc	ctgcgcagcc	ccaggaggac	tgggttacca	10680
aagccgttga	ggcccccacg	gcccaagcct	cgtctaggat	gcaatagacg	aggtgtaagg	10740
actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	ccctcgaagc	10800
tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	caaacagcat	10860
attgacacct	gggaatagac	tgggagatct	tctgctctat	ctcaacatca	gctactaggc	10920
acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	caggateteg	agcggccgcg	10980
gaccgactag	cctcttttcg	gccttcgctg	agagggattt	gttccctagg	cctaattatt	11040
atttttaatt	gcccaatacg	tatacgagtg	ccttttctaa	ttctcgtata	ctatagtgag	11100
tcgtattatc	tagccgcccg	ggccgtcgac	caattctcat	gtttgacagc	ttatcatcga	11160
atttctgcca	ttcatccgct	tattatcact	tattcaggcg	tagcaaccag	gcgtttaagg	11220



gcaccaataa	ctgccttaaa	aaaattacgc	cccgccctgc	cactcatcgc	agtactgttg	11280
taattcatta	agcattctgc	cgacatggaa	gccatcacaa	acggcatgat	gaacctgaat	11340
cgccagcggc	atcagcacct	tgtcgccttg	cgtataatat	ttgcccatgg	tgaaaacggg	11400
ggcgaagaag	ttgtccatat	tggccacgtt	taaatcaaaa	ctggtgaaac	tcacccaggg	11460
attggctgag	acgaaaaaca	tattctcaat	aaacccttta	gggaaatagg	ccaggttttc	11520
accgtaacac	gccacatctt	gcgaatatat	gtgtagaaac	tgccggaaat	cgtcgtggta	11580
ttcactccag	agcgatgaaa	acgtttcagt	ttgctcatgg	aaaacggtgt	aacaagggtg	11640
aacactatcc	catatcacca	gctcaccgtc	tttcattgcc	atacggaatt	ccggatgagc	11700
attcatcagg	cgggcaagaa	tgtgaataaa	ggccggataa	aacttgtgct	tatttttctt	11760
tacggtcttt	aaaaaggccg	taatatccag	ctgaacggtc	tggttatagg	tacattgagc	11820
aactgactga	aatgcctcaa	aatgttcttt	acgatgccat	tgggatatat	caacggtggt	11880
atatccagtg	attttttct	ccattttagc	ttccttagct	cctgaaaatc	tcgataactc	11940
aaaaaatacg	cccggtagtg	atcttatttc	attatggtga	aagttggaac	ctcttacgtg	12000
ccgatcaacg	tctcattttc	gccaaaagtt	ggcccagggc	ttcccggtat	caacagggac	12060
accaggattt	atttattctg	cgaagtgatc	ttccgtcaca	ggtatttatt	cgcgataagc	12120
tcatggagcg	gcgtaaccgt	cgcacaggaa	ggacagagaa	agcgcggatc	tgggaagtga	12180
cggacagaac	ggtcaggacc	tggattgggg	aggcggttgc	cgccgctgct	gctgacggtg	12240
tgacgttctc	tgttccggtc	acaccacata	cgttccgcca	ttcctatgcg	atgcacatgc	12300
tgtatgccgg	tataccgctg	aaagttctgc	aaagcctgat	gggacataag	tccatcagtt	12360
caacggaagt	ctacacgaag	gtttttgcgc	tggatgtggc	tgcccggcac	cgggtgcagt	12420
ttgcgatgcc	ggagtctgat	gcggttgcga	tgctgaaaca	attatcctga	gaataaatgc	12480
cttggccttt	atatggaaat	gtggaactga	gtggatatgc	tgtttttgtc	tgttaaacag	12540
agaagctggc	tgttatccac	tgagaagcga	acgaaacagt	cgggaaaatc	tcccattatc	12600
gtagagatcc	gcattattaa	tctcaggagc	ctgtgtagcg	tttataggaa	gtagtgttct	12660



gtcatgatgc ctgcaagcgg taacgaaaac gatttgaata tgccttcagg aacaatagaa	12720
atcttcgtgc ggtgttacgt tgaagtggag cggattatgt cagcaatgga cagaacaacc	12780
taatgaacac agaaccatga tgtggtctgt ccttttacag ccagtagtgc tcgccgcagt	12840
cgagcgacag ggcgaagccc tcgagtgagc gaggaagcac cagggaacag cacttatata	12900
ttctgcttac acacgatgcc tgaaaaaact tcccttgggg ttatccactt atccacgggg	12960
atattttat aattatttt tttatagttt ttagatcttc ttttttagag cgccttgtag	13020
gcctttatcc atgctggttc tagagaaggt gttgtgacaa attgcccttt cagtgtgaca	13080
aatcaccctc aaatgacagt cctgtctgtg acaaattgcc cttaaccctg tgacaaattg	13140
ccctcagaag aagctgtttt ttcacaaagt tatccctgct tattgactct tttttattta	13200
gtgtgacaat ctaaaaaactt gtcacacttc acatggatct gtcatggcgg aaacagcggt	13260
tatcaatcac aagaaacgta aaaatagccc gcgaatcgtc cagtcaaacg acctcactga	13320
ggcggcatat agtctctccc gggatcaaaa acgtatgctg tatctgttcg ttgaccagat	13380
cagaaaatct gatggcaccc tacaggaaca tgacggtatc tgcgagatcc atgttgctaa	13440
atatgctgaa atattcggat tgacctctgc ggaagccagt aaggatatac ggcaggcatt	13500
gaagagtttc gcggggaagg aagtggtttt ttatcgccct gaagaggatg ccggcgatga	13560
aaaaggctat gaatcttttc cttggtttat caaacgtgcg cacagtccat ccagagggct	13620
ttacagtgta catatcaacc catatctcat tcccttcttt atcgggttac agaaccggtt	13680
tacgcagttt cggcttagtg aaacaaaaga aatcaccaat ccgtatgcca tgcgtttata	13740
cgaatccctg tgtcagtatc gtaagccgga tggctcaggc atcgtctctc tgaaaatcga	13800
ctggatcata gagcgttacc agctgcctca aagttaccag cgtatgcctg acttccgccg	13860
ccgcttcctg caggtctgtg ttaatgagat caacagcaga actccaatgc gcctctcata	13920
cattgagaaa aagaaaggcc gccagacgac tcatatcgta ttttccttcc gcgatatcac	13980
ticcatgacg acaggatagt ctgagggtta tctgtcacag atttgagggt ggttcgtcac	14040
attigticing acctacting getaattigt cacanititing cigititicatt canacting cacanititing cigititication acctaction access acctaction access acctaction access acctaction access acctaction access acctaction access acctaction access acctaction access acctaction	14100
ggattttctc atactttttg aactgtaatt tttaaggaag ccaaatttga gggcagtttg	14160




tcacagitga titccitcic titcccitcg tcatgigacc tgatatcggg ggttagitcg 14220 tcatcattga tgagggttga ttatcacagt ttattactct gaattggcta tccgcgtgtg 14280 tacctctacc tggagtittt cccacggtgg atatttcttc ttgcgctgag cgtaagagct 14340 atctgacaga acagttette tttgetteet egecagtteg etegetatge teggttacae 14400 ggctgcggcg agcgctagtg ataataagtg actgaggtat gtgctcttct tatctccttt 14460 tgtagtgttg ctcttatttt aaacaacttt gcggtttttt gatgactttg cgattttgtt 14520 gttgctttgc agtaaattgc aagatttaat aaaaaaacgc aaagcaatga ttaaaggatg 14580 ttcagaatga aactcatgga aacacttaac cagtgcataa acgctggtca tgaaatgacg 14640 aaggctatcg ccattgcaca gtttaatgat gacagcccgg aagcgaggaa aataacccgg 14700 cgctggagaa taggtgaagc agcggattta gttggggttt cttctcaggc tatcagagat 14760 gccgagaaag cagggcgact accgcacccg gatatggaaa ttcgaggacg ggttgagcaa 14820 cgtgttggtt atacaattga acaaattaat catatgcgtg atgtgtttgg tacgcgattg 14880 cgacgtgctg aagacgtatt tccaccggtg atcggggttg ctgcccataa aggtggcgtt 14940 tacaaaacct cagtticigt tcatctigct caggatcigg cictgaaggg gctacgigtt 15000 ttgctcgtgg aaggtaacga cccccaggga acagcctcaa tgtatcacgg atgggtacca 15060 gatetteata tteatgeaga agacaetete etgeetttet atettgggga aaaggaegat 15120 gtcacttatg caataaagcc cacttgctgg ccggggcttg acattattcc ttcctgtctg 15180 gctctgcacc gtattgaaac tgagttaatg ggcaaatttg atgaaggtaa actgcccacc 15240 gatccacacc tgatgctccg actggccatt gaaactgttg ctcatgacta tgatgtcata 15300 gttattgaca gcgcgcctaa cctgggtatc ggcacgatta atgtcgtatg tgctgctgat 15360 gtgctgattg ttcccacgcc tgctgagttg tttgactaca cctccgcact gcagtttttc 15420 gatatgcttc gtgatctgct caagaacgtt gatcttaaag ggttcgagcc tgatgtacgt 15480 attttgctta ccaaatacag caatagtaat ggctctcagt ccccgtggat ggaggagcaa 15540 attcgggatg cctggggaag catggttcta aaaaatgttg tacgtgaaac ggatgaagtt 15600



ggtaaaggtc	agatccggat	gagaactgtt	tttgaacagg	ccattgatca	acgctcttca	15660
actggtgcct	ggagaaatgc	tctttctatt	tgggaacctg	tctgcaatga	aattttcgat	15720
cgtctgatta	aaccacgctg	ggagattaga	taatgaagcg	tgcgcctgtt	attccaaaac	15780
atacgctcaa	tactcaaccg	gttgaagata	cttcgttatc	gacaccagct	gccccgatgg	15840
tggattcgtt	aattgcgcgc	gtaggagtaa	tggctcgcgg	taatgccatt	actttgcctg	15900
tatgtggtcg	ggatgtgaag	tttactcttg	aagtgctccg	gggtgatagt	gttgagaaga	15960
cctctcgggt	atggtcaggt	aatgaacgtg	accaggaget	gcttactgag	gacgcactgg	16020
atgatctcat	cccttctttt	ctactgactg	gtcaacagac	accggcgttc	ggtcgaagag	16080
tatctggtgt	catagaaatt	gccgatggga	gtcgccgtcg	taaagctgct	gcacttaccg	16140
aaagtgatta	tcgtgttctg	gttggcgagc	tggatgatga	gcagatggct	gcattatcca	16200
gattgggtaa	cgattatcgc	ccaacaagtg	cttatgaacg	tggtcagcgt	tatgcaagcc	16260
gattgcagaa	tgaatttgct	ggaaatattt	ctgcgctggc	tgatgcggaa	aatatttcac	16320
gtaagattat	tacccgctgt	atcaacaccg	ccaaattgcc	taaatcagtt	gttgctcttt	16380
tttctcaccc	cggtgaacta	tctgcccggt	caggtgatgc	acttcaaaaa	gcctttacag	16440
ataaagagga	attacttaag	cagcaggcat	ctaaccttca	tgagcagaaa	aaagctgggg	16500
tgatatttga	agctgaagaa	gttatcactc	ttttaacttc	tgtgcttaaa	acgtcatctg	16560
catcaagaac	tagtttaagc	tcacgacatc	agtttgctcc	tggagcgaca	gtattgtata	16620
agggcgataa	aatggtgctt	aacctggaca	ggtctcgtgt	tccaactgag	tgtatagaga	16680
aaattgaggc	cattcttaag	gaact tgaaa	agccagcacc	ctgatgcgac	cacgttttag	16740
tctacgttta	tctgtcttta	cttaatgtcc	tttgttacag	gccagaaagc	ataactggcc	16800
tgaatattct	ctctgggccc	actgttccac	ttgtatcgtc	ggtctgataa	tcagactggg	16860
accacggtcc	cactcgtatc	gtcggtctga	ttattagtct	gggaccacgg	tcccactcgt	16920
atcgtcggtc	tgattattag	tctgggacca	cggtcccact	cgtatcgtcg	gtctgataat	16980
cagactggga	ccacggtccc	actcgtatcg	tcggtctgat	tattagtctg	ggaccatggt	17040
cccactcgta	tcgtcggtct	gattattagt	ctgggaccac	ggtcccactc	gtatcgtcgg	17100



tctgattatt	agtctggaac	cacggtccca	ctcgtatcgt	cggtctgatt	attagtctgg	17160
gaccacggtc	ccactcgtat	cgtcggtctg	attattagto	tgggaccacg	atcccactcg	17220
tgttgtcggt	ctgattatcg	gtctgggacc	acggtcccac	ttgtattgtc	gatcagacta	17280
tcagcgtgag	actacgattc	catcaatgcc	tgtcaagggc	aagtattgac	atgtcgtcgt	17340
aacctgtaga	acggagtaac	ctcggtgtgc	ggttgtatgc	ctgctgtgga	ttgctgctgt	17400
gtcctgctta	tccacaacat	tttgcgcacg	gttatgtgga	caaaatacct	ggttacccag	17460
gccgtgccgg	cacgttaacc	gggctgcatc	cgatgcaagt	gtgtcgctgt	cgacgagete	17520
gcgagctcgg	acatgaggtt	gccccgtatt	cagtgtcgct	gatttgtatt	gtctgaagtt	17580
gtttttacgt	taagttgatg	cagatcaatt	aatacgatac	ctgcgtcata	attgattatt	17640
tgacgtggtt	tgatggcctc	cacgcacgtt	gtgatatgta	gatgataatc	attatcactt	17700
tacgggtcct	ttccggtgat	ccgacaggtt	acggggcggc	gacctcgcgg	gttttcgcta	17760
tttatgaaaa	ttttccggtt	taaggcgttt	ccgttcttct	tcgtcataac	ttaatgtttt	17820
tatttaaaat	accctctgaa	aagaaaggaa	acgacaggtg	ctgaaagcga	gctttttggc	17880
ctctgtcgtt	tcctttctct	gtttttgtcc	gtggaatgaa	caatggaagt	ccgagctcat	17940
cgctaataac	ttcgtatagc	atacattata	cgaagttata	ttcgatgcgg	cgctgaggtc	18000
tgcctcgtga	agaaggtgtt	gctgactcat	accaggcctg	aatcgcccca	tcatccagcc	18060
agaaagtgag	ggagccacgg	ttgatgagag	ctttgttgta	ggtggaccag	ttggtgattt	18120
tgaacttttg	ctttgccacg	gaacggtctg	cgttgtcggg	aagatgcgtg	atctgatcct	18180
tcaactcagc	aaaagttcga	tttattcaac	aaagccacgt	gtctcaaaat	ctctgatgtt	18240
acattgcaca	agataaaaat	atatcatcat	gaacaataaa	actgtctgct	tacataaaca	18300
gtaatacaag	gggtgttatg	agccatattc	aacgggaaac	gtcttgctcg	acgatgataa	18360
gctgtcaaac	atgagaattg	ggtcgtcaat	atgctaaaac	gcggcatacc	ccgcgtattc	18420
ccactagtta	atcgtacgaa	ttccgtatgg	caatgaaaga	cggtgagctg	gtgatatggg	18480
atagtgttca	cccttgttac	accgttttcc	atgagcaaac	tgaaacgttt	tcatcgctct	18540





ggagtgaata ccacga	acgat ttccggcagt	ttctacacat	atattcgcaa	gatgtggcgt	18600
gttacggtga aaacci	tggcc tatttcccta	aagggtttat	tgagaatatg	tttttcgtct	18660
cagccaatcc ctggg	tgagt ttcaccagtt	ttgatttaaa	cgtggccaat	atggacaact	18720
tcttcgcccc cgttti	tcacc atgggcaaat	attatacgca	aggcgacaag	gtgctgatgc	18780
cgctggcgat tcaggt	ttcat catgccgttt	gtgatggctt	ccatgtcggc	agaatgctta	18840
atgaattaca acagta	actgc gatgagtggc	agggcggggc	gtaattttt	taaggcagtt	18900
attggtgccc ttaaac	egect ggttgetacg	cctgaataag	tgataataag	cggatgaatg	18960
gcagaaattc gatgat	taagc tgtcaaacat	gagaattggt	cgacggcccg	ggcggctaga	19020
taatacgact cactat	tag				19038

<210> 47

<211> 19038

<212> DNA

<213> Artificial Sequence

<220>

<223> sequence for pBACt7/JVFLx/XhoI

<400> 47

agaagtttat ctgtgtgaac ttcttggctt agtatcgttg agaagaatcg agagattagt 60 gcagtttaaa cagttttta gaacggaaga taaccatgac taaaaaacca ggagggcccg 120 gtaaaaaccg ggctatcaat atgctgaaac gcggcctacc ccgcgtattc ccactagtgg 180 gagtgaagag ggtagtaatg agcttgttgg acggcagagg accagtacgt ttcgtgctgg 240 ctcttatcac gttcttcaag tttacagcat tagccccgac caaggcgctt ttaggccgat 300 ggaaagcagt ggaaaagagt gtggcaatga aacatcttac tagtttcaaa cgagaacttg 360 gaacactcat tgacgccgtg aacaagcggg gcagaaagca aaacaaaaga ggaggaaatg 420 aaggeteaat catgtggete gegagtttgg eagttgteat agettgtgta ggageeatga 480 agttgtcaaa tttccaaggg aagcttttga tgaccattaa caacacggac attgcagacg 540 tcatcgtgat tcctacctca aaaggagaga acagatgctg ggtccgggca atcgatgtcg 600



gctacatgtg tgaggacact atcacgtacg aatgtcctaa gcttaccatg ggcaatgatc 660 cagaggatgt ggattgctgg tgtgacaacc aagaagtcta cgtccaatat ggacggtgca 720 cgcggaccag gcattccaag cgaagcagga ggtccgtgtc ggtccaaaca catggggaga 780 gttcactagt gaataaaaaa gaggcttggc tggattcaac gaaagccaca cgatatctca 840 tgaaaactga gaactggatc ataaggaatc ctggctatgc tttcctggcg gcggtacttg 900 gctggatgct tggcagtaac aatggtcaac gcgtggtgtt taccatcctc ctgctgttgg 960 tegeteegge ttacagtttt aattgtetgg gaatgggcaa eegtgaette atagaaggag 1020 ccagtggagc cacttgggtg gacttagtgc tagaaggaga tagctgcttg acaatcatgg 1080 caaacgacaa accaacattg gacgtccgca tgattaacat cgaagccagc caacttgctg 1140 aggicagaag ciacigciat caigciicag icacigacai cicgacggig gcicggigcc 1200 ccacgactgg agaagcccac aacgagaagc gagctgatag tagctatgtg tgcaaacaag 1260 gtttcactga tcgtgggtgg ggcaacggat gtggactttt cgggaaggga agcattgaca 1320 catgtgcaaa attctcctgc accagtaagg cgattgggag aacaatccag ccagaaaaca 1380 tcaaatacga agttggcatt tttgtgcatg gaaccaccac ctcggaaaac catgggaatt 1440 attcagegea agtaggggeg teccaggegg caaagtttac agtaacaccc aatgeteett 1500 cgataaccct caaacttggt gactacggag aagtcacact ggactgtgaa ccaaggagtg 1560 gactgaacac tgaagcgttt tacgtcatga ccgtggggtc aaagtcattt ctggtccata 1620 gggaatggtt tcatgacctc gctctcccct ggacgtcccc ttcgagcaca gcgtggagaa 1680 acagagaact cctcatggaa tttgaagagg cgcacgccac aaaacagtcc gttgttgctc 1740 ttgggtcaca ggaaggaggc ctccatcagg cgctggcagg agccatcgtg gtggagtact 1800 caagctcagt gaagttaaca tcaggccacc tgaaatgtag gctgaaaatg gacaaactgg 1860 ctctgaaagg cacaacctat ggcatgtgta cagaaaaatt ctcgttcgcg aaaaatccgg 1920 eggacactgg ecaeggaaca gttgteattg aacteteeta ttetgggagt gatggeeect 1980 gcaaaattcc gattgtctcc gttgcgagcc tcaatgacat gacccccgtt gggcggctgg 2040 tgacagtgaa ccccttcgtc gcgacttcca gtgccaactc aaaggtgctg gtcgagatgg 2100



aaccccctt	cggagactcc	tacatcgtag	ttggaagggg	agacaagcag	atcaaccacc	2160
attggcataa	agctggaagc	acgctgggca	aggcttttc	aacaactttg	aagggagctc	2220
aaagactggc	agcgttgggc	gacacagcct	gggactttgg	ctctattgga	ggggtcttca	2280
actccatagg	aaaggccgtt	caccaagtgt	ttggtggcgc	tttcagaaca	ctctttgggg	2340
gaatgtcttg	gatcacacaa	gggttaatgg	gtgccctact	actctggatg	ggcatcaacg	2400
cacgagatcg	atcaattgct	ttggccttct	tggccacagg	aggtgtgctc	gtgttcttag	2460
cgaccaatgt	gcatgctgac	actggatgtg	ccattgacat	cgcaagaaaa	gagatgagat	2520
gcggaagtgg	catcttcgtg	cacaacgacg	tggaagcctg	ggtggatagg	tataaatatt	2580
tgccagaaac	gcccagatcc	ctagcgaaga	tcgtccacaa	agcgcacaag	gaaggcgtgt	2640
gcggagtcag	atctgtcact	agactggagc	accaaatgtg	ggaagccgtg	cgggacgaat	2700
tgaacgtcct	gctcaaagag	aatgcagtgg	acctcagtgt	ggttgtgaac	aagcccgtgg	2760
ggagatatcg	ctcagcccca	aaacgcctgt	ccatgacgca	agagaagttt	gaaatgggct	2820
ggaaagcatg	gggaaaaaagc	attctctttg	ccccggaatt	ggctaactcc	acatttgttg	2880
tagatggacc	tgagacaaag	gaatgtcctg	atgagcacag	agcctggaac	agcatgcaaa	2940
tcgaagactt	cggctttggt	atcacatcaa	cccgtgtgtg	gctgaagatt	agagaggaaa	3000
gcactgacga	gtgtgatgga	gcgatcatag	gcacagctgt	caaaggacat	gtggcagttc	3060
atagtgactt	gtcgtactgg	attgagagtc	gctacaacga	cacatggaaa	cttgagaggg	3120
cagtctttgg	agaggtcaaa	tcttgcactt	ggccagagac	acacactctt	tggggagatg	3180
gtgttgagga	aagtgaactc	atcatcccgc	ataccatage	cggaccaaaa	agcaagcaca	3240
atcggaggga	agggtacaaa	acacaaaacc	agggaccttg	ggacgaaaac	ggcatagtct	3300
tggactttga	ttattgccca	gggacaaaag	tcaccatcac	agaggattgt	ggcaagagag	3360
gcccttcggt	cagaaccact	actgacagtg	gaaagttgat	tactgactgg	tgctgtcgca	3420
gttgctccct	tccgccccta	cgattccgga	cagaaaatgg	ctgctggtac	ggaatggaaa	3480
tcagacctgt	taggcatgat	gaaacaacac	tcgtcagatc	acaggt tgat	gctttcaatg	3540



gtgaaatggt tgaccctttt cagctgggcc ttctggtgat gtttctggcc acccaggagg	3600
tecttegeaa gaggtggaeg gecagattga ceatteetge ggttttgggg gecetgettg	3660
tgctgatgct tgggggcatc acttacactg atttggcgag gtatgtggtg ctagtcgctg	3720
ctgctttcgc agaggccaat aatggaggag acgtcctgca ccttgctttg attgccgttt	3780
ttaagatcca accagctttt ctagtgatga acatgcttag cacgagatgg acgaaccaag	3840
aaaacgtggt cctggtccta ggggctgcct tctttcaatt ggcctcagta gatctgcaaa	3900
teggagteca eggaateetg aatgeegeeg etatageatg gatgattgtt egagegatea	3960
ccttccccac aacctcctcc gtcaccatgc cagtcttagc gcttctaact ccgggaatga	4020
gggctctata cctagacact tacagaatca tccttctcgt catagggatt tgctccctgc	4080
tgcaagagag gaaaaagacc atggcaaaaa agaaaggagc tgtactcttg ggcttagcgc	4140
tcacatccac tggatggttc tcgcccacca ccatagctgc tggactaatg gtctgcaacc	4200
caaacaagaa gagagggtgg ccagctactg agtttctgtc ggcagtcgga ttgatgtttg	4260
ccatcgtagg tggtttggcc gagttggata ttgaatccat gtcaataccc ttcatgctgg	4320
caggitettat ggcagigitec tacgitagigit caggaaaage aacagataig iggelegaac	4380
gggccgccga catcagctgg gagatggatg ctgcaatcac aggaagcagt cggaggctgg	4440
atgtgaaact ggatgatgac ggagattttc acttgattga tgatcccggc gttccatgga	4500
aagtttgggt cttgcgcatg tcttgcattg gcttagccgc cctcacgcct tgggccattg	4560
ttcccgccgc tttcggttac tggctcactt taaaaaacaac aaaaagaggg ggcgtgtttt	4620
gggacacgcc atccccgaaa ccttgcttaa aaggagacac cactacagga gtctaccgaa	4680
tcatggctag agggattctt ggcacctacc aggctggcgt cggagtcatg tacgagaatg	4740
ttttccacac actatggcac acaactagag gggcagccat tatgagtgga gaaggaaaat	4800
tgacgccata ctggggtagc gtgaaagaag accgcatagc ttacggaggc ccatggagat	4860
ttgatcgaaa atggaatgga acagatgacg tgcaagtgat cgtggtagaa ccggggaagg	4920
ctgcggtaaa catccagaca aaaccaggag tgtttcggac ccccttcggg gaggttgggg	4980
ctgttagcct ggattacccg cgaggaacat ccggctcacc cattctggat tccaatggag	5040



acatcatagg cctatacggc aatggagttg agcttggcga tggctcatac gtcagcgcca 5100 tcgtgcaggg tgaccgtcag gaggaaccag tcccagaagc ttacactcca aacatgttaa 5160 gaaagagaca gatgactgtg ttagatttgc accctggttc agggaaaacc aggaaaattc 5220 tgccacaaat aattaaggat gcaatccagc agcgcctaag aacagctgtg ttggcaccga 5280 cgcgggtggt agcagcagaa atggcagaag ctttgagagg gctcccagta cgataccaaa 5340 cttcagcagt gcagagagag caccaaggga atgaaatagt ggatgtgatg tgccacgcca 5400 ctctgaccca cagaitgaig tcaccgaaca gagigcccaa ctacaatcig titgicaigg 5460 atgaagetea titeacegae eeageeagea tageegeaeg aggatacate getaceaagg 5520 tggaattagg agaggcagca gccatcttta tgacagcgac cccgcctgga accacggatc 5580 cttttcccga ctcaaatgcc ccaatccatg atttacaaga tgagatacca gacagggcat 5640 ggagcagtgg atacgaatgg atcacagaat atgcgggtaa aaccgtgtgg tttgtggcga 5700 gcgtaaaaat ggggaatgag attgcaatgt gcctccaaag agcgggaaaa aaggtcatcc 5760 aactcaaccg caagtcctat gacacagaat acccaaaatg taagaatgga gactgggatt 5820 tigicatiac caccgacate teigaaaigg gggetaaett eggigegage agggicateg 5880 actgcagaaa gagcgtgaaa cccaccatct tagaagaggg agaaggcaga gtcatcctcg 5940 gaaacccatc tcccataacc agtgctagcg cagctcaacg gaggggcaga gtaggcagaa 6000 accccaacca agttggagat gaataccatt atggaggggc taccagtgaa gatgacagta 6060 acctagecea tiggacagag geaaagatea tgttagacaa catacacatg eecaatggge 6120 tggtggccca gctctatgga ccagagaggg aaaaggcttt cacaatggat ggcgaatacc 6180 gtctcagggg tgaagaaaag aaaaacttct tagagctgct taggacggct gaccttccgg 6240 tgtggctggc ctataaggtg gcgtccaatg gcattcagta caccgacaga aagtggtgtt 6300 ttgatgggcc gcgcacgaat gccatactgg aggacaacac cgaggtagag atagtcaccc 6360 ggatgggtga gagaaagatc ctcaagccga gatggcttga tgcaagagta tacgcagatc 6420 accaagccct caagtggttc aaagactttg cagcaggaaa gagatcggcc gttagcttca 6480



tagaggtgct cggtcgcatg cctgagcatt tcatgggaaa gacgcgggaa gctttagaca 6540 ccatgtactt ggtcgcaacg gctgagaaag gtgggaaggc acaccgaatg gctctcgaag 6600 agttgccgga tgcactggaa accatcacac ttattgttgc catcactgta atgacaggag 6660 gattetteet actaatgatg cagegaaagg gtatagggaa gatgggtett ggagetetag 6720 tgctcacgct agctaccttc ttcctgtggg cggcagaggt tcctggaacc aaaatagcag 6780 ggaccctgct gatcgccctg ctgctgatgg tggttctcat cccagaaccg gaaaaacaga 6840 ggtcacagac agacaaccaa ctagcggtgt ttctcatctg cgtcttgacc gtggttggag 6900 tggtggcagc aaacgagtac gggatgctag aaaaaaccaa agcagatctc aagagcatgt 6960 ttggcggaaa gacacaggca tcaggactga ctggattgcc aagcatggca ctggacctgc 7020 gtccagccac agcctgggca ctgtatgggg ggagcacagt tgtgctaacc cctcttctga 7080 agcaccigat cacgicggaa taigicacca caicgciagc cicaattaac icacaagcig 7140 gctcattatt cgtcttgcca cgaggcgtgc ctttcaccga tctagacctg accgttggcc 7200 tegtetteet tggetgetgg ggteaaatea eeeteacaac gtttttgaca gecatggtte 7260 tggcgacact tcactatggg tacatgctcc ctggatggca agcagaagca ctcagggctg 7320 cccagagaag gacggcggct ggaataatga agaatgccgt tgttgacgga atggtcgcca 7380 ctgatgtgcc tgaactggaa aggactactc ctctgatgca aaagaaagtc ggacaggtgc 7440 tecteatagg ggtgagegtg geagegttte tegteaacce taatgteacc actgtgagag 7500 aagcaggggt gttggtgacg gcggctacgc tcaccttgtg ggataatgga gccagtgccg 7560 tttggaattc caccacagcc acgggactct gccatgtcat gcgaggtagc tacctggctg 7620 gaggetetat tgettggaet ettateaaga aegetgaeaa geeeteettg aaaaggggaa 7680 ggcctggggg caggacgcta ggggggcagt ggaaggaaaa actaaatgcc atgagcagag 7740 aagagttttt taaataccgg agagaggcca taatcgaggt ggaccgcact gaagcacgca 7800 gggctagacg tgaaaataac atagtgggag gacatccggt ttcgcgaggc tcagcaaaac 7860 tccgttggct cgtggagaaa ggattcgtct cgccaatagg aaaagtcatt gatctagggt 7920 gtgggcgtgg aggatggagc tactacgcag caaccctgaa gaaggtccag gaagtcagag 7980



gatacacgaa	aggtggggcg	ggacatgaag	agccgatgct	catgcagagc	tacggctgga	8040
acctggtctc	cttgaagagt	ggagtggatg	tgttctacaa	accttcagag	cctagtgaca	8100
ccctgttctg	tgacataggg	gaatcctccc	caagtccaga	agtggaagaa	caacgcacac	8160
tacgcgtcct	agagatgaca	tccgattggt	tgcatcgagg	acccagagag	ttctgcataa	8220
aagttctctg	cccttacatg	cccaaggtca	tagaaaaaat	ggaagttctg	cagcgccgct	8280
tcggaggtgg	gctagtacgt	ctcccctgt	cccgaaactc	caatcacgag	atgtattggg	8340
ttagtggagc	cgctggcaat	gtggtgcacg	ctgtgaacat	gaccagccag	gtactactgg	8400
ggcgaatgga	tcgcacagtg	tggagagggc	caaagtatga	ggaagatgtc	aacctaggta	8460
gcggaacaag	agccgtggga	aagggagaag	ttcatagcaa	tcaggagaaa	atcaagaaga	8520
gaatccagaa	gcttaaagaa	gaattcgcca	caacgtggca	caaagaccct	gaacacccat	8580
accgcacttg	gacataccac	ggaagctatg	aggtgaaggc	tactggctca	gccagctctc	8640
tcgtcaacgg	agtggtgaag	ctcatgagta	aaccttggga	cgccattgcc	aacgtcacca	8700
ccatggccat	gactgacacc	acccctttg	gacagcaaag	agttttcaag	gagaaagttg	8760
acacgaaagc	tcctgagcca	ccagctggag	tcaaggaagt	gctcaacgag	accaccaact	8820
ggctgtgggc	ccacttgtca	cgggaaaaaa	gaccccgctt	gtgcaccaag	gaagaattta	8880
taaagaaagt	caatagcaac	gcggctcttg	gagcagtgtt	tgctgaacag	aatcaatgga	8940
gcacggcgcg	tgaggctgtg	gacgacccgc	ggttttggga	gatggtcaat	gaagagaggg	9000
aaaaccatct	gcgaggagag	tgtcacacat	gtatctacaa	catgatggga	aaaagagaga	9060
agaagcctgg	agagtttgga	aaagctaaag	ggagcagggc	catttggttc	atgtggcttg	9120
gagcacggta	tcttgagttt	gaagctttgg	ggttcctgaa	tgaagaccac	tggctgagcc	9180
gagagaattc	aggaggtgga	gtagaaggct	caggcgtcca	aaagttggga	tacatcctcc	9240
gtgacatagc	aggaaagcaa	ggagggaaaa	tgtacgctga	tgacaccgcc	gggtgggaca	9300
ctagaattac	tagaactgat	ttagaaaatg	aagctaaggt	gctggagctc	ctagatggtg	9360
aacaccgcat	gctcgcccgg	gccataattg	aactgactta	caggcacaaa	gtggtcaagg	9420



tcatgagaco	c tgcagcagaa	ggaaagaccg	g tgatggacgt	gatatcaaga	gaagaccaaa	9480
gggggagtgg	g acaggtggto	acttatgcto	tcaacacttt	cacgaacatc	gctgtccagc	9540
tcgttaggct	gatggaggct	gagggggtca	ttgggccaca	acacttggaa	cagctgccta	9600
ggaaaaacaa	a gatagctgtc	aggacttggc	tctttgagaa	tggagaggag	agagtgacca	9660
ggatggcgat	cagcggagac	gactgtgtcg	tcaagccgct	ggacgacaga	ttcgccacgg	9720
ccctccattt	cctcaacgca	atgtcaaagg	ttagaaaaga	catccaggaa	tggaagcctt	9780
cgcacggctg	gcacgattgg	cagcaagtto	ccttctgctc	taaccacttt	caggagattg	9840
tgatgaaaga	cggaaggagt	atagttgtcc	cgtgcagagg	acaggatgag	ctgataggca	9900
gggctcgcat	ctctccagga	gctggatgga	atgtgaagga	cacagcttgc	ctggcaaaag	9960
catatgcaca	gatgtggcta	ctcctatact	tccatcgtag	ggacctgcgt	ctcatggcaa	10020
atgcgatttg	ctcagcagtg	ccagtggatt	gggtgcccac	aggcaggaca	tcctggtcaa	10080
tacactcgaa	aggagagtgg	atgaccacgg	aagacatgct	gcaggtctgg	aacagagtct	10140
ggattgaaga	aaatgaatgg	atgatggata	agactcccgt	cacaagctgg	acagacgttc	10200
cgtatgtggg	aaagcgtgag	gacatctggt	gtggcagcct	catcggaacg	cgttccagag	10260
caacctgggc	tgagaacatc	tatgcggcga	taaaccaggt	tagagctgtc	attgggaaag	10320
aaaattatgt	tgactacatg	acctcactca	ggagatacga	agacgtcttg	atccaggaag	10380
acagggtcat	ctagtgtgac	ttaaggtaga	aatgtaaata	atgtgaatga	gaaaatgcat	10440
gtatatggag	tcaggccagc	aaaagctgcc	accggatact	gggtagacgg	tgctgcctgc	10500
gtctcagtcc	caggaggact	gggttaacaa	atctgacaac	agaaagtgag	aaagccctca	10560
gaaccgtctc	ggaagtaggt	ccctgctcac	tggaagttga	aagaccaacg	tcaggccacg	10620
aatttgtgcc	actccgctgg	ggagtgcggc	ctgcgcagcc	ccaggaggac	tgggttacca	10680
aagccgttga	ggccccacg	gcccaagcct	cgtctaggat	gcaatagacg	aggtgtaagg	10740
actagaggtt	agaggagacc	ccgtggaaac	aacaacatgc	ggcccaagcc	ccctcgaagc	10800
tgtagaggag	gtggaaggac	tagaggttag	aggagacccc	gcatttgcat	caaacagcat	10860
attgacacct	gggaatagac	tgggagatct	tctgctctat	ctcaacatca	gctactaggc	10920



acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	caggateteg	agcggccgcg	10980
gaccgactag	cctctttcg	gccttcgctg	agagggattt	gttccctagg	cctaattatt	11040
atttttaatt	gcccaatacg	tatacgagtg	ccttttctaa	ttctcgtata	ctatagtgag	11100
tcgtattatc	tagccgcccg	ggccgtcgac	caattctcat	gtttgacagc	ttatcatcga	11160
atttctgcca	ttcatccgct	tattatcact	tattcaggcg	tagcaaccag	gcgtttaagg	11220
gcaccaataa	ctgccttaaa	aaaattacgc	cccgccctgc	cactcatcgc	agtactgttg	11280
taattcatta	agcattctgc	cgacatggaa	gccatcacaa	acggcatgat	gaacctgaat	11340
cgccagcggc	atcagcacct	tgtcgccttg	cgtataatat	ttgcccatgg	tgaaaacggg	11400
ggcgaagaag	ttgtccatat	tggccacgtt	taaatcaaaa	ctggtgaaac	tcacccaggg	11460
attggctgag	acgaaaaaaca	tattctcaat	aaacccttta	gggaaatagg	ccaggttttc	11520
accgtaacac	gccacatctt	gcgaatatat	gtgtagaaac	tgccggaaat	cgtcgtggta	11580
ttcactccag	agcgatgaaa	acgtttcagt	ttgctcatgg	aaaacggtgt	aacaagggtg	11640
aacactatcc	catatcacca	gctcaccgtc	tttcattgcc	atacggaatt	ccggatgagc	11700
attcatcagg	cgggcaagaa	tgtgaataaa	ggccggataa	aacttgtgct	tatttttctt	11760
tacggtcttt	aaaaaggccg	taatatccag	ctgaacggtc	tggttatagg	tacattgagc	11820
aactgactga	aatgcctcaa	aatgttcttt	acgatgccat	tgggatatat	caacggtggt	11880
atatccagtg	attttttct	ccattttagc	ttccttagct	cctgaaaatc	tcgataactc	11940
aaaaaatacg	cccggtagtg	atcttatttc	attatggtga	aagttggaac	ctcttacgtg	12000
ccgatcaacg	tctcattttc	gccaaaagtt	ggcccagggc	ttcccggtat	caacagggac	12060
accaggattt	atttattctg	cgaagtgatc	ttccgtcaca	ggtatttatt	cgcgataagc	12120
tcatggagcg	gcgtaaccgt	cgcacaggaa	ggacagagaa	agcgcggatc	tgggaagtga	12180
cggacagaac	ggtcaggacc	tggattgggg	aggcggttgc	cgccgctgct	gctgacggtg	12240
tgacgttctc	tgttccggtc	acaccacata	cgttccgcca	ttcctatgcg	atgcacatgc	12300
tgtatgccgg	tataccgctg	aaagttctgc	aaagcctgat	gggacataag	tccatcagtt	12360



caacggaagt	ctacacgaag	gtttttgcgc	tggatgtggc	tgcccggcac	cgggtgcagt	12420
ttgcgatgcc	ggagtctgat	gcggttgcga	tgctgaaaca	attatcctga	gaataaatgc	12480
cttggccttt	atatggaaat	gtggaactga	gtggatatgc	tgtttttgtc	tgttaaacag	12540
agaagctggc	tgttatccac	tgagaagcga	acgaaacagt	cgggaaaatc	tcccattatc	12600
gtagagatcc	gcattattaa	tctcaggagc	ctgtgtagcg	tttataggaa	gtagtgttct	12660
gtcatgatgc	ctgcaagcgg	taacgaaaac	gatttgaata	tgccttcagg	aacaatagaa	12720
atcttcgtgc	ggtgttacgt	tgaagtggag	cggattatgt	cagcaatgga	cagaacaacc	12780
taatgaacac	agaaccatga	tgtggtctgt	ccttttacag	ccagtagtgc	tcgccgcagt	12840
cgagcgacag	ggcgaagccc	tcgagtgagc	gaggaagcac	cagggaacag	cacttatata	12900
ttctgcttac	acacgatgcc	tgaaaaaaact	tcccttgggg	ttatccactt	atccacgggg	12960
atattttat	aattatttt	tttatagttt	ttagatette	ttttttagag	cgccttgtag	13020
gcctttatcc	atgctggttc	tagagaaggt	gttgtgacaa	attgcccttt	cagtgtgaca	13080
aatcaccctc	aaatgacagt	cctgtctgtg	acaaattgcc	cttaaccctg	tgacaaattg	13140
ccctcagaag	aagctgtttt	ttcacaaagt	tatccctgct	tattgactct	tttttattta	13200
gtgtgacaat	ctaaaaactt	gtcacacttc	acatggatct	gtcatggcgg	aaacagcggt	13260
tatcaatcac	aagaaacgta	aaaatagccc	gcgaatcgtc	cagtcaaacg	acctcactga	13320
ggcggcatat	agtctctccc	gggatcaaaa	acgtatgctg	tatctgttcg	ttgaccagat	13380
cagaaaatct	gatggcaccc	tacaggaaca	tgacggtatc	tgcgagatcc	atgttgctaa	13440
atatgctgaa	atattcggat	tgacctctgc	ggaagccagt	aaggatatac	ggcaggcatt	13500
gaagagtttc	gcggggaagg	aagtggtttt	ttatcgccct	gaagaggatg	ccggcgatga	13560
aaaaggctat	gaatctttc	cttggtttat	caaacgtgcg	cacagtccat	ccagagggct	13620
ttacagtgta	catatcaacc	catatctcat	tcccttcttt	atcgggttac	agaaccggtt	13680
tacgcagttt	cggcttagtg	aaacaaaaga	aatcaccaat	ccgtatgcca	tgcgtttata	13740
cgaatccctg	tgtcagtatc	gtaagccgga	tggctcaggc	atcgtctctc	tgaaaatcga	13800
ctggatcata	gagcgttacc	agctgcctca	aagttaccag	cgtatgcctg	acttccgccg	13860




ccgcttcctg	caggtctgtg	ttaatgagat	caacagcaga	actccaatgc	gcctctcata	13920
cattgagaaa	aagaaaggcc	gccagacgac	tcatatcgta	ttttccttcc	gcgatatcac	13980
ttccatgacg	acaggatagt	ctgagggtta	tctgtcacag	atttgagggt	ggttcgtcac	14040
atttgttctg	acctactgag	ggtaatttgt	cacagttttg	ctgtttcctt	cagcctgcat	14100
ggattttctc	atacttttg	aactgtaatt	tttaaggaag	ccaaatttga	gggcagtttg	14160
tcacagttga	tttccttctc	tttcccttcg	tcatgtgacc	tgatatcggg	ggttagttcg	14220
tcatcattga	tgagggttga	ttatcacagt	ttattactct	gaattggcta	tccgcgtgtg	14280
tacctctacc	tggagttttt	cccacggtgg	atatttcttc	ttgcgctgag	cgtaagagct	14340
atctgacaga	acagttcttc	tttgcttcct	cgccagttcg	ctcgctatgc	tcggttacac	14400
ggctgcggcg	agcgctagtg	ataataagtg	actgaggtat	gtgctcttct	tatctccttt	14460
tgtagtgttg	ctcttatttt	aaacaacttt	gcggttttt	gatgactttg	cgattttgtt	14520
gttgctttgc	agtaaattgc	aagatttaat	aaaaaaacgc	aaagcaatga	ttaaaggatg	14580
ttcagaatga	aactcatgga	aacacttaac	cagtgcataa	acgctggtca	tgaaatgacg	14640
aaggctatcg	ccattgcaca	gtttaatgat	gacagcccgg	aagcgaggaa	aataacccgg	14700
cgctggagaa	taggtgaagc	agcggattta	gttggggttt	cttctcaggc	tatcagagat	14760
gccgagaaag	cagggcgact	accgcacccg	gatatggaaa	ttcgaggacg	ggttgagcaa	14820
cgtgttggtt	atacaattga	acaaattaat	catatgcgtg	atgtgtttgg	tacgcgattg	14880
cgacgtgctg	aagacgtatt	tccaccggtg	atcggggttg	ctgcccataa	aggtggcgtt	14940
tacaaaacct	cagtttctgt	tcatcttgct	caggatctgg	ctctgaaggg	gctacgtgtt	15000
ttgctcgtgg	aaggtaacga	ccccaggga	acagcctcaa	tgtatcacgg	atgggtacca	15060
gatcttcata	ttcatgcaga	agacactctc	ctgcctttct	atcttgggga	aaaggacgat	15120
gtcacttatg	caataaagcc	cacttgctgg	ccggggcttg	acattattcc	ttcctgtctg	15180
gctctgcacc	gtattgaaac	tgagttaatg	ggcaaatttg	atgaaggtaa	actgcccacc	15240
gatccacacc	tgatgctccg	actggccatt	gaaactgttg	ctcatgacta	tgatgtcata	15300



gttattgaca	gcgcgcctaa	cctgggtatc	ggcacgatta	atgtcgtatg	tgctgctgat	15360
gtgctgattg	ttcccacgcc	tgctgagttg	tttgactaca	cctccgcact	gcagttttc	15420
gatatgette	gtgatctgct	caagaacgtt	gatcttaaag	ggttcgagcc	tgatgtacgt	15480
attttgctta	ccaaatacag	caatagtaat	ggctctcagt	cccgtggat	ggaggagcaa	15540
attcgggatg	cctggggaag	catggttcta	aaaaatgttg	tacgtgaaac	ggatgaagtt	15600
ggtaaaggtc	agatccggat	gagaactgtt	tttgaacagg	ccattgatca	acgctcttca	15660
actggtgcct	ggagaaatgc	tctttctatt	tgggaacctg	tctgcaatga	aattttcgat	15720
cgtctgatta	aaccacgctg	ggagattaga	taatgaagcg	tgcgcctgtt	attccaaaac	15780
atacgctcaa	tactcaaccg	gttgaagata	cttcgttatc	gacaccagct	gccccgatgg	15840
tggattcgtt	aattgcgcgc	gtaggagtaa	tggctcgcgg	taatgccatt	actttgcctg	15900
tatgtggtcg	ggatgtgaag	tttactcttg	aagtgctccg	gggtgatagt	gttgagaaga	15960
cctctcgggt	atggtcaggt	aatgaacgtg	accaggaget	gcttactgag	gacgcactgg	16020
atgatctcat	cccttctttt	ctactgactg	gtcaacagac	accggcgttc	ggtcgaagag	16080
tatctggtgt	catagaaatt	gccgatggga	gtcgccgtcg	taaagctgct	gcacttaccg	16140
aaagtgatta	tcgtgttctg	gttggcgagc	tggatgatga	gcagatggct	gcattatcca	16200
gattgggtaa	cgattatcgc	ccaacaagtg	cttatgaacg	tggtcagcgt	tatgcaagcc	16260
gattgcagaa	tgaatttgct	ggaaatattt	ctgcgctggc	tgatgcggaa	aatatttcac	16320
gtaagattat	tacccgctgt	atcaacaccg	ccaaattgcc	taaatcagtt	gttgctcttt	16380
tttctcaccc	cggtgaacta	tctgcccggt	caggtgatgc	acttcaaaaa	gcctttacag	16440
ataaagagga	attacttaag	cagcaggcat	ctaaccttca	tgagcagaaa	aaagctgggg	16500
tgatatttga	agctgaagaa	gttatcactc	ttttaacttc	tgtgcttaaa	acgtcatctg	16560
catcaagaac	tagtttaagc	tcacgacatc	agtttgctcc	tggagcgaca	gtattgtata	16620
agggcgataa	aatggtgctt	aacctggaca	ggtctcgtgt	tccaactgag	tgtatagaga	16680
aaattgaggc	cattcttaag	gaacttgaaa	agccagcacc	ctgatgcgac	cacgttttag	16740
tctacgttta	tctgtcttta	cttaatgtcc	tttgttacag	gccagaaagc	ataactggcc	16800



tgaatattet etetgggeec actgtteeac ttgtategte ggtetgataa teagaetggg	16860
accacggtcc cactcgtatc gtcggtctga ttattagtct gggaccacgg tcccactcgt	16920
atcgtcggtc tgattattag tctgggacca cggtcccact cgtatcgtcg gtctgataat	16980
cagactggga ccacggtccc actcgtatcg tcggtctgat tattagtctg ggaccatggt	17040
cccactcgta tcgtcggtct gattattagt ctgggaccac ggtcccactc gtatcgtcgg	17100
tctgattatt agtctggaac cacggtccca ctcgtatcgt cggtctgatt attagtctgg	17160
gaccacggic ccacicgtat cgicggictg attattagic igggaccacg atcccacicg	17220
tgttgtcggt ctgattatcg gtctgggacc acggtcccac ttgtattgtc gatcagacta	17280
tcagcgtgag actacgattc catcaatgcc tgtcaagggc aagtattgac atgtcgtcgt	17340
aacctgtaga acggagtaac ctcggtgtgc ggttgtatgc ctgctgtgga ttgctgctgt	17400
gtcctgctta tccacaacat tttgcgcacg gttatgtgga caaaatacct ggttacccag	17460
gccgtgccgg cacgttaacc gggctgcatc cgatgcaagt gtgtcgctgt cgacgagctc	17520
gcgagctcgg acatgaggtt gccccgtatt cagtgtcgct gatttgtatt gtctgaagtt	17580
gtttttacgt taagttgatg cagatcaatt aatacgatac ctgcgtcata attgattatt	17640
tgacgtggtt tgatggcctc cacgcacgtt gtgatatgta gatgataatc attatcactt	17700
tacgggtcct ttccggtgat ccgacaggtt acggggcggc gacctcgcgg gttttcgcta	17760
tttatgaaaa ttttccggtt taaggcgttt ccgttcttct tcgtcataac ttaatgtttt	17820
tatttaaaat accctctgaa aagaaaggaa acgacaggtg ctgaaagcga gctttttggc	17880
ctctgtcgtt tcctttctct gtttttgtcc gtggaatgaa caatggaagt ccgagctcat	17940
cgctaataac ttcgtatagc atacattata cgaagttata ttcgatgcgg cgctgaggtc	18000
tgcctcgtga agaaggtgtt gctgactcat accaggcctg aatcgcccca tcatccagcc	18060
agaaagtgag ggagccacgg ttgatgagag ctttgttgta ggtggaccag ttggtgattt	18120
tgaacttttg ctttgccacg gaacggtctg cgttgtcggg aagatgcgtg atctgatcct	18180
tcaactcagc aaaagttcga tttattcaac aaagccacgt gtctcaaaat ctctgatgtt	18240





acattgcaca agataaa	aat atatcatcat	gaacaataaa	actgtctgct	tacataaaca	18300
gtaatacaag gggtgtt	atg agccatattc	aacgggaaac	gtcttgctcg	acgatgataa	18360
gctgtcaaac atgagaa	ittg ggtcgtcaat	atgctaaaac	gcggcatacc	ccgcgtattc	18420
ccactagtta atcgtac	gaa ttccgtatgg	caatgaaaga	cggtgagctg	gtgatatggg	18480
atagtgttca cccttgt	tac accettttcc	atgagcaaac	tgaaacgttt	tcatcgctct	18540
ggagtgaata ccacgac	gat ttccggcagt	ttctacacat	atattcgcaa	gatgtggcgt	18600
gttacggtga aaacctg	gcc tatttcccta	aagggtttat	tgagaatatg	tttttcgtct	18660
cagccaatcc ctgggtg	agt ttcaccagtt	ttgatttaaa	cgtggccaat	atggacaact	18720
tcttcgcccc cgttttc	acc atgggcaaat	attatacgca	aggcgacaag	gtgctgatgc	18780
cgctggcgat tcaggtt	cat catgccgttt	gtgatggctt	ccatgtcggc	agaatgctta	18840
atgaattaca acagtac	tgc gatgagtggc	agggcggggc	gtaattttt	taaggcagtt	18900
attggtgccc ttaaacg	cct ggttgctacg	cctgaataag	tgataataag	cggatgaatg	18960
gcagaaattc gatgata	agc tgtcaaacat	gagaattggt	cgacggcccg	ggcggctaga	19020
taatacgact cactata	g				19038

<210> 48

<211> 19040

<212> DNA

<213> Artificial Sequence

<220>

<223> sequence for pBACt7/JVFLx/XbaI

<400> 48

agaagtttat ctgtgtgaac ttcttggctt agtatcgttg agaagaatcg agagattagt 60 gcagtttaaa cagttttta gaacggaaga taaccatgac taaaaaaacca ggagggcccg 120 gtaaaaaaccg ggctatcaat atgctgaaac gcggcctacc ccgcgtattc ccactagtgg 180 gagtgaagag ggtagtaatg agcttgttgg acggcagagg accagtacgt ttcgtgctgg 240 ctcttatcac gttcttcaag tttacagcat tagccccgac caaggcgctt ttaggccgat 300



ggaaagcagt	ggaaaagagt	gtggcaatga	aacatcttac	tagtttcaaa	cgagaacttg	360
gaacactcat	tgacgccgtg	aacaagcggg	gcagaaagca	aaacaaaaga	ggaggaaatg	420
aaggctcaat	catgtggctc	gcgagtttgg	cagttgtcat	agcttgtgta	ggagccatga	480
agttgtcaaa	tttccaaggg	aagcttttga	tgaccattaa	caacacggac	attgcagacg	540
tcatcgtgat	tcctacctca	aaaggagaga	acagatgctg	ggtccgggca	atcgatgtcg	600
gctacatgtg	tgaggacact	atcacgtacg	aatgtcctaa	gcttaccatg	ggcaatgatc	660
cagaggatgt	ggattgctgg	tgtgacaacc	aagaagtcta	cgtccaatat	ggacggtgca	720
cgcggaccag	gcattccaag	cgaagcagga	ggtccgtgtc	ggtccaaaca	catggggaga	780
gttcactagt	gaataaaaaa	gaggcttggc	tggattcaac	gaaagccaca	cgatatctca	840
tgaaaactga	gaactggatc	ataaggaatc	ctggctatgc	tttcctggcg	gcggtacttg	900
gctggatgct	tggcagtaac	aatggtcaac	gcgtggtgtt	taccatcctc	ctgctgttgg	960
tcgctccggc	ttacagtttt	aattgtctgg	gaatgggcaa	ccgtgacttc	atagaaggag	1020
ccagtggagc	cacttgggtg	gacttagtgc	tagaaggaga	tagctgcttg	acaatcatgg	1080
caaacgacaa	accaacattg	gacgtccgca	tgattaacat	cgaagccagc	caacttgctg	1140
aggtcagaag	ctactgctat	catgcttcag	tcactgacat	ctcgacggtg	gctcggtgcc	1200
ccacgactgg	agaagcccac	aacgagaagc	gagctgatag	tagctatgtg	tgcaaacaag	1260
gtttcactga	tcgtgggtgg	ggcaacggat	gtggactttt	cgggaaggga	agcattgaca	1320
catgtgcaaa	attctcctgc	accagtaagg	cgattgggag	aacaatccag	ccagaaaaca	1380
tcaaatacga	agttggcatt	tttgtgcatg	gaaccaccac	ctcggaaaac	catgggaatt	1440
attcagcgca	agtaggggcg	tcccaggcgg	caaagtttac	agtaacaccc	aatgctcctt	1500
cgataaccct	caaacttggt	gactacggag	aagtcacact	ggactgtgaa	ccaaggagtg	1560
gactgaacac	tgaagcgttt	tacgtcatga	ccgtggggtc	aaagtcattt	ctggtccata	1620
gggaatggtt	tcatgacctc	gctctcccct	ggacgtcccc	ttcgagcaca	gcgtggagaa	1680
acagagaact	cctcatggaa	tttgaagagg	cgcacgccac	aaaacagtcc	gttgttgctc	1740
ttgggtcaca	ggaaggaggc	ctccatcagg	cgctggcagg	agccatcgtg	gtggagtact	1800



caagctcagt	gaagttaaca	tcaggccacc	tgaaatgtag	gctgaaaatg	gacaaactgg	1860
ctctgaaagg	cacaacctat	ggcatgtgta	cagaaaaatt	ctcgt,tcgcg	aaaaatccgg	1920
cggacactgg	ccacggaaca	gttgtcattg	aactctccta	ttctgggagt	gatggcccct	1980
gcaaaattcc	gattgtctcc	gttgcgagcc	tcaatgacat	gaccccgtt	gggcggctgg	2040
tgacagtgaa	cccttcgtc	gcgacttcca	gtgccaactc	aaaggtgctg	gtcgagatgg	2100
aaccccctt	cggagactcc	tacatcgtag	ttggaagggg	agacaagcag	atcaaccacc	2160
attggcataa	agctggaagc	acgctgggca	aggcttttc	aacaactttg	aagggagctc	2220
aaagactggc	agcgttgggc	gacacagcct	gggactttgg	ctctattgga	ggggtcttca	2280
actccatagg	aaaggccgtt	caccaagtgt	ttggtggcgc	tttcagaaca	ctctttgggg	2340
gaatgtcttg	gatcacacaa	gggttaatgg	gtgccctact	actctggatg	ggcatcaacg	2400
cacgagatcg	atcaattgct	ttggccttct	tggccacagg	aggtgtgctc	gtgttcttag	2460
cgaccaatgt	gcatgctgac	actggatgtg	ccattgacat	cgcaagaaaa	gagatgagat	2520
gcggaagtgg	catcttcgtg	cacaacgacg	tggaagcctg	ggtggatagg	tataaatatt	2580
tgccagaaac	gcccagatcc	ctagcgaaga	tcgtccacaa	agcgcacaag	gaaggcgtgt	2640
gcggagtcag	atctgtcact	agactggagc	accaaatgtg	ggaagccgtg	cgggacgaat	2700
tgaacgtcct	gctcaaagag	aatgcagtgg	acctcagtgt	ggttgtgaac	aagcccgtgg	2760
ggagatatcg	ctcagcccca	aaacgcctgt	ccatgacgca	agagaagttt	gaaatgggct	2820
ggaaagcatg	gggaaaaaagc	attctctttg	ccccggaatt	ggctaactcc	acatttgttg	2880
tagatggacc	tgagacaaag	gaatgtcctg	atgagcacag	agcctggaac	agcatgcaaa	2940
tcgaagactt	cggctttggt	atcacatcaa	cccgtgtgtg	gctgaagatt	agagaggaaa	3000
gcactgacga	gtgtgatgga	gcgatcatag	gcacagctgt	caaaggacat	gtggcagttc	3060
atagtgactt	gtcgtactgg	attgagagtc	gctacaacga	cacatggaaa	cttgagaggg	3120
cagtctttgg	agaggt caaa	tcttgcactt	ggccagagac	acacactctt	tggggagatg	3180
gtgttgagga	aagtgaactc	atcatcccgc	ataccatagc	cggaccaaaa	agcaagcaca	3240



atcggaggga	agggtacaaa	acacaaaacc	agggaccttg	ggacgaaaac	ggcatagtct	3300
tggactttga	ttattgccca	gggacaaaag	tcaccatcac	agaggattgt	ggcaagagag	3360
gcccttcggt	cagaaccact	actgacagtg	gaaagttgat	tactgactgg	tgctgtcgca	3420
gttgctccct	tccgccccta	cgattccgga	cagaaaatgg	ctgctggtac	ggaatggaaa	3480
tcagacctgt	taggcatgat	gaaacaacac	tcgtcagatc	acaggttgat	gctttcaatg	3540
gtgaaatggt	tgaccctttt	cagctgggcc	ttctggtgat	gtttctggcc	acccaggagg	3600
tccttcgcaa	gaggtggacg	gccagattga	ccattcctgc	ggttttgggg	gccctgcttg	3660
tgctgatgct	tgggggcatc	acttacactg	atttggcgag	gtatgtggtg	ctagtcgctg	3720
ctgctttcgc	agaggccaat	aatggaggag	acgtcctgca	ccttgctttg	attgccgttt	3780
ttaagatcca	accagctttt	ctagtgatga	acatgcttag	cacgagatgg	acgaaccaag	3840
aaaacgtggt	cctggtccta	ggggctgcct	tctttcaatt	ggcctcagta	gatctgcaaa	3900
tcggagtcca	cggaatcctg	aatgccgccg	ctatagcatg	gatgattgtt	cgagcgatca	3960
ccttccccac	aacctcctcc	gtcaccatgc	cagtcttagc	gcttctaact	ccgggaatga	4020
gggctctata	cctagacact	tacagaatca	tccttctcgt	catagggatt	tgctccctgc	4080
tgcaagagag	gaaaaagacc	atggcaaaaa	agaaaggagc	tgtactcttg	ggcttagcgc	4140
tcacatccac	tggatggttc	tcgcccacca	ccatagctgc	tggactaatg	gtctgcaacc	4200
caaacaagaa	gagagggtgg	ccagctactg	agtttctgtc	ggcagtcgga	ttgatgtttg	4260
ccatcgtagg	tggtttggcc	gagttggata	ttgaatccat	gtcaataccc	ttcatgctgg	4320
caggtcttat	ggcagtgtcc	tacgtagtgt	caggaaaagc	aacagatatg	tggctcgaac	4380
gggccgccga	catcagctgg	gagatggatg	ctgcaatcac	aggaagcagt	cggaggctgg	4440
atgtgaaact	ggatgatgac	ggagattttc	acttgattga	tgatcccggc	gttccatgga	4500
aagtttgggt	cttgcgcatg	tcttgcattg	gcttagccgc	cctcacgcct	tgggccattg	4560
ttcccgccgc	tttcggttac	tggctcactt	taaaaacaac	aaaaagaggg	ggcgtgtttt	4620
gggacacgcc	atccccgaaa	ccttgcttaa	aaggagacac	cactacagga	gtctaccgaa	4680
tcatggctag	agggattctt	ggcacctacc	aggctggcgt	cggagtcatg	tacgagaatg	4740



ttttccacac	cactatggcad	acaactagag	gggcagccat	: tatgagtgga	gaaggaaaat	4800
tgacgccata	a ctggggtago	gtgaaagaag	accgcatago	ttacggaggc	ccatggagat	4860
ttgatcgaaa	a atggaatgga	acagatgacg	tgcaagtgat	cgtggtagaa	ccggggaagg	4920
ctgcggtaaa	a catccagaca	aaaccaggag	tgtttcggac	cccttcggg	gaggttgggg	4980
ctgttagcct	ggattacccg	cgaggaacat	ccggctcacc	cattctggat	tccaatggag	5040
acatcatagg	cctatacggc	aatggagttg	agcttggcga	tggctcatac	gtcagcgcca	5100
tcgtgcaggg	tgaccgtcag	gaggaaccag	tcccagaagc	ttacactcca	aacatgttaa	5160
gaaagagaca	gatgactgtg	ttagatttgc	accctggttc	agggaaaacc	aggaaaattc	5220
tgccacaaat	aattaaggat	gcaatccagc	agcgcctaag	aacagctgtg	ttggcaccga	5280
cgcgggtggt	agcagcagaa	atggcagaag	ctttgagagg	gctcccagta	cgataccaaa	5340
cttcagcagt	gcagagagag	caccaaggga	atgaaatagt	ggatgtgatg	tgccacgcca	5400
ctctgaccca	cagattgatg	tcaccgaaca	gagtgcccaa	ctacaatctg	tttgtcatgg	5460
atgaagctca	tttcaccgac	ccagccagca	tagccgcacg	aggatacatc	gctaccaagg	5520
tggaattagg	agaggcagca	gccatcttta	tgacagcgac	cccgcctgga	accacggatc	5580
cttttcccga	ctcaaatgcc	ccaatccatg	atttacaaga	tgagatacca	gacagggcat	5640
ggagcagtgg	atacgaatgg	atcacagaat	atgcgggtaa	aaccgtgtgg	tttgtggcga	5700
gcgtaaaaat	ggggaatgag	attgcaatgt	gcctccaaag	agcgggaaaa	aaggtcatcc	5760
aactcaaccg	caagtcctat	gacacagaat	acccaaaatg	taagaatgga	gactgggatt	5820
ttgtcattac	caccgacatc	tctgaaatgg	gggctaactt	cggtgcgagc	agggtcatcg	5880
actgcagaaa	gagcgtgaaa	cccaccatct	tagaagaggg	agaaggcaga	gtcatcctcg	5940
gaaacccatc	tcccataacc	agtgctagcg	cagctcaacg	gaggggcaga	gtaggcagaa	6000
accccaacca	agttggagat	gaataccatt	atggaggggc	taccagtgaa	gatgacagta	6060
acctagccca	ttggacagag	gcaaagatca	tgttagacaa	catacacatg	cccaatgggc	6120
tggtggccca	gctctatgga	ccagagaggg	aaaaggcttt	cacaatggat	ggcgaatacc	6180



gtctcagggg	g tgaagaaaag	aaaaacttct	tagagctgct	taggacggct	gaccttccgg	6240
tgtggctggc	ctataaggtg	gcgtccaatg	gcattcagta	caccgacaga	aagtggtgtt	6300
ttgatgggco	gcgcacgaat	gccatactgg	aggacaacac	cgaggtagag	atagtcaccc	6360
ggatgggtga	a gagaaagato	ctcaagccga	gatggcttga	tgcaagagta	tacgcagatc	6420
accaagccct	caagtggttc	aaagactttg	cagcaggaaa	gagatcggcc	gttagcttca	6480
tagaggtgct	cggtcgcatg	cctgagcatt	tcatgggaaa	gacgcgggaa	gctttagaca	6540
ccatgtactt	ggtcgcaacg	gctgagaaag	gtgggaaggc	acaccgaatg	gctctcgaag	6600
agttgccgga	tgcactggaa	accatcacac	ttattgttgc	catcactgta	atgacaggag	6660
gattcttcct	actaatgatg	cagcgaaagg	gtatagggaa	gatgggtctt	ggagctctag	6720
tgctcacgct	agctaccttc	ttcctgtggg	cggcagaggt	tcctggaacc	aaaatagcag	6780
ggaccctgct	gatcgccctg	ctgctgatgg	tggttctcat	cccagaaccg	gaaaaacaga	6840
ggtcacagac	agacaaccaa	ctagcggtgt	ttctcatctg	cgtcttgacc	gtggttggag	6900
tggtggcagc	aaacgagtac	gggatgctag	aaaaaaccaa	agcagatete	aagagcatgt	6960
ttggcggaaa	gacacaggca	tcaggactga	ctggattgcc	aagcatggca	ctggacctgc	7020
gtccagccac	agcctgggca	ctgtatgggg	ggagcacagt	tgtgctaacc	cctcttctga	7080
agcacctgat	cacgtcggaa	tatgtcacca	catcgctagc	ctcaattaac	tcacaagctg	7140
gctcattatt	cgtcttgcca	cgaggcgtgc	ctttcaccga	tctagacctg	accgttggcc	7200
tcgtcttcct	tggctgctgg	ggtcaaatca	ccctcacaac	gtttttgaca	gccatggttc	7260
tggcgacact	tcactatggg	tacatgctcc	ctggatggca	agcagaagca	ctcagggctg	7320
cccagagaag	gacggcggct	ggaataatga	agaatgccgt	tgttgacgga	atggtcgcca	7380
ctgatgtgcc	tgaactggaa	aggactactc	ctctgatgca	aaagaaagtc	ggacaggtgc	7440
tcctcatagg	ggtgagcgtg	gcagcgtttc	tcgtcaaccc	taatgtcacc	actgtgagag	7500
aagcaggggt	gttggtgacg	gcggctacgc	tcaccttgtg	ggataatgga	gccagtgccg	7560
tttggaattc	caccacagcc	acgggactct	gccatgtcat	gcgaggtagc	tacctggctg	7620
gaggctctat	tgcttggact	cttatcaaga	acgctgacaa	gccctccttg	aaaaggggaa	7680



ggcctggggg	caggacgcta	ggggagcagt	ggaaggaaaa	actaaatgcc	atgagcagag	7740
aagagtttt	taaataccgg	agagaggcca	taatcgaggt	ggaccgcact	gaagcacgca	7800
gggctagacg	tgaaaataac	atagtgggag	gacatccggt	ttcgcgaggc	tcagcaaaac	7860
tccgttggct	cgtggagaaa	ggattcgtct	cgccaatagg	aaaagtcatt	gatctagggt	7920
gtgggcgtgg	aggatggagc	tactacgcag	caaccctgaa	gaaggtccag	gaagtcagag	7980
gatacacgaa	aggtggggcg	ggacatgaag	agccgatgct	catgcagagc	tacggctgga	8040
acctggtctc	cttgaagagt	ggagtggatg	tgttctacaa	accttcagag	cctagtgaca	8100
ccctgttctg	tgacataggg	gaatcctccc	caagtccaga	agtggaagaa	caacgcacac	8160
tacgcgtcct	agagatgaca	tccgattggt	tgcatcgagg	acccagagag	ttctgcataa	8220
aagttctctg	cccttacatg	cccaaggtca	tagaaaaaat	ggaagttctg	cagcgccgct	8280
tcggaggtgg	gctagtacgt	ctcccctgt	cccgaaactc	caatcacgag	atgtattggg	8340
ttagtggagc	cgctggcaat	gtggtgcacg	ctgtgaacat	gaccagccag	gtactactgg	8400
ggcgaatgga	tcgcacagtg	tggagagggc	caaagtatga	ggaagatgtc	aacctaggta	8460
gcggaacaag	agccgtggga	aagggagaag	ttcatagcaa	tcaggagaaa	atcaagaaga	8520
gaatccagaa	gcttaaagaa	gaattcgcca	caacgtggca	caaagaccct	gaacacccat	8580
accgcacttg	gacataccac	ggaagctatg	aggtgaaggc	tactggctca	gccagctctc	8640
tcgtcaacgg	agtggtgaag	ctcatgagta	aaccttggga	cgccattgcc	aacgtcacca	8700
ccatggccat	gactgacacc	acccctttg	gacagcaaag	agttttcaag	gagaaagttg	8760
acacgaaagc	tcctgagcca	ccagctggag	tcaaggaagt	gctcaacgag	accaccaact	8820
ggctgtgggc	ccacttgtca	cgggaaaaaa	gaccccgctt	gtgcaccaag	gaagaattta	8880
taaagaaagt	caatagcaac	gcggctcttg	gagcagtgtt	tgctgaacag	aatcaatgga	8940
gcacggcgcg	tgaggctgtg	gacgacccgc	ggttttggga	gatggtcaat	gaagagaggg	9000
aaaaccatct	gcgaggagag	tgtcacacat	gtatctacaa	catgatggga	aaaagagaga	9060
agaagcctgg	agagtttgga	aaagctaaag	ggagcagggc	catttggttc	atgtggcttg	9120




gagcacggta tcttgagttt gaagctttgg ggttcctgaa tgaagaccac tggctgagcc 9180 gagagaattc aggaggtgga gtagaaggct caggcgtcca aaagttggga tacatcctcc 9240 gtgacatagc aggaaagcaa ggagggaaaa tgtacgctga tgacaccgcc gggtgggaca 9300 ctagaattac tagaactgat ttagaaaatg aagctaaggt gctggagctc ctagatggtg 9360 aacaccgcat gctcgcccgg gccataattg aactgactta caggcacaaa gtggtcaagg 9420 tcatgagacc tgcagcagaa ggaaagaccg tgatggacgt gatatcaaga gaagaccaaa 9480 gggggagtgg acaggtggtc acttatgctc tcaacacttt cacgaacatc gctgtccagc 9540 tcgttaggct gatggaggct gagggggtca ttgggccaca acacttggaa cagctgccta 9600 ggaaaaacaa gatagctgtc aggacttggc tctttgagaa tggagaggag agagtgacca 9660 ggatggcgat cagcggagac gactgtgtcg tcaagccgct ggacgacaga ttcgccacgg 9720 ccctccattt cctcaacgca atgtcaaagg ttagaaaaga catccaggaa tggaagcctt 9780 egeaeggetg geaegattgg cageaagtte cettetgete taaccaettt caggagattg 9840 tgatgaaaga cggaaggagt atagttgtcc cgtgcagagg acaggatgag ctgataggca 9900 gggctcgcat ctctccagga gctggatgga atgtgaagga cacagcttgc ctggcaaaag 9960 catatgcaca gatgtggcta ctcctatact tccatcgtag ggacctgcgt ctcatggcaa 10020 atgcgatttg ctcagcagtg ccagtggatt gggtgcccac aggcaggaca tcctggtcaa 10080 tacactcgaa aggagagtgg atgaccacgg aagacatgct gcaggtctgg aacagagtct 10140 ggattgaaga aaatgaatgg atgatggata agactcccgt cacaagctgg acagacgttc 10200 cgtatgtggg aaagcgtgag gacatctggt gtggcagcct catcggaacg cgttccagag 10260 caacctgggc tgagaacatc tatgcggcga taaaccaggt tagagctgtc attgggaaag 10320 aaaattatgt tgactacatg acctcactca ggagatacga agacgtcttg atccaggaag 10380 acagggtcat ctagtgtgac ttaaggtaga aatgtaaata atgtgaatga gaaaatgcat 10440 gtatatggag tcaggccagc aaaagctgcc accggatact gggtagacgg tgctgcctgc 10500 gtctcagtcc caggaggact gggttaacaa atctgacaac agaaagtgag aaagccctca 10560 gaaccgtctc ggaagtaggt ccctgctcac tggaagttga aagaccaacg tcaggccacg 10620



aatttgtgc	c actccgctgg	ggagtgcggc	ctgcgcagc	c ccaggagga	tgggttacca	10680
aagccgttga	ggcccccac <sub>g</sub>	gcccaagcct	cgtctagga	t gcaatagac	g aggtgtaagg	10740
actagaggtt	agaggagaco	ccgtggaaac	aacaacatgo	c ggcccaagco	ccctcgaagc	10800
tgtagaggag	g gtggaaggac	tagaggttag	aggagaccc	gcatttgcat	caaacagcat	10860
attgacacct	gggaatagac	tgggagatct	tctgctctai	ctcaacatca	gctactaggc	10920
acagagcgcc	gaagtatgta	gctggtggtg	aggaagaaca	a caggatetet	agagcggccg	10980
cggaccgact	agcctcttt	cggccttcgc	tgagagggat	ttgttcccta	ggcctaatta	11040
ttatttttaa	ttgcccaata	cgtatacgag	tgccttttct	aattctcgta	tactatagtg	11100
agtcgtatta	tctagccgcc	cgggccgtcg	accaattcto	atgtttgaca	gcttatcatc	11160
gaatttctgc	cattcatccg	cttattatca	cttattcagg	cgtagcaacc	aggcgtttaa	11220
gggcaccaat	aactgcctta	aaaaaattac	gcccgccct	gccactcatc	gcagtactgt	11280
tgtaattcat	taagcattct	gccgacatgg	aagccatcac	aaacggcatg	atgaacctga	11340
atcgccagcg	gcatcagcac	cttgtcgcct	tgcgtataat	atttgcccat	ggtgaaaacg	11400
ggggcgaaga	agttgtccat	attggccacg	tttaaatcaa	aactggtgaa	actcacccag	11460
ggattggctg	agacgaaaaa	catattctca	ataaaccctt	tagggaaata	ggccaggttt	11520
tcaccgtaac	acgccacatc	ttgcgaatat	atgtgtagaa	actgccggaa	atcgtcgtgg	11580
tattcactcc	agagcgatga	aaacgtttca	gtttgctcat	ggaaaacggt	gtaacaaggg	11640
tgaacactat	cccatatcac	cagctcaccg	tctttcattg	ccatacggaa	ttccggatga	11700
gcattcatca	ggcgggcaag	aatgtgaata	aaggccggat	aaaacttgtg	cttatttttc	11760
tttacggtct	ttaaaaaaggc	cgtaatatcc	agctgaacgg	tctggttata	ggtacattga	11820
gcaactgact	gaaatgcctc	aaaatgttct	ttacgatgcc	attgggatat	atcaacggtg	11880
gtatatccag	tgatttttt	ctccatttta	gcttccttag	ctcctgaaaa	tctcgataac	11940
tcaaaaaata	cgcccggtag	tgatcttatt	tcattatggt	gaaagttgga	acctcttacg	12000
tgccgatcaa	cgtctcattt	tcgccaaaag	ttggcccagg	gcttcccggt	atcaacaggg	12060










gaaaaaggct	atgaatcttt	tccttggttt	atcaaacgtg	cgcacagtcc	atccagaggg	13620
ctttacagtg	tacatatcaa	cccatatctc	attcccttct	ttatcgggtt	acagaaccgg	13680
tttacgcagt	ttcggcttag	tgaaacaaaa	gaaatcacca	atccgtatgc	catgcgttta	13740
tacgaatccc	tgtgtcagta	tcgtaagccg	gatggctcag	gcatcgtctc	tctgaaaatc	13800
gactggatca	tagagcgtta	ccagctgcct	caaagttacc	agcgtatgcc	tgacttccgc	13860
cgccgcttcc	tgcaggtctg	tgttaatgag	atcaacagca	gaactccaat	gcgcctctca	13920
tacattgaga	aaaagaaagg	ccgccagacg	actcatatcg	tattttcctt	ccgcgatatc	13980
acttccatga	cgacaggata	gtctgagggt	tatctgtcac	agatttgagg	gtggttcgtc	14040
acatttgttc	tgacctactg	agggtaattt	gtcacagttt	tgctgtttcc	ttcagcctgc	14100
atggattttc	tcatactttt	tgaactgtaa	tttttaagga	agccaaattt	gagggcagt t	14160
tgtcacagtt	gatttccttc	tctttccctt	cgtcatgtga	cctgatatcg	ggggttagtt	14220
cgtcatcatt	gatgagggtt	gattatcaca	gtttattact	ctgaattggc	tatccgcgtg	14280
tgtacctcta	cctggagttt	ttcccacggt	ggatatttct	tcttgcgctg	agcgtaagag	14340
ctatctgaca	gaacagttct	tctttgcttc	ctcgccagtt	cgctcgctat	gctcggttac	14400
acggctgcgg	cgagcgctag	tgataataag	tgactgaggt	atgtgctctt	cttatctcct	14460
tttgtagtgt	tgctcttatt	ttaaacaact	ttgcggtttt	ttgatgactt	tgcgattttg	14520
ttgttgcttt	gcagtaaatt	gcaagattta	ataaaaaaac	gcaaagcaat	gattaaagga	14580
tgttcagaat	gaaactcatg	gaaacactta	accagtgcat	aaacgctggt	catgaaatga	14640
cgaaggctat	cgccattgca	cagtttaatg	atgacagccc	ggaagcgagg	aaaataaccc	14700
ggcgctggag	aataggtgaa	gcagcggatt	tagttggggt	ttcttctcag	gctatcagag	14760
atgccgagaa	agcagggcga	ctaccgcacc	cggatatgga	aattcgagga	cgggttgagc	14820
aacgtgttgg	ttatacaatt	gaacaaatta	atcatatgcg	tgatgtgttt	ggtacgcgat	14880
tgcgacgtgc	tgaagacgta	tttccaccgg	tgatcggggt	tgctgcccat	aaaggtggcg	14940
tttacaaaac	ctcagtttct	gttcatcttg	ctcaggatct	ggctctgaag	gggctacgtg	15000













i	atcgctaata	acttcgtata	gcatacatta	tacgaagtta	tattcgatgc	ggcgctgagg	18000
	tctgcctcgt	gaagaaggtg	ttgctgactc	ataccaggcc	tgaatcgccc	catcatccag	18060
•	ccagaaagtg	agggagccac	ggttgatgag	agctttgttg	taggtggacc	agttggtgat	18120
•	tttgaacttt	tgctttgcca	cggaacggtc	tgcgttgtcg	ggaagatgcg	tgatctgatc	18180
(	cttcaactca	gcaaaagttc	gatttattca	acaaagccac	gtgtctcaaa	atctctgatg	18240
1	ttacattgca	caagataaaa	atatatcatc	atgaacaata	aaactgtctg	cttacataaa	18300
(	cagtaataca	aggggtgtta	tgagccatat	tcaacgggaa	acgtcttgct	cgacgatgat	18360
i	aagctgtcaa	acatgagaat	tgggtcgtca	atatgctaaa	acgcggcata	cccgcgtat	18420
1	tcccactagt	taatcgtacg	aattccgtat	ggcaatgaaa	gacggtgagc	tggtgatatg	18480
٤	ggatagtgtt	cacccttgtt	acaccgtttt	ccatgagcaa	actgaaacgt	tttcatcgct	18540
(	ctggagtgaa	taccacgacg	atttccggca	gtttctacac	atatattcgc	aagatgtggc	18600
£	gtgttacggt	gaaaacctgg	cctatttccc	taaagggttt	attgagaata	tgtttttcgt	18660
C	ctcagccaat	ccctgggtga	gtttcaccag	ttttgattta	aacgtggcca	atatggacaa	18720
C	ettettegee	cccgttttca	ccatgggcaa	atattatacg	caaggcgaca	aggtgctgat	18780
٤	gccgctggcg	attcaggttc	atcatgccgt	ttgtgatggc	ttccatgtcg	gcagaatgct	18840
ŧ	aatgaatta	caacagtact	gcgatgagtg	gcagggcggg	gcgtaatttt	tttaaggcag	18900
t	tattggtgc	ccttaaacgc	ctggttgcta	cgcctgaata	agtgataata	agcggatgaa	18960
t	ggcagaaat	tcgatgataa	gctgtcaaac	atgagaattg	gtcgacggcc	cgggcggcta	19020
g	ataatacga	ctcactatag					19040

<210> 49

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> primer EGFPF

<400> 49

# WO 2004/033690



# CT/KR2003/002081

tcgccac	cat ggtgagca	18
		10
.010-		
<210>	50	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
40005		
<220>		
<223>	primer EGFPR	
<400>	50	
	ctc tattaaccgt cgactgcaga	
	ord tuttuuoogi ogacigcaga	30
	·	
<210>	51	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer PACF	
	•	
<400>	51	
gatcacg	tg tgagttggat agttgtg	27
		21
<210>	52	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
<220>	•	
	' Dian	
<223>	primer PACR	
<400>	52	
	tt catggggtcg tgcgctc	
		27
<210>	53	
<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer DelF	



# T/KR2003/002081

<400>	53		
gattta	atta acctgcaggg ggctgtt		~
	0 000 0000	<b>Z</b>	7
		•	
<210>	54		
<211>	27		
<212>	DNA		
<213>	Artificial Sequence		
<220>			
<223>	primer C1R		
1100-			
<400>	54		
gateteg	gagc cggtttttac cgggccc	2	7
<210>	55 ·		
<211>	27		
<212>			
<213>			
	50480100		
<220>			
<223>	primer C2F		
<400>	55		
gateteg	gaga aaagaggagg aaatgaa	2'	7
<210>	56		
<211>	27		
<212>	DNA		
<213>	Artificial Sequence		
	VIII bequence		
<220>			
<223>	primer DelR		
<400>	56		
tgtggcc	aag aaggccaaag caattga	27	,
<210>	57		
<211>	27		
<212>	DNA		
<213>	Artificial Sequence		
-	Doduction		



<210> 61



gg gctccactgg ctccttc	27
60	
himei rik	
primer \$1D	
•	
60	
gg attcaacgaa agccaca	27
E0	
primer prM2F	
59	
gg tccgtgttgt taatggt	27
primer prM1R	
werriotar deduction	
FO	
ge attactacce tetteac	27
E7	
•	
primer C3R	
	59 gg attcaacgaa agccaca  60 27 DNA Artificial Sequence  primer E1R  60

## WO 2004/033690



# T/KR2003/002081

<211>	27	
<212>	DNA	
<213>	Artificial Sequence	
	•	
<220>		
<223>	primer E2F	
	• ****	
<400>	61	
gateteg	aga caactttgaa gggagct	27
		21
<210>	62	
<211>	30	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer NS1R	
4100h	00	
<400>	62	
ggcacat	cca gtgtcggctc ctacacaagc	30
<210>	63	
<211>	18	
<212>	DNA	
<213>		
~215>	Artificial Sequence	
<220>		
<223>	primer NS1F	
-220-	bitmer 1971.	
	•	
<400>	63	
gacactgg	at gtgccatt	18
		10
	·	
<210>	64	
<211>	21	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer RR	
4100°	24	
<400>	64	
rcgrcccg	ca cggcttccca c	21



<510>	65	
<211>	24	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer JEVCF	
-400		
<400>	65	
gatteta	gaa tgactaaaaa acca	24
<210>	66	
<211>	31	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	primer JEVER	
<100×		
<400>	66	
gatgttta	aaa ctattaagca tgcacattgg t	31
<210>	67	
<211>	31	
<212>	DNA	
<213>	Artificial Sequence .	
<220>		
<223>	primer JEVNS1R	
<400>	67	
gatgttta	aa ctattaagca tcaacctgtg a	31



mational application

mational application No. PCT/KR2003/002081

#### A. CLASSIFICATION OF SUBJECT MATTER

#### IPC7 C12N 15/40

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC7 C12N 15/40

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Korean Patent and Application

Electronic data base consulted during the intertnational search (name of data base and, where practicable, search terms used)
Delphion, NCBI, CA, PubMed "(encephalitis or JEV) and (transcript or cDNA)"

#### C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X Y	NCBI Accession No. U15763, 30 Mar. 1995, NI H. et al.	1-6 7-9, 12-28
X Y	NCBI Accession No. U14163, 13 Sep. 1994, NI H. et al.	1-6 7-9, 12-28
Y	WO 99/63095 (The Government of the USA) 9 Dec. 1999, see the whole document	7-9, 12-28
Y	J. Biological Chemistry, Vol. 274, No.47, Nov. 1999, US, pages 33714~33722, SHIHYUN Y. et al.: "A Novel in Vitro Replication System for Dengue Virus" See the whole document	7-9, 12-28
A	J. Virology, Vol.70, No.2, Feb. 1996, US, pages 763-770, MOORMANN et al.: "Infectious RNA Transcribed from an Engineered Full-Length cDNA Template of the Genome of a Pestivirus" see the whole document	7-9, 12-28
A	PNAS, Vol.88, Jun. 1991, US, pages 5139-5143, CHING-Juh L. et al.: "Infectious RNA Transcribed from Stably Cloned Full-Length cDNA of Dengue Type 4 Virus" see the whole document	7-9, 12-28

L	Further of	documents	are listed	in the	continuation	of Box C.
---	------------	-----------	------------	--------	--------------	-----------

X See patent family annex.

- \* Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)
- O document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date daimed
- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

06 JANUARY 2004 (06.01.2004)

Date of mailing of the international search report 06 JANUARY 2004 (06.01.2004)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office 920 Dunsan-dong, Seo-gu, Daejeon 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

CHANG, TE HWAN

Telephone No. 82-42-481-8158







### INTERNATIONAL SEARCH REPORT

International application No.
PCT/KR2003/002081

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
W09963095A1	09.12.99	US20030022849A1	30.01.03
		JP2002517200T2	18.06.02
		IL0139844A0	10.02.02
		EP1084252A1	21.03.01
		CA2331368AA	09.12.99
		BR9910830A	13.02.01
		AU4329699A1	20.12.99

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.